







* * NOTES * *

- 1. MAT'L: CAST DUCTILE IRON PER ASTM A536 60-40-18
- 2. FINISH: HOT DIP GALVAINZE PER ASTM A153
- 3. HARDWARE: INCLUDES (1) 7/8 INCH HES HEAD BOLT AND NUT PER ASTM A193 GRADE B7.

ULTIMATE CAPACITY TENSION/ COMPRESSION				
PILE LENGT	Kt (SAND)	CAPACITY (Kt (CLAY)	CAPACITY (
> 30'-0"	10	80 KIP	9.5	76 KIP
≥ 30'-0"	9.5	76 KIP	9.5	76 KIP

