







For Identification

Available in the most popular RACO[®] steel boxes and covers for general alarm and security applications. Allows an inspector or building owner to immediately identify alarm/fire or life safety systems.

- Accommodates local codes for easy identification of products containing cabling relative to life safety systems
- Prevents the need for painting or labeling on the job site
- For industrial, commercial or residential applications
- All products have UL Listed, durable red polyester powder finish
- Manufactured from .062 thick steel
- Approved for use in 2 hour fire rated walls

Large 66.7 Cu. In. Capacity Box gives you the RACO[®] advantage. This new design accommodates oversized alarm devices for use in industrial, commercial, or residential applications. **Catalog no. 911-15**.

4-11/16" sq. x 4" sq. adapter ring is raised 5/8" and accepts UFE safety appliances designed to mount to 4" sq. boxes.

Catalog no. 911-16.

4-11/16" sq. x 4" sq. adapter ring is raised 1-1/4" and accepts UFE safety appliances designed to mount to 4" sq. boxes.

Catalog no. 911-17.











206RAC

Application

- RACO RETRO-RING[®] is used to position any depth, 4" square steel junction box in a sheet rock covered, wall cavity
- RACO 205RAC is used to position life safety devices
- RACO 206RAC is used in old work installations where one or two devices are required with or without a box*
- RACO 911-19 RETRO-RING[®] is used to position any depth. 4" square steel junction box in a sheet rock covered, wall cavity - used to position life safety devices - painted red for immediate identification

Features

- Allows 4" square box to be quickly and easily mounted in old work application
- Accommodates any depth, 4" square box
- Works with up to 1-1/2" deep, drywall applications
- Small foot print is easily covered by wall plate (any wall plate or appliance greater than 4-13/32" W x 4-3/4" H)
- Steel old work wings allow for secure mounting of box and devices to wall
- Includes one wall template per carton for easy trace-&-cut-out
- Made from durable, .039" thick galvanized steel
- Can be used to mount low voltage devices without a box*
- Design allows for installation of steel low voltage partition for power/data applications (206RAC only)
- One or two devices mount directly to RETRO-RING® (206RAC only)

| RETRO-RING [®] FOR POWER/DATA DEVICE(S), 4" SQUARE BOX MOUNTING | | | | | | | |
|--|---|-----------|----------------|--|--|--|--|
| CAT. NO. | DESCRIPTION | STD. PKG. | l2of5 | | | | |
| 205RAC | RETRO-RING for Life Safety Appliance Support | 20 | 50050169002051 | | | | |
| 206RAC | RETRO-RING for One or Two Device Applications | 20 | 50050169002068 | | | | |
| 706RAC | Box Partition for RETRO-RING & 1-1/2" Deep 4" Sq. Bx. | 25 | 50050169007063 | | | | |
| 707RAC | Box Partition for RETRO-RING & 2-1/8" Deep 4" Sq. Bx. | 25 | 50050169007070 | | | | |
| 911-19 | RETRO-RING for Life Safety Appliance Support, Red | 20 | 50050169504357 | | | | |

* can be used without a box when in compliance with local building codes.







Unique Design

THE INSIDER[®] allows the installer to run fire alarm cable through the knockout to the desired length before snapping the connector into the knockout. THE INSIDER[®] is a perfect grommet to protect fire alarm cable entering any 1/2" box knockout.

- Snap-in locking tab design for 1/2" Knockouts
- One piece nonmetallic construction
- Easy removal
- THE INSIDER[®] can be used in old or new work applications

Also For Power...

Use THE INSIDER[®] in dry locations to connect one or two runs of Nonmetallic Sheathed Cable (NMSC) to a box.

THE INSIDER[®] and NMSC can be used with Steel Boxes, Panel Boxes or Plastic Boxes with knockouts.

For use with Nonmetallic Sheathed Cable

| SINGLE | |
|--------------|--------------|
| 14-2 w/grnd. | 14-3 w/grnd. |
| 12-2 w/grnd. | 12-3 w/grnd. |
| 10-2 w/grnd. | 10-3 w/grnd. |

TWO CABLE COMBINATIONS

(2)14-2's w/grnd. (1) 14-2 w/grnd. & (1) 12-2 w/grnd. (1) 14-2 w/grnd. & (1) 10-2 w/grnd.

SPECIFICATIONS

Cat. No.: 4714 Trade Size: 1/2" Color: Black Material: Thermoplastic Unit Carton Qty.: 100 Ship Carton Qty.: 100 Wt. Per 100 Pcs.: 0.861

Unit Carton Dimensions: 6-1/4" x 4-1/2" x 4-1/4" Ship Carton Dimensions: 21-3/8" x 9-3/4" x 7-1/2" I Two of Five Bar Code Unit Carton.: 30050169047140 I Two of Five Bar Code Ship Carton.: 50050169047144

| Large Capacity Steel Wall Boxes | | Unpainted | Cu. | Knockouts | | Std |
|---------------------------------|---|-------------------|------------|---|---------------------------------------|-------------|
| Cat. No. | Description | Base | ln. | Sides Cond. | Bottom Cond. | Pkg. |
| 911-1 | 3-3/4" Sq., 3-1/2" Deep Box, Welded w/Conduit KO's, Red* | 255 | 45.0 | (10) 1/2"- 3/4" Concentric | (4) 1/2"- 3/4" Concentric, (1) 1/2 | 10 |
| 911-2 | 3-3/4" Sq., 3-1/2" Deep Box, w/Conduit KO's, Red* *Accepts Standard 4" Sq. Covers | 256 | 45.0 | (12) 1/2"-3/4" Concentric | (4) 1/2"-3/4" Concentric, (1) 1/2 | 25 |
| 911-15 | 4-11/16" Sq., 3-1/4" Deep Box, Welded w/Conduit KO's, Red | 260 | 66.7 | (3) 1/2"- 3/4" TKO (2) 1" - 1-1/4" TKO (2) 1" - 2" Conc. KO | (2) 3/4"- 1" TKO (2) 1/2" TKO | 10 |
| 260H | 4-11/16" Sq., 3-1/4" Deep Box, Welded w/Conduit KO's, H Bracket, UBS | | 66.7 | (3) 1/2"- 3/4" TKO (2) 1" - 1-1/4" TKO (2) 1" - 2" Conc. KO | (2) 3/4"- 1" TKO (2) 1/2" TKO | 10 |
| 911-16 | 4-11/16" Sq., x 4" Sq. x 5/8" Raised Adapter, Red - For Life Safety Appliances | 855 | 8.3 | _ | | 25 |
| 911-17 | 4-11/16" Sq., x 4" Sq. x 1-1/4" Raised Adapter, Red - For Life Safety Appliances | 859 | 16.0 | — | | 12 |
| 911-19 | 4" Sq. RETRO-RING [®] Box Mount Adapter, Red | 205RAC | — | _ | _ | 20 |
| Steel Wall Boxes, Cat. No. | , Extension Rings & Covers Description | Unpainted Base | Cu. In. | Knoc Sides Cond. | kouts Bottom Cond. | Std Pkg. |
| 911-3 | 4" Sq., 2-1/8" Deep Box, Welded w/Conduit KO's, Red | 232 | 30.3 | (8) 1/2" & (4) TKO | (3) 1/2" & (2) TKO | 25 |
| 911-4 | 4" Sq., 2-1/8" Deep Box, Welded w/Conduit KO's &, Red | 237 | 30.3 | (6) 1/2" & (3) TKO | (3) 1/2" & (2) TKO | 25 |
| 911-9 | 4" Sq.,1-1/2" Deep Box, Welded w/Conduit KO's, Red | 189 | 21.0 | (8) 1/2" & (4) TKO | (2) 1/2" & (2) TKO | 50 |
| 911-6 | 4" Sq., 1-1/2" Deep, Drawn Ex- tension Ring w/Conduit KO's, Red | 203 | 22.5 | (8) 1/2" & (4) 3/4" | _ | 50 |
| 911-8 | 4" Sq., Flat Blank Cover, Red | 752 | _ | — | — | 50 |
| 911-12 | 4-11/16" Sq., 2-1/8" Deep Box, Welded w/Conduit KO's, Red | 257 | 42.0 | (12) TKO | (1) 1/2" & (3) TKO | 25 |
| 911-11 | 4-11/16" Sq., Flat Blank Cover, Red | 832 | — | _ | _ | 50 |

RACO®" RETRO-RING®, Red Boxes, Extension Rings and Covers

RACO® The Insider®





3902 West Sample St., South Bend, IN 46619 TEL: 574-234-7151 FAX: 574-234-0625 www.hubbell.com/raco/en

RA-342-rev7

©2020 Hubbell Incorporated (Delaware)