

KILLARK®

WTR LED Retrofit

for Standard Location Environments



www.hubbell-killark.com




Harsh & Hazardous




OLD

DIMENSIONS

OLD




NEW




WTR-1

OLD



NEW



WTR-2

WTR

Weather Tight LED Retrofit



NEW



Suitable for wet locations
Type 3, 4X

WTR-1		WTR-2	
120V			Voltage
1085		2100	Lumen Output
9W		18W	Wattage
99k Calculated L70			LED Life



Universal Retrofit

Compatible with Cooper Crouse-Hinds, Appleton, Thomas & Betts, and Killark



Saves Time

Installs in less than 60 seconds



Saves Money

Energy efficient LED uses 90% less power than conventional lighting fixtures




Easy Install

No tools required for installation

Easy as...

1

remove



2

connect



3

enjoy





KILLARK®

2112 Fenton Logistics Park Blvd.
Fenton, MO 63026
TEL: (314) 531-0460
www.hubbell-killark.com • killarkinfo@hubbell.com

Hubbell Canada LP
870 Brock Road South
Pickering, Ontario L1W 1Z8
(905) 839-1138
infohclp@hubbell-canada.com

Hubbell Products Mexico
Calle 5 Sur No. 105 Col. Parque
Ind. Toluca 2000
Toluca Edo. Mex. CP 50200
Tel: (01 52) 559-151-9999
info@hubbell.com.mx

Hubbell® Construction and Energy

A Division of Hubbell, Inc.
HKPR-WTR 11-19 © Killark, 2019