



1 **TYPE EXAMINATION CERTIFICATE**

2 **Equipment Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Type Examination Certificate Number: **Baseefa04ATEX0393X**

4 Equipment: **Eclipse II and Eclipse II Junior Luminaires**

5 Manufacturer: **Chalmit Lighting**

6 Address: **Glasgow, Scotland G52 4BL**

7 This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 Baseefa (2001) Ltd. certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment of Category 3 intended for use in potentially explosive atmospheres given in Annex II to European Union Directive 94/9/EC of 23 March 1994.

The examination and test results are recorded in confidential Report No. **04(C)0788**

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN60079-15: 2003

EN50281-1-1 : 1998 + Amendment 1

except in respect of those requirements listed at item 18 of the Schedule.

10 If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.

11 This TYPE EXAMINATION CERTIFICATE relates only to the design of the specified equipment and not to specific items of equipment subsequently manufactured.

12 The marking of the equipment shall include the following :

⊕ II 3GD EEx nAR II T* (T_{amb} = -* to +*) * see schedule

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **0068**

Project File No. **04/0788**

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa (2001) Ltd.



13

Schedule

14

Certificate Number Baseefa04ATEX0393X

15 Description of Equipment

Eclipse II and Eclipse II Junior Luminaires comprises a circular aluminium alloy enclosure with a hinged rear cover and an internal thread to which is attached one of a number of wellglass diffusers.

Silicone rubber gaskets are provided between the enclosure and cover and the enclosure and wellglass. Ignition protection is provided by the lampholder and diffuser forming a restricted breathing enclosure and the control gear enclosure is considered non-sparking.

The luminaires are intended to be vertically mounted at a maximum of 25 degrees from the vertical. Options include wall and stanchion mounting and enclosed, dome and angled reflectors, and a wire guard.

The types of lamp, wattage, temperature classification and ambient temperature range are indicated below.

Eclipse II Luminaire with Globe Optics

Lamp	Wattage	Max. Ambient (°C)	Temperature Classification	Min. Ambient (°C)	Max. Surface Temperature (°C)
SON	400	45	T3	-45	160
MBI					
SON	250	50	T4		130
MBI					
SON	150	55			110
MBI					
SON	100	55			
MBI					
SON	70	55			
MBI					
SON	50				
MBFU	400	35	T3		180
	250	50		135	
	125	45			
	80	45			

Eclipse II Luminaire with Enclosed reflector

Lamp	Wattage	Temperature Classification	Max. Ambient (°C)	Min. Ambient (°C)	Max. Surface Temperature(°C)
SON	400	T3	45	-45	160
MBI					
SON	250		50		
MBI					
SON	150		55		
MBI					
SON	100				
MBI					
MBFU	400	T3	40	180	
	250				



Eclipse Junior Luminaire

Lamp	Wattage	Max. Ambient (°C)	Temperature Classification	Max. Ambient (°C) (No PFC)	Temperature Classification (No PFC)	Min. Ambient (°C)	Max. Surface Temperature (°C)
SON	50	50	T4	55	T3	-45	130
SON	70	50	T4				
MBI	70	50	T4				
MBF	80	50	T3				
MBF	125	40	T3				
GLS	100	55	T4				
GLS	150	55	T4				
CFL-DE	13	50	T4	N/A	N/A	-20	130
CFL-DE	18						
CFL-DE	26						

Cable entry devices must be able to withstand a 7J impact test and maintain the ingress protection rating of the enclosure.

16 Report Number

Baseefa certification report 04(C)0788

17 Special Condition for Safe Use

1. The wellglasses form a restricted breathing enclosure when fitted in accordance with the manufacturer's instructions. Silicone grease shall be applied to the base of the wellglass or the silicone seal and hand tightened and then tightened a further 10 degrees.
2. The symmetrical refractor is suitable only for areas with a low risk of mechanical impact.

18 Essential Health and Safety Requirements

All relevant Essential Health and Safety Requirements are covered by the standards listed at item 9.

19 Drawings and Documents

Number	Sheet	Issue	Date	Description
D2665	1	-	29.09.04	Notes and Marking Details - Eclipse II
D2665	2	-	29.09.04	General Assembly - Eclipse II
D2665	3	-	01.10.04	Alternative Reflectors - Eclipse II
D2666	1	-	01.10.04	Notes and Marking Details - Eclipse II Junior
D2666	2	-	01.10.04	General Assembly - Eclipse II Junior
D2666	3	-	01.10.04	General Assembly - Eclipse II Junior
D2666	4	-	01.10.04	Alternative Reflectors - Eclipse II Junior



1 **SUPPLEMENTARY TYPE EXAMINATION CERTIFICATE**

2 **Equipment Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary Type Examination Certificate Number: **Baseefa04ATEX0393X/1**

4 Equipment: **Eclipse II and Eclipse II Junior Luminaires**

5 Manufacturer: **Chalmit Lighting**

6 Address: **Glasgow, G52 4BL**

7 This supplementary certificate extends Type Examination Certificate No. Baseefa04ATEX0393X to apply to equipment designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **0068**

Project File No. **05/0375**

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa (2001) Ltd.



13

Schedule

14

Certificate Number Baseefa04ATEX0393X/1

15 **Description of the variation to the Equipment**

Variation 1.1

To allow the use of alternative silicone cord gasket to increase the ingress protection rating of the luminaire to IP66

16 **Report Number**

05(C)0375

17 **Special Conditions for Safe Use**

None additional to those listed previously

18 **Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 **Drawings and Documents**

Number	Sheet	Issue	Date	Description
D2665	1-3	1	30/6/05	Eclipse II
D2666	1-4	1	01/07/05	Eclipse Junior



1 **SUPPLEMENTARY TYPE EXAMINATION CERTIFICATE**

2 **Equipment Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary Type Examination Certificate Number: **Baseefa04ATEX0393X/2**

4 Equipment: **Eclipse II and Eclipse II Junior Luminaires**

5 Manufacturer: **Chalmit Lighting**

6 Address: **Glasgow, G52 4BL**

7 This supplementary certificate extends Type Examination Certificate No. Baseefa04ATEX0393X to apply to equipment designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.



Baseefa Customer Reference No. **0068**

Project File No. **09/0328**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.



R S SINCLAIR
DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa04ATEX0393X/2

15 Description of the variation to the Equipment

Variation 2.1

To include the use of the refractor type glass globe and to permit its use in areas with a high risk of mechanical impact.

16 Report Number

09(C)0328

17 Special Conditions for Safe Use

None

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheet	Issue	Date	Description
D2665*	1 of 3	2	06.04.09	Notes and Marking Details – Eclipse II
D2665*	2 of 3	2	06.04.09	General Assembly – Eclipse II
D2665*	3 of 3	2	06.04.09	Alternative Reflectors – Eclipse II

* These drawings are common too Baseefa06ATEX0039X/1.



1 **SUPPLEMENTARY TYPE EXAMINATION CERTIFICATE**

2 **Equipment Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary Type Examination Certificate Number: **Baseefa04ATEX0393X/3**

4 Equipment: **Eclipse II and Eclipse II Junior Luminaires**

5 Manufacturer: **Chalmit Lighting**

6 Address: **Glasgow, G52 4BL**

7 This supplementary certificate extends Type Examination Certificate No. Baseefa04ATEX0393X to apply to equipment designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

8 Item 9 of the original Certificate is replaced by "Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

IEC60079-0: 2011

EN60079-15: 1010

EN60079-31: 2009

except in respect of those requirements listed at item 18 of the Schedule."

9 The marking of the equipment has changed from the original Certificate and shall include the following:

Ex II 3GD Ex nA nR IIC T* Ta -°C to + **°C Gc Ex tc IIIC T***°C Ta -**°C to + **°C Dc IP66**

This certificate shall be held with the original certificate and may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **0068**

Project File No. **11/0984**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail info@baseefa.com web site www.baseefa.com

Baseefa is a trading name of Baseefa Ltd

Registered in England No. 4305578. Registered address as above.

R S SINCLAIR

DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa04ATEX0393X/3

15 Description of the variation to the Equipment

Variation 3.1

The equipment covered by this certificate has been reviewed against the requirements of IEC 60079-0:2011, EN 60079-15: 2010 and EN60079-31: 2009 in respect of the differences from EN60079-15: 2003 and EN50281-1-1:1998 and compliance is confirmed.

Variation 3.2

To note a change in the minimum ambient temperature to -30°C when ignitors to Baseefa11ATEX0072U are used.

In this form the luminaires are coded Ex nA nR nC IIC T* Ta -30°C to + **°C Gc

16 Report Number

GB/BAS/ExTR11.0320/00.

17 Specific Conditions of Use

None additional to those listed previously.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheet	Issue	Date	Description
*D2665	1 to 3 inc.	03	01.02.12	General Assembly - Eclipse II Luminaire
D2666	1 to 4 inc.	02	01.02.12	General Assembly - Eclipse II Junior Luminaire

* These drawings are common to Baseefa06ATEX0039X/2.



1 **SUPPLEMENTARY TYPE EXAMINATION CERTIFICATE**

2 **Equipment Intended for use in Potentially Explosive Atmospheres**
Directive 94/9/EC

3 Supplementary Type Examination Certificate Number: **Baseefa04ATEX0393X/4**

4 Equipment: **Eclipse II and Eclipse II Junior Luminaires**

5 Manufacturer: **Chalmit Lighting**

6 Address: **Glasgow, G52 4BL**

7 This supplementary certificate extends Type Examination Certificate No. Baseefa04ATEX0393X to apply to equipment designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.


Baseefa Customer Reference No. **0068**

Project File No. **12/0982**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.


R S SINCLAIR
DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa04ATEX0393X/4

15 **Description of the variation to the Equipment**

Variation 4.1

To permit the use of an alternative cable entry and thread adapter arrangement.

16 **Report Number**

GB/BAS/ExTR12.0320/00

17 **Specific Conditions of Use**

None additional to those listed previously

18 **Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 **Drawings and Documents**

Number	Sheet	Issue	Date	Description
H026072	1	0	24/10/2012	Eclipse II Wall Mount – M20 Cable Entry

This drawing is common to and held with IECEX BAS 05.0053X.

1 **SUPPLEMENTARY TYPE EXAMINATION CERTIFICATE**

2 **Equipment Intended for use in Potentially Explosive Atmospheres**
3 **Directive 94/9/EC**

3 Supplementary Type Examination Certificate Number: **Baseefa04ATEX0393X/5**

4 Equipment: **Eclipse II and Eclipse II Junior Luminaires**

5 Manufacturer: **Chalmit Lighting**

6 Address: **388 Hilington Road Glasgow, G52 4BL**

7 This supplementary certificate extends Type Examination Certificate No. **Baseefa04ATEX0393X** to apply to equipment designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

Baseefa Customer Reference No. **0068**

Project File No. **13/0692**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.baseefa.com/terms-and-conditions.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail info@baseefa.com web site www.baseefa.com

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN


R S SINCLAIR
GENERAL MANAGER

On behalf of SGS Baseefa Limited

13 **Schedule**

14 **Certificate Number Baseefa04ATEX0393X/5**

15 **Description of the variation to the Equipment**

Variation 5.1

To permit the use of an alternative cable entry thread adapter to Baseefa 11ATEX0067X or SIRA 00ATEX1094X.

16 **Report Number**

GB/BAS/ExTR 13.0202/00.

17 **Specific Conditions of Use**

1. When provided with thread adapters to SIRA 00ATEX1094X the IP rating of the electronic housing is reduced to IP64.

18 **Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 **Drawings and Documents**

Number	Sheet	Issue	Date	Description
H026072	1	1	21/08/2013	Eclipse II Wall Mount – M20 & M25 Cable Entry

This drawing is common to and held with IECEx BAS 05.0053X.

1 **SUPPLEMENTARY TYPE EXAMINATION CERTIFICATE**

2 **Equipment Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary Type Examination Certificate Number: **Baseefa04ATEX0393X/6**

4 Equipment: **Eclipse II and Eclipse II Junior Luminaires**

5 Manufacturer: **Chalmit Lighting**

6 Address: **388 Hilington Road Glasgow, G52 4BL**

7 This supplementary certificate extends Type Examination Certificate No. **Baseefa04ATEX0393X** to apply to equipment designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

Baseefa Customer Reference No. 0068

Project File No. 15/0346

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.baseefa.com/terms-and-conditions.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited


Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail info@baseefa.com web site www.baseefa.com

Registered in England No. 4305578

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN


R S SINCLAIR

GENERAL MANAGER

On behalf of SGS Baseefa Limited

13 **Schedule**

14 **Certificate Number Baseefa04ATEX0393X/6**

15 **Description of the variation to the Equipment**

Variation 6.1

To permit the use of multiple PCBs containing LEDs, and control gear to replace the types of previously permitted lamps if required to form an:-

Eclipse II LED Floodlight

The various wattage luminaires are afforded the temperature classification and ambient temperature range as indicated below.

Model Number	Watts	Hz	Volts	Amps	Temperature classification Ta +40°C	Temperature classification Ta +55°C
EC2N/05L/LE/**	40	50/60	120-254	0.1 - 0.3	T5	T4
EC2N/06L/LE/**	55			0.2 - 0.5	T5	T4
EC2N/09L/LE/**	80			0.3 - 0.8	T5	T4
EC2N/12L/LE/**	100			0.4 - 1.0	T5	T4
EC2N/16L/LE/**	140			0.5 - 1.4	T4	N/A

The Eclipse II LED Floodlight is coded:-

Ex nA IIC T* Gc
Ex tc IIIC T90°C Dc IP66
Ta -40°C to + * °C

16 **Report Number**

GB/BAS/ExTR 15.0290/00.

17 **Specific Conditions of Use applicable to the Eclipse II LED Floodlight**

1 When provided with thread adaptors to SIRA00ATEX1094X the IP rating of the enclosure is reduced to IP64.

18 **Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 **Drawings and Documents**

Number	Sheet	Issue	Date	Description
H031805	1	0	04.08.14	General Assembly – Eclipse LED Luminaire
H031805	2	0	04.08.14	General Assembly – Eclipse LED Luminaire
H035189	1	0	14.09.15	EUC-075-S070ST Circuit Diagram
H035190	1	0	14.09.15	EUC-052-S070ST Circuit Diagram

These drawings are common to and held with IECEx BAS 05.0053X.

1 SUPPLEMENTARY EU - TYPE EXAMINATION CERTIFICATE

**2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 2014/34/EU**

3 Supplementary EU - Type **Baseefa04ATEX0393X/7**
Examination Certificate Number:

3.1 In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20 April 2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20 April 2016.

4 Product: **Eclipse II and Eclipse II Junior Luminaires**

5 Manufacturer: **Chalmit Lighting**

6 Address: **388 Hillington Road, Glasgow, G52 4BL**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa04ATEX0393X to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

8 SGS Baseefa, Notified Body number 1180, in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that the product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

9 Item 9 of the original Certificate is replaced by “Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0: 2012+A11: 2013 EN 60079-15: 2010 EN 60079-31: 2014

except in respect of those requirements listed at item 18 of the Schedule.”

12 The marking of the equipment remains unchanged.

SGS Baseefa Customer Reference No. **0068**

Project File No. **19/0336**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.sgs.com/SGSBaseefa/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited


Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail baseefa@sgs.com web site www.sgs.co.uk/sgsbaseefa

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN



R S SINCLAIR
TECHNICAL MANAGER

On behalf of SGS Baseefa Limited

13

Schedule

14

Certificate Number Baseefa04ATEX0393X/7

15 Description of the variation to the Product

Variation 7.1

To confirm that the equipment covered by this certificate has been reviewed against the requirements of EN 60079-0: 2012+A11: 2013 and EN 60079-31: 2014 in respect to the differences from IEC 60079-0: 2011 and EN 60079-31: 2009 and that none of these differences in the standards affects this equipment.

The equipment is now in compliance with EN 60079-0: 2012+A11: 2013, EN 60079-15: 2010 and EN 60079-31: 2014

Variation 7.2

To add an alternative E40 lampholder and breather barrier.

Variation 7.3

To add three new Specific Conditions of Use to all luminaires.

16 Report Number

GB/BAS/ExTR19.0172/00

17 Specific Conditions of Use

As those listed previously and as follows:

1. The entry holes shall be fitted with suitable cable glands or other suitable accessories such as breather/drains having an equipment certificate that maintain the IP66 Ingress Protection rating of the luminaire enclosure. These devices shall incorporate a suitable o-ring or sealing washer on the entry thread to maintain the IP66 rating.
2. Unused entry holes shall be fitted with suitable stopping plugs having an equipment certificate, or having a component certificate subject to the confirmation by the end user/installer of the ingress protection rating and the permitted service temperature of the component. The stopping plugs shall incorporate a suitable o-ring or sealing washer on the entry thread to maintain the IP66 rating.
3. The operating temperature range and ingress protection rating of the enclosure is limited to that of the devices/accessories fitted.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Issue	Date	Description
H046293 Sheets 1 to 7	00	18/06/19	Eclipse II certification details
H046262	0	11/06/19	Eclipse II VS Restricted breather barrier (for type 107780)
A7271	01	26/11/04	Eclipse II mini Restricted breather barrier (for type 29.408)

The following drawings are now obsolete:

* D2665	---	---	Eclipse II ATEX certification details
* D6015	---	---	Eclipse II IECEx certification details

All drawings are held on IECEx BAS05.0053X and common to Baseefa04ATEX0393X.

* Drawings are superseded by H046293