

Issued 19 July 2004 Page 1 of 3

### EC - TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC

3 EC - Type Examination

Baseefa04ATEX0155

Certificate Number:

Equipment or Protective System: Eve

**Evolution II Luminaire** 

5 Manufacturer:

Chalmit Lighting

6 Address:

1

Glasgow, G52 4BL

- 7 This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.
- Baseefa (2001) Ltd. Notified body number 1180, in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No. 03(C)0677

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 50014: 1997 + Amendments 1 & 2

EN 50018: 2000 + Amendment 1

EN 50019: 2000

EN 50281-1-1: 1998 + Amendment 1

except in respect of those requirements listed at item 18 of the Schedule.

- 10 If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.
- 11 This EC TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified equipment or protective system. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.
- 12 The marking of the equipment or protective system shall include the following:
  - $\langle E_x \rangle$  II 2GD EEx de IIB T\* (T<sub>amb</sub> = -20°C to + \*°C) \* See schedule

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa (2001) Ltd. Customer Reference No. 0068

Project File No. 03/0677

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa (2001) Ltd.

Health and Safety Laboratory Site, Harpur Hill,
Buxton, Derbyshire SK17 9JN
Telephone +44 (0) 1298 28255 Fax +44 (0) 1298 28216
e-mail info@baseefa2001.biz web site www.baseefa2001.biz
Registered in England No. 4305578 at 13 Dovedale Crescent, Buxton,
Derbyshire, SK17 9BJ



13

14

## Schedule

## Certificate Number Baseefa04ATEX0155

#### 15 Description of Equipment or Protective System

An Evolution II Luminaire comprises a rectangular lamp housing with an integral increased safety control gear housing at one end.

A partition wall between the enclosures is fitted with a capacitor housing and a potted ignitor/lamp holder housing. Cemented into a recess in the lamp housing is a glass window which is secured with a frame and socket head screws. The screws heads are filled with potting compound to prevent removal. An optional wire guard or anti glare shield may be fitted.

The increased safety enclosure is fitted with a ballast and either two 6 way MK6 terminal strips or an Mk3 and an MK6 terminal strip to SIRA01ATEX3248U, and SIRA01ATEX3249U, coded  $\langle \widehat{kx} \rangle$  II 2GD EEx e II.

The luminaire is rated up to 277V 600W and can be fitted with tungsten halogen, SON/T or MBI/T lamps as indicated below.

<b>Lamp Туре</b>	Wattage	Voltage (V a.c.)	Temperature Classification	Maximum Temperature for Dust Atmospheres	Ambient Temperature Range	Cable Temperature Rise (K)	Delay Before Opening Time (Minutes)
Tungsten Halogen E40 Lampholder	Up to 500W	100-277	Т3	195°C	-20°C to +40°C	50	
Tungsten Halogen R7S Lampholder	Up to 500W	100-277	Т3	195°C	-20°C to +55°C	40	
	150W		T4	130°C	-20°C to +40°C	40	
	150 W		T3	175°C	-20°C to +55°C	35	15
HPS SON/T	250W		T4	130°C	-20°C to +40°C	40	15
1113 30171	230 W		T3	175°C	-20°C to +55°C	35	
	400W	110-277	T3	175°C	-20°C to +55°C	40	
	600W	50/60 HZ	T3	195°C	-20°C to +35°C	55	
	150W	20,00 112	T4	130°C	-20°C to +40°C	40	
	12044		Т3	175°C	-20°C to +55°C	35	
MBI (MBI/T)	250W		T4	130°C	-20°C to +40°C	40	
	250 90		Т3	175°C	-20°C to +55°C	35	
	400W		T3	175°C	-20°C to +55°C	40	

## 16 Report Number

Baseefa Certification Report 03(C)0677

#### 17 Special Conditions for Safe Use

None

## 18 Essential Health and Safety Requirements

All relevant Essential Health and Safety Requirements are covered by the standards listed at item 9.



# Issued 19 July 2004 Page 3 of 3

Number	Sheet	Issue	Date	Description
D2632	1	_	05.04.04	General Assembly – Evolution II
D2632	2	-	05.04.04	General Assembly – Evolution II
D2632	3	-	05.04.04	General Assembly – Evolution II
*B1314	1 of 1	-	11.12.02	Capacitor Assembly with Linebush
*B1315	1 of 1	_	11.12.02	Capacitor Assembly with potted Cables

<sup>\*</sup> These drawings are common to certificate Baseefa04ATEX0192.



Issued 19 July 2004 Page 1 of 2

## SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC

3 Supplementary EC - Type

Baseefa04ATEX0155/1

Examination Certificate Number: Equipment or Protective System:

**Evolution II Luminaire** 

5 Manufacturer:

**Chalmit Lighting** 

6 Address:

1

Glasgow, G52 4BL

7 This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa04ATEX0155** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa (2001) Ltd. Customer Reference No. 0068

Project File No. 03/0677

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

## Baseefa (2001) Ltd.

Health and Safety Laboratory Site, Harpur Hill,
Buxton, Derbyshire SK17 9JN
Telephone +44 (0) 1298 28255 Fax +44 (0) 1298 28216
e-mail info@baseefa2001.biz web site www.baseefa2001.biz
Registered in England No. 4305578 at 13 Dovedale Crescent, Buxton,
Derbyshire, SK17 9BJ



## Issued 19 July 2004 Page 2 of 2

**13** 

14

## **Schedule**

## Certificate Number Baseefa04ATEX0155/1X

## 15 Description of the variation to the Equipment or Protective System

#### Variation 1.1

To permit a larger increased safety enclosure fitted with a step up toroidal transformer to provide a low voltage version. The luminaire is rated up to 120V 400W and can be fitted with SON/T or MBI/T lamps as indicated below.

Lamp Type	Wattage	Voltage (V ac.)	Temperature Classification	Maximum Temperature for Dust Atmospheres	Ambient Temperature Range	Cable Temperature Rise (K)	Delay Before Opening Time (Minutes)
	150W		T4	130°C	-20°C to +40°C	40	
	130 W	0 44	Т3	150°C	-20°C to +55°C	35	
HPS SON/T	250W	110-120	T4	130°C	-20°C to +40°C	40	
1			Т3	150°C	-20°C to +55°C	35	
	400W		Т3	175°C	-20°C to +55°C	40	15
	150W	50/60 HZ	T4	130°C	-20°C to +40°C	40	"-
MBI (MBI/T)	130 W		T3	150°C	-20°C to +55°C	35	
	250W		T4	130°C	-20°C to +40°C	40	
	250 W		Т3	150°C	-20°C to +55°C	35	
	400W		T3	175°C	-20°C to +55°C	40	

## 16 Report Number

Baseefa Certification Report 03(C)0677

## 17 Special Condition for Safe Use

The low voltage luminaires must be mounted with the lamp pointing horizontally  $\pm 10^{\circ}$ .

# 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

Number	Sheet	Issue	Date	Description
D2632	4	-	05.04.04	General Assembly – Evolution II - Low Voltage



# Issued 1 October 2004 Page 1 of 2

# 1 SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC

3 Supplementary EC - Type

Baseefa04ATEX0155/2

Examination Certificate Number: Equipment or Protective System:

**Evolution II Luminaire** 

5 Manufacturer:

**Chalmit Lighting** 

6 Address:

4

Glasgow, G52 4BL

This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa04ATEX0155** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa (2001) Ltd. Customer Reference No. 0068

Project File No. 04/0664

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa (2001) Ltd.

Health and Safety Laboratory Site, Harpur Hill,
Buxton, Derbyshire SK17 9JN
Telephone +44 (0) 1298 28255 Fax +44 (0) 1298 28216
e-mail info@baseefa2001.biz web site www.baseefa2001.biz
Registered in England No. 4305578 at 13 Dovedale Crescent, Buxton,
Derbyshire, SK17 9BJ



## Issued 1 October 2004 Page 2 of 2

13

# **Schedule**

14

## Certificate Number Baseefa04ATEX0155/2

## 15 Description of the variation to the Equipment or Protective System

#### Variation 2.1

Increase in the number of ballast terminals under SIRA01ATEX3248U to a maximum of seven. The maximum input voltage is 275V when terminals to SIRA01ATEX3248U are used.

## 16 Report Number

None.

### 17 Special Condition for Safe Use

None additional to those listed previously.

## 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

Number	Sheet	Issue	Date	Description
D2632	1 to 4	1	09.09.04	General Assembly – Evolution II



Issued 12 April 2005 Page 1 of 2

## 1 SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC

3 Supplementary EC - Type

Baseefa04ATEX0155/3

Examination Certificate Number: Equipment or Protective System:

**Evolution II Luminaire** 

5 Manufacturer:

**Chalmit Lighting** 

6 Address:

Glasgow, G52 4BL

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa04ATEX0155 to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. 0068

Project File No. 05/0259

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

#### Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address



## Issued 12 April 2005 Page 2 of 2

13

## **Schedule**

14

## Certificate Number Baseefa04ATEX0155/3

## 15 Description of the variation to the Equipment or Protective System

#### Variation 3.1

To increase the glass thickness from 10mm to 12mm.

16 Report Number

None.

## 17 Special Condition for Safe Use

None additional to those listed previously.

# 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

Number	Sheet	Issue	Date	Description
D2632	1 to 4	2	29.03.05	General Assembly – Evolution II

## Certificate Number See Schedule



Issued 21 February 2007 Page 1 of 2

## SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC

3 Supplementary EC - Type Examination Certificate Number: See Schedule

4 Equipment or protective system:

See Schedule

5 Manufacturer:

**Chalmit Lighting** 

6 Address:

1

Glasgow, G52 4BL

This supplementary certificate extends the EC - Type Examination Certificates listed in the Schedule to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedules of the said Certificates but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

A copy of this Supplementary Certificate shall be attached to each of the original Certificates.

This certificate may only be reproduced in its entirety, without any change, Schedule included.

Baseefa Customer Reference No. 0068

Project File No. 06/0355

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

### Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address

OP RS SINCLAIR WOWNEY

DIRECTOR On behalf of Baseefa (2001) Ltd.



# Schedule

# Description of the variation to the Equipment or Protective System

To allow the use of ballasts and transformers manufactured by any alternative supplier meeting the original specifications.

Certificate No. Supplement No.		Equipment Type		
Baseefa04ATEX0155	4	Evolution II Luminaire		
BAS01ATEX2270	3	Universal Gearbox		
BAS98ATEX2372	5	Evolution (200 Series Mk III) Floodlight IIB		
BAS98ATEX2373	5 .	Evolution (200 Series Mk III) Floodlight IIC		

#### Report No.

None

## Special Conditions for Safe Use

None

## **Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

Number	Sheet	Issue	Date	Description
B1766	1 of 1	-	12/14/2005	Ballast and Transformer Manufacturing Detail

## Issued 13 December 2013 Page 1 of 2

# SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC

3 Supplementary EC - Type

Baseefa04ATEX0155/5

**Examination Certificate Number:** 

Equipment or Protective System:

Evolution II Luminaire

5 Manufacturer:

Chalmit Lighting

6 Address:

1

4

388 Hillington Road, Glasgow, G52 4BL

- This supplementary certificate extends EC Type Examination Certificate No. Baseefa04ATEX0155 to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.
- 8 Item 9 of the original Certificate is replaced by "Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN60079-0: 2012 EN60079-1: 2007 EN60079-7: 2007 EN 60079-31: 2009 EN60079-18: 2009 except in respect of those requirements listed at item 18 of the Schedule."

9 The marking of the equipment has changed from the original Certificate and shall include the following:

(a) II 2 GD See schedule

This certificate shall be held with the original certificate.

Baseefa Customer Reference No. 0068

Project File No. 09/0560

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and the Supplementary Terms and Conditions accessible at <a href="http://www.baseefa.com/terms-and-conditions.aspx">http://www.baseefa.com/terms-and-conditions.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN

R S SINCLAIR
GENERAL MANAGER
On behalf of SGS Baseefa Limited



## Issued 13 December 2013 Page 2 of 2

13

14

#### Schedule

Certificate Number Baseefa04ATEX0155/5

# 15 Description of the variation to the Equipment or Protective System

#### Variation 5.1

To confirm that the equipment covered by this certificate has been reviewed against the requirements of EN 60079-0: 2012 EN 60079-1: 2007, EN 60079-7: 2007 and EN60079-31: 2009 in respect of the differences from the standards to which this certificate was issued; none of these differences affect this equipment, other than the code marking requirements which have been addressed.

The luminaire is coded.

Ex d e IIB T\* Gb Ta -20°C to + \*\* °C Ex tb IIIC T\*°C Db IP67 Ta -20°C to + \*\* °C

\* See previous issues of this certificate

#### Variation 5.2

To note the use of a ballast to BaseefallATEX0108U and subsequent change of marking.

The luminaire is coded.

Ex d e mb IIB T\* Gb Ta -20°C to + \*\* °C Ex tb IIIC T\* °C Db IP67 Ta -20°C to + \*\* °C

\* See previous issues of this certificate

### Variation 5.3

To note deletion of the line bushing to PTB97ATEX1047U and of the toroidial transformer.

### 16 Report Number

GB/BAS/ExTR 12,0052/00

#### 17 Specific Conditions for Use

None additional to those listed previously.

#### 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

## 19 Drawings and Documents

Number	Sheet	Issue	Date	Description
*D2632	1-4 inc.	03	08.10.12	General Assembly - Evolution II
**B1314	Ī	01	18.10.12	Capacitor Assembly with Linebush

Drawing D1315 is no longer a drawing associated with this certificate.

<sup>\*</sup> This drawing is common to and held with IECEx BAS 05.0045X

<sup>\*\*</sup> This drawing is common to, BAS98ATEX2372, BAS98ATEX2373, Baseefa04ATEX0192, IECEx BAS12.0042, IECEx BAS12.0043, IECEx BAS05.0045X, and IECEx BAS05.0044X and held with IECEx BAS12.0042.



Issued 25<sup>th</sup> April 2014 Page 1 of 2

# SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

Equipment or Protective System Intended for use in Potentially Explosive Atmospheres

Directive 94/9/EC

3 Supplementary EC - Type

Baseefa04ATEX0155/6

Examination Certificate Number: Equipment or Protective System:

**Evolution II Luminaire** 

5 Manufacturer:

Chalmit Lighting

6 Address:

1

388 Hillington Road, Glasgow, G52 4BL

This supplementary certificate extends EC – Type Examination Certificate No. Baseefa04ATEX0155 to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

Baseefa Customer Reference No. 0068

Project File No. 14/0155

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <a href="http://www.ses.com/en/Terms-and-conditions.aspx">http://www.ses.com/en/Terms-and-conditions.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN

R S SINCLAIR MOUNE OF CENERAL MANAGER
On behalf of SGS Baseefa Limited



Issued 25<sup>th</sup> April 2014 Page 2 of 2

13 Schedule

Certificate Number Baseefa00ATEX0155/6

# 15 Description of the variation to the Equipment or Protective System

#### Variation 6

14

To allow the substitution of the existing potting compounds with a two-part potting compound in the capacitor and ignitor housings.

### 16 Report Number

GB/BAS/ExTR14.0109/00 held with IECEx BAS 12,0043.

#### 17 Specific Conditions of Use

None additional to those listed previously.

# 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

Number	Sheets	Issue	Date	Description
D2632*	1-4	4	31/3/14	Evolution II
B1315**	1	1	27/3/14	Evolution 'B' Type Capacitor with Potted Cables

<sup>\*</sup> This drawing is common to IEC BAS 05.0045X but held on this certificate.

<sup>\*\*</sup> Drawing B1315 is common to BAS98ATEX2372, BAS98ATEX2373, Baseefa04ATEX0192, IECEx BAS 05.0044X, IECEx BAS 05.0045X, IECEx BAS 12.0042 and IECEx BAS 12.0043. This drawing is reinstated from the previous variation and held with BAS98ATEX2372.



# Issued 22 October 2014 Page 1 of 2

# SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC

3 Supplementary EC - Type

Baseefa04ATEX0155/7X

Examination Certificate Number: Equipment or Protective System:

**Evolution II Luminaire** 

5 Manufacturer:

Chalmit Lighting

6 Address:

388 Hillington Road, Glasgow, G52 4BL

This supplementary certificate extends EC – Type Examination Certificate No. Baseefa04ATEX0155 to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

Baseefa Customer Reference No. 0068

Project File No. 14/0135

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and the Supplementary Terms and Conditions accessible at <a href="http://www.baseefa.com/terms-and-conditions.aspx">http://www.baseefa.com/terms-and-conditions.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN

GENERAL MANAGER
On behalf of SGS Baseefa Limited



## Issued 22 October 2014 Page 2 of 2

13

## Schedule

14

## Certificate Number Baseefa04ATEX0155/7X

# 15 Description of the variation to the Equipment or Protective System

#### Variation 7

To permit the use of a Toroidal transformer for 110-120Vac applications.

The transformer is rated 110/120Vac input; 240Vac output 50/60Hz, 500W. The transformer is for use with the low voltage range of Evolution luminaires from the same manufacturer as indicated below.

Lamp	Temperature Classification	Maximum ambient temperature	Dust marking
400W HPS/MBI	Т3	+ 55°C	T175°C
250W HPS/MBI	T4	+ 40°C	T130°C
	Т3	+ 55°C	T150°C
150W HPS/MBI	T4	+ 40°C	T130°C
	Т3	+ 55°C	T150°C

The low voltage luminaire is coded:-

Ex d e mb IIB T\* Gb Ta-20°C to + \*\*°C

Ex tb IIIC T\*°C Db IP67 Ta-20°C to + \*\*°C

#### 16 Report Number

GB/BAS/ExTR14.0142/00

### 17 Specific Conditions of Use

- The low voltage Evolution luminaires must be connected to a supply provided with a fuse suitable for a prospective short circuit current of 1500A.
- The low voltage luminaires must be mounted horizontally  $\pm 10^{\circ}$ .

#### 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

# 19 Drawings and Documents

Number	Sheets	Issue	Date	Description
D2091	1	2	02.05.14	Toroidal Transformer

This drawing is common to BAS98ATEX2372, BAS98ATEX2373, Baseefa04ATEX0192, IECEx BAS 05.0044X, IECEx BAS 05.0045X, IECEx BAS 12.0042 and IECEx BAS 12.0043, and is held with IECEx BAS 05.0044X.

<sup>\*</sup> See table above