

Certificate of Compliance

Certificate Number:

UL-US-L10514-11942-31402891-4

Report Reference:

E10514-19820413

Issue Date:

2025-02-28

Issued to:

**KILLARK, DIV OF HUBBELL INC (DELAWARE)
2112 Fenton Logistics Park Blvd, Fenton, MO, 63026, US**

This certificate confirms that representative samples of:

EBNV - Conduit Fittings for Use in Hazardous Locations

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 1203, Edition 6, Issue Date 2023-07-10, Revision Date 2023-10-05

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L10514-11942-31402891-4
Report reference E10514-19820413
Date 2025-02-28

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

| Model | Product Description |
|--|--|
| Series ENY , ENY-0, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-0M, may be accompanied by T. | Conduit Fittings for conduit sizes 1-1/4, 1 1/2, 2, 3, 3-1/2, and 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-1, may be accompanied by T. | Conduit Fittings for conduit sizes 1/2, 3/4, and 1 in. for Vertical or Horizontal Mounting |
| Series ENY , ENY-1M, may be accompanied by T. | Conduit Fittings for conduit sizes 1/2, 3/4, and 1 in. for Vertical or Horizontal Mounting |
| Series ENY , ENY-2, may be accompanied by T. | Conduit Fittings for conduit sizes 1/2, 3/4, and 1 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-2M, may be accompanied by T. | Conduit Fittings for conduit sizes 1/2, 3/4, and 1 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-2SET, may be accompanied by T. | Conduit Fittings for conduit sizes 1/2, 3/4, and 1 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-3, may be accompanied by T. | Conduit Fittings for conduit sizes 1/2, 3/4, and 1 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-3M, may be accompanied by T. | Conduit Fittings for conduit sizes 1/2, 3/4, and 1 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-3SET, may be accompanied by T. | Conduit Fittings for conduit sizes 1/2, 3/4, and 1 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-4, may be accompanied by T. | Conduit Fittings for conduit sizes 1-1/4, 1 1/2, 2, 3, 3-1/2, and 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-4M, may be accompanied by T. | Conduit Fittings for conduit sizes 1-1/4, 1 1/2, 2, 3, 3-1/2, and 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-5, may be accompanied by T. | Conduit Fittings for conduit sizes 1-1/4, 1 1/2, 2, 3, 3-1/2, and 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-5M, may be accompanied by T. | Conduit Fittings for conduit sizes 1-1/4, 1 1/2, 2, 3, 3-1/2, and 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-6, may be accompanied by T. | Conduit Fittings for conduit sizes 1-1/4, 1 1/2, 2, 3, 3-1/2, and 4 in., for Vertical or Horizontal Mounting |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L10514-11942-31402891-4
Report reference E10514-19820413
Date 2025-02-28

| | |
|---|--|
| Series ENY , ENY-6M, may be accompanied by T. | Conduit Fittings for conduit sizes 1-1/4, 1 1/2, 2, 3, 3-1/2, and 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-7, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-7M, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-8, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-8M, may be accompanied by T. | Conduit Fittings for conduit sizes 1-1/4, 1 1/2, 2, 3, 3-1/2, and 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-9, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in., for Vertical or Horizontal Mounting |
| Series ENY , ENY-9M, may be accompanied by T. | Conduit Fittings for conduit sizes 1-1/4, 1 1/2, 2, 3, 3-1/2, and 4 in., for Vertical or Horizontal Mounting |
| Series EY , EY-100, may be accompanied by T. | Conduit Sealing Fittings, Conduit sizes 1/2 thru 1 in., for Vertical or Horizontal Mounting |
| Series EY , EY-100M, may be accompanied by T. | Conduit Sealing Fittings, Conduit sizes 1/2 thru 1 in., for Vertical or Horizontal Mounting |
| Series EY , EY-50, may be accompanied by T. | Conduit Sealing Fittings, Conduit sizes 1/2 thru 1 in., for Vertical or Horizontal Mounting |
| Series EY , EY-50M, may be accompanied by T. | Conduit Sealing Fittings, Conduit sizes 1/2 thru 1 in., for Vertical or Horizontal Mounting |
| Series EY , EY-75, may be accompanied by T. | Conduit Sealing Fittings, Conduit sizes 1/2 thru 1 in., for Vertical or Horizontal Mounting |
| Series EY , EY-75M, may be accompanied by T. | Conduit Sealing Fittings, Conduit sizes 1/2 thru 1 in., for Vertical or Horizontal Mounting |
| Series EYD , EYD-0, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in., for Vertical and Horizontal Mounting |
| Series EYD , EYD-0M, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in., for Vertical and Horizontal Mounting |
| Series EYD , EYD-100, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in for Vertical and Horizontal Mounting |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L10514-11942-31402891-4
Report reference E10514-19820413
Date 2025-02-28

| | |
|--|--|
| Series EYD , EYD-100M, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in for Vertical and Horizontal Mounting |
| EYD-4, may be accompanied by T. | Fittings for HazLoc |
| EYD-4M, may be accompanied by T. | Fittings for HazLoc |
| EYD-5, may be accompanied by T. | Fittings for HazLoc |
| Series EYD , EYD-50, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in for Vertical and Horizontal Mounting |
| Series EYD , EYD-50M, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in for Vertical and Horizontal Mounting |
| EYD-5M, may be accompanied by T. | Fittings for HazLoc |
| EYD-6MΔ, may be accompanied by T. | Fittings for HazLoc |
| EYD-6Δ, may be accompanied by T. | Fittings for HazLoc |
| Series EYD , EYD-7, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in., for Vertical and Horizontal Mounting |
| Series EYD , EYD-75, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in for Vertical and Horizontal Mounting |
| Series EYD , EYD-75M, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in for Vertical and Horizontal Mounting |
| Series EYD , EYD-7M, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in., for Vertical and Horizontal Mounting |
| Series EYD , EYD-8, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in., for Vertical and Horizontal Mounting |
| Series EYD , EYD-8M, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in., for Vertical and Horizontal Mounting |
| Series EYD , EYD-9, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in., for Vertical and Horizontal Mounting |
| Series EYD , EYD-9M, may be accompanied by T. | Conduit Fittings for Conduit sizes 1/2, 3/4, 1, 2-1/2, 3, 3-1/2, 4 in., for Vertical and Horizontal Mounting |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-2409942-3

Report Reference:

e10514-19820413

Issue Date:

2025-02-28

Issued to:

**KILLARK, DIV OF HUBBELL INC (DELAWARE)
2112 Fenton Logistics Park Blvd, Fenton, MO, 63026, US**

This certificate confirms that representative samples of:

**EBNV7 - Conduit Fittings for Use in Hazardous Locations
Certified for Canada**

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 NO. 25, 4th Ed., Issue Date: 2017-07-01, CSA C22.2
No. 30, Edition 4, Issued 2020-04-01**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2409942-3
Report reference e10514-19820413
Date 2025-02-28

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

| Model | Product Description |
|---|---|
| Series ENY , ENY-0,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 4 in. for Horizontal or Vertical Mounting. |
| Series ENY , ENY-0M,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in. for Horizontal or Vertical Mounting |
| Series ENY , ENY-7,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 4 in. for Horizontal or Vertical Mounting. |
| Series ENY , ENY-7M,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in. for Horizontal or Vertical Mounting |
| Series ENY , ENY-8,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 4 in. for Horizontal or Vertical Mounting. |
| Series ENY , ENY-8M,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in. for Horizontal or Vertical Mounting |
| Series ENY , ENY-9,, may be accompanied by T. | Conduit Fittings for Conduit size 3-1/2 in. for Horizontal or Vertical Mounting |
| Series ENY , ENY-9M,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in. for Horizontal or Vertical Mounting |
| Series EYD , EYD-0,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in. for Horizontal or Vertical Mounting |
| EYD-4, may be accompanied by T. | Fittings for HazLoc |
| EYD-4M, may be accompanied by T. | Fittings for HazLoc |
| EYD-5, may be accompanied by T. | Fittings for HazLoc |
| EYD-5M, may be accompanied by T. | Fittings for HazLoc |
| EYD-6Δ, may be accompanied by T. | Fittings for HazLoc |
| EYD-6Δ, may be accompanied by T. | Fittings for HazLoc |
| Series EYD , EYD-7,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in. for Horizontal or Vertical Mounting |
| Series EYD , EYD-7M,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in. for Horizontal or Vertical Mounting |
| Series EYD , EYD-8,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in. for Horizontal or Vertical Mounting |
| Series EYD , EYD-8M,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in. for Horizontal or Vertical Mounting |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2409942-3
Report reference e10514-19820413
Date 2025-02-28

| | |
|---|---|
| Series EYD , EYD-9,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in. for Horizontal or Vertical Mounting |
| Series EYD , EYD-9M,, may be accompanied by T. | Conduit Fittings for Conduit sizes 2-1/2, 3, 3-1/2, 4 in. for Horizontal or Vertical Mounting |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.