



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEx CML 21.0008X** Page 1 of 3 [Certificate history:](#)

Status: **Current** Issue No: 0

Date of Issue: 2021-01-28

Applicant: **Chalmit Lighting (Hubbell Ltd)**
388 Hillington Road
Glasgow
G52 4BL
United Kingdom

Equipment: **Protecta III**

Optional accessory:

Type of Protection: **Ex ec**

Marking: Ex ec IIC T4 Gc
Ex tc IIIC T75°C Dc

Approved for issue on behalf of the IECEx
Certification Body:

D R Stubbings BA MIET

Position:

Technical Director

Signature:
(for printed version)

Date:

2021-01-28

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

Eurofins E&E CML Limited
Unit 1, Newport Business Park
New Port Road
Ellesmere Port, CH65 4LZ
United Kingdom





IECEx Certificate of Conformity

Certificate No.: **IECEx CML 21.0008X**

Page 2 of 3

Date of issue: 2021-01-28

Issue No: 0

Manufacturer: **Chalmit Lighting (Hubbell Ltd)**
388 Hillington Road
Glasgow
G52 4BL
United Kingdom

Additional
manufacturing
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

IEC 60079-31:2013 Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"
Edition:2

IEC 60079-7:2017 Explosive atmospheres - Part 7: Equipment protection by increased safety "e"
Edition:5.1

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

[GB/CML/ExTR21.0008/00](#)

Quality Assessment Report:

[GB/BAS/QAR06.0027/09](#)



IECEx Certificate of Conformity

Certificate No.: **IECEx CML 21.0008X**

Page 3 of 3

Date of issue: 2021-01-28

Issue No: 0

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The Protecta III LED is an Ex ec Luminaire which uses a reinforced Plastic body and polycarbonate diffuser. This enclosure houses a White coated Zintec tray, to which two Ex 'ec' Conformally coated LED strips are mounted (One on the 02L). A driver is mounted to the rear of the tray to power the LED strips. The fitting is available in 2ft and 4ft versions. The device may optionally be supplied with an emergency model (/EM suffix) which is supplied with a battery pack.

For full details and model numbers refer to Annex.

SPECIFIC CONDITIONS OF USE: YES as shown below:

Under certain extreme circumstances, the non-metallic parts incorporated in the enclosure of this equipment may generate an ignition-capable level of electrostatic charge. Therefore, the equipment shall not be installed in a location where the external conditions are conducive to the build-up of electrostatic charge on such surfaces, such as fast-moving streams of dry air, steam, etc. In addition, the equipment shall only be cleaned with a damp cloth.

Annex:

[Certificate Annex IECEx CML 21.0008X Iss 0_1.pdf](#)

Annexe to: IECEx CML 21.0008X Issue
Applicant: Hubbell Ltd T/A Chalmit Lighting
Apparatus: Protecta III Luminaire



Description

The Protecta III LED is an Ex ec Luminaire which uses a reinforced Plastic body and polycarbonate diffuser. This enclosure houses a White coated Zintec tray, to which two Ex 'ec' Conformally coated LED strips are mounted (One on the 02L). A driver is mounted to the rear of the tray to power the LED strips. The fitting is available in 2ft and 4ft versions. The device may optionally be supplied with an emergency model (/EM suffix) which is supplied with a battery pack.

Model	Lumens	Dimensions	Ambient
PR3C/02L/LE	2000	742 x 209 x 147 mm	-40°C to +55°C
PR3C/04L/LE	4000	1352 x 209 x 147 mm	-40°C to +55°C
PR3C/07L/LE	7000	1352 x 209 x 147 mm	-40°C to +55°C
PR3C/02L/EM	2000	742 x 209 x 147 mm	-25°C to +50°C
PR3C/04L/EM	4000	1352 x 209 x 147 mm	-25°C to +50°C
PR3C/07L/EM	7000	1352 x 209 x 147 mm	-25°C to +50°C
PR3C/04L/EM/DM	4000	1352 x 209 x 147 mm	-25°C to +50°C
PR3C/07L/EM/DM	7000	1352 x 209 x 147 mm	-25°C to +50°C
PR3C/02L/LE/JSVT	2000	742 x 209 x 147 mm	-15°C to +50°C
PR3C/04L/LE/JSVT	4000	1352 x 209 x 147 mm	-15°C to +50°C
PR3C/07L/LE/JSVT	7000	1352 x 209 x 147 mm	-15°C to +50°C
PR3C/02L/LEJSVS	2000	742 x 209 x 147 mm	-15°C to +50°C
PR3C/04L/LEJSVS	4000	1352 x 209 x 147 mm	-15°C to +50°C
PR3C/07L/LEJSVS	7000	1352 x 209 x 147 mm	-15°C to +50°C

Conditions of Manufacture

- i. Each unit manufactured shall be subjected to a routine functional test and flash test of $(1000+2U) * 1.2$ to be applied for a minimum of 100ms in accordance with IEC 60079-7.

Specific Conditions of Use

The following conditions relate to safe installation and/or use of the equipment.

- i. Under certain extreme circumstances, the non-metallic parts incorporated in the enclosure of this equipment may generate an ignition-capable level of electrostatic charge. Therefore, the equipment shall not be installed in a location where the external conditions are

Unit 1, Newport Business Park
 New Port Road
 Ellesmere Port
 CH65 4LZ

T +44 (0) 151 559 1160
 E info@cmllex.com

www.cmllex.com

Company Reg No. 8554022 VAT No. GB163023642





conducive to the build-up of electrostatic charge on such surfaces, such as fast-moving streams of dry air, steam, etc. In addition, the equipment shall only be cleaned with a damp cloth.

Components covered by Ex Certificates issued to older editions of Standards

Certificate number	Standards (incl Ed)	Assessment result
IECEX PTB 04.0004U	IEC 60079-0 Ed 6 IEC 60079-7 Ed 5	No applicable technical differences. For detail see ExTR