



# IECEX Certificate of Conformity

## INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit [www.iecex.com](http://www.iecex.com)

Certificate No.:	<b>IECEX BAS 12.0111X</b>	Page 1 of 4	<u>Certificate history:</u> Issue 2 (2017-01-05) Issue 1 (2015-10-14) Issue 0 (2012-12-20)
Status:	<b>Current</b>	Issue No: 3	
Date of Issue:	2022-08-12		
Applicant:	<b>Hawke International</b> A Division of Hubbell Limited A Member of the Hubbell Group of Companies Oxford Street West Ashton-under-Lyne Lancashire OL7 0NA <b>United Kingdom</b>		
Equipment:	<b>Insulated Adaptors</b>		
Optional accessory:			
Type of Protection:	<b>Flameproof, increased safety and dust protection by enclosure</b>		
Marking:	<b>Ex db I Mb Ex eb I Mb (-*°C to +*°C or +*°C) IP66 (*see schedule)</b> <b>Ex db IIC Gb Ex eb IIC Gb (-*°C to +*°C or +*°C) IP66 (*see schedule)</b> <b>Ex tb III C Db</b>		

Approved for issue on behalf of the IECEx  
Certification Body:

**R S Sinclair**

Position:

**Technical Manager**

Signature:  
(for printed version)

Date:  
(for printed version)

12/8/2022

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting [www.iecex.com](http://www.iecex.com) or use of this QR Code.



Certificate issued by:

**SGS Baseefa Limited**  
**Rockhead Business Park**  
**Staden Lane**  
**Buxton, Derbyshire, SK17 9RZ**  
**United Kingdom**





# IECEX Certificate of Conformity

Certificate No.: **IECEX BAS 12.0111X**

Page 2 of 4

Date of issue: 2022-08-12

Issue No: 3

Manufacturer: **Hawke International**  
A Division of Hubbell Limited  
A Member of the Hubbell Group of Companies  
Oxford Street West  
Ashton-under-Lyne  
Lancashire OL7 0NA  
**United Kingdom**

Manufacturing locations: **Hawke International**  
A Division of Hubbell Limited  
A Member of the Hubbell Group of Companies  
Oxford Street West  
Ashton-under-Lyne  
Lancashire OL7 0NA  
**United Kingdom**

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

## STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

[IEC 60079-0:2017](#) Explosive atmospheres - Part 0: Equipment - General requirements  
Edition:7.0

[IEC 60079-1:2014-06](#) Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"  
Edition:7.0

[IEC 60079-31:2013](#) Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"  
Edition:2

[IEC 60079-7:2017](#) Explosive atmospheres - Part 7: Equipment protection by increased safety "e"  
Edition:5.1

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

## TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

[GB/BAS/ExTR12.0256/00](#)  
[GB/BAS/ExTR22.0112/00](#)

[GB/BAS/ExTR15.0268/00](#)

[GB/BAS/ExTR16.0322/00](#)

Quality Assessment Report:

[GB/BAS/QAR06.0061/09](#)



# IECEX Certificate of Conformity

Certificate No.: **IECEX BAS 12.0111X**

Page 3 of 4

Date of issue: 2022-08-12

Issue No: 3

## EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

A range of Insulated Adaptors consisting of three separate (two metallic and one polymeric) threaded parts which are screwed together to form an adaptor assembly. The interface between the three parts forms two threaded flame paths and the three parts of the assembly are permanently bonded together. The metallic parts may be produced in steel, stainless steel, brass or aluminium alloy. The polymeric part may be produced in one of two polymeric materials (A or B). The adaptors range in size from M20 to M75 (male and female) with NPT, ET, PG, NPSM – BSPP and BStr equivalent sizes.

Type Designation	Ambient Temperature Range		Equipment Group	
	Polymer A	Polymer B	Group I	Group II
478	-55°C to +90°C	-55°C to +95°C	Yes	Yes
478LT	-60°C to +90°C	-60°C to +95°C	No	Yes

## SPECIFIC CONDITIONS OF USE: YES as shown below:

1. When the Insulated Adaptors are used for Flameproof, Increased Safety or Dust Protection, the entry of the enclosure and the female threads of the Insulated Adaptor are to be suitably sealed (in accordance with IEC 60079-14) to maintain the Ingress Protection rating of the associated enclosure.
2. When the Insulated Adaptors are used for Increased Safety or Dust Protection in a plain hole, in hole in the enclosure must be no greater than 0.7mm bigger than the male thread and the Insulated Adaptor must be secured with a locknut, the female threads of the Adaptor or Reducer are to be suitably sealed (in accordance with IEC 60079-14) to maintain the Ingress Protection rating of the associated enclosure.
3. The Insulated Adaptors, when used in flameproof applications, must not be closed with a flameproof stopping plug.
4. The size A, B and C Insulated adaptor is limited to use in Group I application to low impact installations
5. The aluminium variant of type 478 adaptor is to be marked for Group II only.



# IECEX Certificate of Conformity

Certificate No.: **IECEX BAS 12.0111X**

Page 4 of 4

Date of issue: 2022-08-12

Issue No: 3

## DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

### Variation 3.1

To confirm that the equipment covered by this certificate has been reviewed against the requirements of IEC 60079-0: 2017 and IEC 60079-7: 2015: +Amd 1: 2017 in respect to the differences from IEC 60079-0: 2011 and IEC 60079-7: 2015. None of the differences in the standards affect this equipment. The Ex marking code remains unchanged.

### Variation 3.2

Marking modification to include associated UKEX information.

ExTR: **GB/BAS/ExTR22.0112/00**

File Reference: **22/0214**