

United Kingdom

# **IECEx Certificate** of Conformity

	IEC Certification	_ ELECTROTECHNICAL COM n System for Explosive Atmos letails of the IECEx Scheme visit www.iecex.co	spheres		
Certificate No.:	IECEx CML 19.0043X	Page 1 of	f 4 Certificat	Certificate history:	
Status:	Current	Issue No:	Issue 0 (	Issue 0 (2019-06-04)	
Date of Issue:	2021-09-28		. 1		
Applicant:		n of Hubbell Limited) (A member of the H er Lyne OL7 0NA	ubbell group of companies)		
Equipment:	A Range of Group I Cable Gland with Compression Type Seals - 453 RAC				
Optional accessor	y:				
Type of Protection	Flameproof, Increased Safety				
Marking:	Ex db I Mb				
	Ex eb I Mb				
	IP 66/67				
Approved for issue on behalf of the IECEx Certification Body:		D R Stubbings BA MIET			
Position:		<b>Technical Director</b>			
Signature: (for printed version)		783-			
Date:		2021-09-28			
2. This certificate is r	d schedule may only be reproduced in full. not transferable and remains the property of uthenticity of this certificate may be verified b	the issuing body. by visiting www.iecex.com or use of this QR Code.			
Certificate issu	ed by:				
Eurofins E&E Unit 1, Newpo New Port Roa Ellesmere Por	rt Business Park d		🔅 eurofins	cml	



# IECEx Certificate of Conformity

Certificate No.:	IECEx CML 19.0043X	Page 2 of 4		
	IEGEX GME 19.0045X	-		
Date of issue:	2021-09-28	Issue No: 1		
Manufacturer:	Hawke International (A Division of Hubbell Limited) (A member of the Hubbell group of companies) Oxford Street West, Ashton under Lyne OL7 0NA United Kingdom			
Additional manufacturing locations:				
This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended				
<b>STANDARDS</b> : The equipment and a to comply with the foll	ny acceptable variations to it specified in the schedule of this certif lowing standards	icate and the identified documents, was found		
IEC 60079-0:2017 Edition:7.0	Explosive atmospheres - Part 0: Equipment - General requirement	nts		
IEC 60079-1:2014-06 Edition:7.0	Explosive atmospheres - Part 1: Equipment protection by flamep	roof enclosures "d"		
IEC 60079-7:2017 Edition:5.1	Explosive atmospheres - Part 7: Equipment protection by increas	ed safety "e"		
	This Certificate <b>does not</b> indicate compliance with safety and other than those expressly included in the Standa			
<b>TEST &amp; ASSESSMENT REPORTS:</b> A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:				
Test Reports:				
GB/CML/ExTR19.009	96/00 GB/CML/ExTR21.0018/00			

Quality Assessment Report:

GB/BAS/QAR06.0061/08



# **IECEx Certificate** of Conformity

Certificate No .:

IECEx CML 19.0043X

Date of issue:

Page 3 of 4

Issue No: 1

#### EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

Each of the following gland types may be manufactured in brass or stainless steel and may be supplied with specified alternative entry thread forms.

Refer to certificate Annex for full equipment description.

2021-09-28

SPECIFIC CONDITIONS OF USE: YES as shown below: Refer to certificate Annex for Specific Conditions of use.



# IECEx Certificate of Conformity

Certificate No.: IECEx CML 19.0043X

Page 4 of 4

Issue No: 1

**DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)** See certification Annex for details of changes.

2021-09-28

Annex:

Date of issue:

Certificate Annex IECEx CML 19.0043X Issue 1.pdf



col	
<b>C</b> MI	

Annexe to:	IECEx CML 19.0043X Issue 1
Applicant:	Hawke International (A Division of Hubbell Limited) (A member of the Hubbell group of companies)
Apparatus:	A Range of Group I Cable Gland with Compression Type Seals – 453 RAC

### **Description**

Each of the following gland types may be manufactured in brass or stainless steel and may be supplied with specified alternative entry thread forms.

The Type 453 RAC Cable Gland is intended for use with an effectively filled and circular steel wire or basket weave armoured or braid (screened) cable and comprises the following components: -

- a) An entry component, in the size range Os to F (M16 to M75)
- b) A compressible sealing ring
- c) A combined compression spigot and armour clamping cone
- d) A reversible armour clamping ring
- e) A middle nut
- f) An outer seal assembly (sleeve seal and support cage)
- g) A back nut

#### Variation 1

- 1. Update the GA drawings.
- 2. Clarify the Ingress Protection IP ratings.
- 3. To review and update the cable glands against the latest standard.
- 4. To permit the update to gland sizes.
- 5. Update the marking.
- 6. To revise the equipment title.
- 7. To revise the product description.
- 8. To revise the specific conditions of use.

### **Conditions of Manufacture**

#### None

### **Specific Conditions of Use**

The following conditions relate to safe installation and/or use of the equipment.

- i. When the gland is used for increased safety protection, the entry thread shall be suitably sealed (in accordance with IEC 60079-14) to maintain the ingress protection rating of the associated enclosure. Not applicable when Hawke IP 66/67 seal is used.
- ii. Glands for use with unarmoured or braided cables are only suitable for fixed installations, the cable for which must be effectively clamped to prevent pulling and twisting.

Note: This specific condition of use is not applicable when the cable glands are fitted with rear clamping device.

> Unit 1. Newport Business Park New Port Road Ellesmere Port CH65 4LZ

**T** +44 (0) 151 559 1160 E info@cmlex.com



### Components covered by Ex Certificates issued to older editions of Standards None