

CERTIFICATE OF COMPLIANCE

Certificate Number E22698
Report Reference E22698-20211119
Issue Date 2021-NOVEMBER-22

Issued to: KILLARK, DIV OF HUBBELL INC (DELAWARE)
2112 FENTON LOGISTICS PARK BLVD
FENTON, MO 63026
UNITED STATES

This is to certify that representative samples of OUTLET BUSHINGS AND FITTINGS
See Addendum Page for Models

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Conduit, Tubing, and Cable Fittings UL 514B and CSA C22.2 NO. 18.3-12
Enclosures for Electrical Equipment, Environmental Considerations, UL 50E and CSA C22.2 No. 94.2

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E22698
Report Reference E22698-20211119
Issue Date 2021-NOVEMBER-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Products Covered	Product Designation
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB115SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB5138NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB586
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB139SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB5102
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6102NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB215SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB5138
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6138NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB239SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6102
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6181NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB255SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6138
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7138NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB339SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6181
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7181NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB355SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB386SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7236NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7138
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB455SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8181NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB486SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8236NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB115
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB4102SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8295NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB586SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0236NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB139
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB5102SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0295NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB5138SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB215



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E22698
Report Reference E22698-20211119
Issue Date 2021-NOVEMBER-22

Products Covered	Product Designation
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0334NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB239
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6102SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6138SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB255
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6181SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7181
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7138SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7236
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7181SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8181
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7236SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8236
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8181SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8295
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8236SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0236
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8295SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0295
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0236SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0334
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB115SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0295SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB139SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB586SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0334SS
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB215SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB5102SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB115NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB239SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB139NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB5138SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB255SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB215NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6102SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB339SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6138SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB239NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB355SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB6181SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB255NB



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E22698
Report Reference E22698-20211119
Issue Date 2021-NOVEMBER-22

Products Covered	Product Designation
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB386SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7138SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB339NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7181SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB455SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB355NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB7236SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB386NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB339
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8181SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB455NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB355
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8236SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB486NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB386
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB8295SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB4102NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB455
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0236SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB486
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0295SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB586NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB486SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB4102
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB0334SA
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB5102NB
Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables	CGB4102SA



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

