



Manufacturer :		Killark Electric , Div of Hubbell Inc.(Delaware), 2112 Fenton Logistics Park Blvd , Fenton, MO 63026, USA Tel : (314) 531-0460 Email: killarkinfo@hubbell.com	
Declares in its sole responsibility that the product mentioned below			
Product Designation :		Empty Enclosure	
Type Designation :		HK Series Flameproof Enclosure	
is in conformity with the essential protection requirements of the following Directive(s), Certification Scheme(s) and Standard(s).			
Directive(s) / Scheme(s)		Standard(s)	
2014/34/EU ATEX Directive		EN IEC 60079-0:2018 EN 60079-1:2014 EN 60079-31:2014	
IEC Certification Scheme For Explosive Atmosphere		IEC 60079-0:2017, Ed. 7.0 IEC 60079-1:2014-06, Ed. 7.0 IEC 60079-31:2013, Ed. 2.0	
Others		EN 60529:1991+A1:2000+A2:2013	
Type Examination Certificate			
ATEX		IECEX	
DEMKO 01 ATEX 015742U Issue No. 1		IECEX UL 14.0071U Issue No. 1	
Certification Body			
ATEX		IECEX	
UL International Demko A/S, Ballerup 5A, 2750 Ballerup, Denmark. Reg No.: 0539		UL LLC, 333 Pffingsten Rd. Northbrook IL 60062-2096 United States Of America	
Marking <small>(Note 1)</small>			
ATEX		IECEX	
 II 2G Ex db IIC Gb II 2D Ex tb IIIC Db IP 66 2813 Ta= -60 ⁰ C to +70 ⁰ C		Ex db IIC Gb Ex tb IIIC Db IP 66 Ta = -60 ⁰ C to +70 ⁰ C	
Note 1: Rating data, characteristics and for incorporation into equipment refer Installation & operating manual.			
QAN compliance has been approved by Notified Body CSA Group Netherlands B.V., Utrechtseweg 310, 6812 AR, Arnhem, Netherlands. (Notified Body number 2813).			
To verify the status and authenticity of IECEX Certificate of Conformity, please visit Official IECEX Website			
Signature :			
Name :		Tom Michalski	
Designation :		Certifications Manager	
Place and Date :		Fenton, 21-07-2021	