

EU Declaration Of Conformity



KILLARK

Manufacturer : Killark Electric , Div of Hubbell Inc.(Delaware),
2112 Fenton Logistics Park Blvd , Fenton, MO 63026, USA
Tel : (314) 531-0460 | Email: killarkinfo@hubbell.com

Declares in its sole responsibility that the product mentioned below



Product Designation : LED Luminaires
Type Designation : L1L... & L1L...-IE2-... Series

is in conformity with the essential protection requirements of the following Directive(s), Certification Scheme(s) and Standard(s).

Directive(s) / Scheme(s)	Standard(s)
2014/34/EU ATEX Directive	EN 60079-0:2012 EN 60079-1:2014 EN 60079-28:2015 EN 60079-31:2014
IEC Certification Scheme For Explosive Atmosphere	IEC 60079-0:2017, Ed. 7.0 IEC 60079-1:2007-04, Ed. 6.0 IEC 60079-28:2015, Ed. 2.0 IEC 60079-31:2013, Ed. 2.0

Type Examination Certificate	
ATEX	IECEX
CML 19 ATEX 1289X Issue No. 1	IECEX QPS 19.0005X Issue No. 1


Certification Body	
ATEX	IECEX
CML B.V Chamber Of Commerce No 6738671, Hoogoorddreef 15 Amsterdam, 1101 BA, The Netherlands Reg No.: 2776	QPS Evaluation Services Inc, 81 Kelfield St, Unit 8 Toronto, Ontario M9W 5A3, Canada.

Marking (Note 1)	
ATEX	IECEX
 II 2G Ex db op is IIB+H ₂ T6 Gb  II 2D Ex tb op is IIIC T85 ⁰ C Db IP 66 2813 Ta= -20 ⁰ C to +40 ⁰ C / +55 ⁰ C (Standard) Ta= -20 ⁰ C to +40 ⁰ C / +50 ⁰ C (Emergency)	Ex db op is IIB+H ₂ T6 Gb Ex tb op is IIIC T85 ⁰ C Db IP 66 Ta= -20 ⁰ C to +40 ⁰ C / +55 ⁰ C (Standard) Ta= -20 ⁰ C to +40 ⁰ C / +50 ⁰ C (Emergency)

Note 1: Ratings provided are maximum ratings and may vary depend on the components used and their installation. Refer Certificate, Installation & Operating manual and rating plate on equipment for details.

QAN compliance has been approved by Notified Body CSA Group Netherlands B.V., Utrechtseweg 310, 6812 AR, Arnhem, Netherlands. (Notified Body number 2813).

To verify the status and authenticity of IECEX Certificate of Conformity, please visit [Official IECEX Website](#)

Signature : 

Name : Tom Michalski
Designation : Certifications Manager
Place and Date : Fenton, 24-03-2020