



Attestation Of Conformity



KILLARK

Manufacturer :		Killark Electric , Div of Hubbell Inc.(Delaware), 2112 Fenton Logistics Park Blvd , Fenton, MO 63026, USA Tel : (314) 531-0460 Email: killarkinfo@hubbell.com	
Declares in its sole responsibility that the product mentioned below			
Product Designation :		Series GZ and GZ...-M Operators, Series GZ Potentiometers; Series EXH Breaker Handles/Operators	
Type Designation :		Flameproof and Dust Ignition-proof Actuators and Signal Elements	
is in conformity with the essential protection requirements of the following Directive(s), Certification Scheme(s) and Standard(s).			
Directive(s) / Scheme(s)		Standard(s)	
2014/34/EU ATEX Directive		EN 60079-0:2012+A11:2013 EN 60079-1:2014 EN 60079-31:2014	
IEC Certification Scheme For Explosive Atmosphere		IEC 60079-0:2011, Ed. 6.0 IEC 60079-1:2014-06, Ed. 7.0 IEC 60079-31:2013, Ed. 2.0	
Others		EN 60529:1991+A1:2000+A2:2013	
Type Examination Certificate			
ATEX		IECEX	
SIRA 19 ATEX 1171U Issue No. 1		IECEX CSA 19.0030U Issue No. 0	
Certification Body			
ATEX		IECEX	
CSA Group Netherlands B.V. Utrechtseweg 310,6812 AR, Arnhem,Netherlands. Reg No.: 2813		CSA Group 178 Rexdale Boulevard, Toronto,Ontario M9W IR3, Canada	
Marking (Note 1)			
ATEX		IECEX	
 II 2G Ex db IIC Gb (up to 35 Liters) II 2G Ex db IIB+H ₂ Gb (up to 160 Liters) 2813 II 2D Ex tb IIIC Db IP66 (Salt Spray) Ta= -50 ⁰ C to +60 ⁰ C		Ex db IIC Gb (up to 35 Liters) Ex db IIB+H ₂ Gb (up to 160 Liters) Ex tb IIIC Db IP66 (Salt Spray) Ta = -50 ⁰ C to +60 ⁰ C	
<p>Note 1: Rating data, characteristics and for incorporation into equipment refer Installation & operating manual.</p> <p>QAN compliance has been approved by Notified Body CSA Group Netherlands B.V., Utrechtseweg 310,6812 AR, Arnhem,Netherlands. (Notified Body number 2813).</p> <p>To verify the status and authenticity of IECEX Certificate of Conformity, please visit Official IECEX Website</p>			
Signature :			
Name :		Tom Michalski	
Designation :		Certifications Manager	
Place and Date :		Fenton, 25-10-2019	