

CERTIFICATE OF COMPLIANCE

Certificate Number 20160901-E10514
Report Reference E10514-19691204
Issue Date 2016-SEPTEMBER-01

Issued to: KILLARK, DIV OF HUBBELL INC (DELAWARE)
3940 MARTIN LUTHER KING DR
ST LOUIS MO 63113

**This is to certify that
representative samples of**

LUMINAIRE FITTINGS FOR USE IN HAZARDOUS
LOCATIONS, LUMINAIRES, MISCELLANEOUS, MARINE,
LUMINAIRE FITTINGS FOR USE IN ZONE CLASSIFIED
HAZARDOUS LOCATIONS

See addendum page for models

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 844 - Luminaires for Use in Hazardous (Classified)
Locations
CSA-C22.2 No. 157 - Intrinsically Safe and Non-Incendive
Equipment for Use in Hazardous Locations

Additional Information:

See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20160901-E10514
Report Reference E10514-19691204
Issue Date 2016-SEPTEMBER-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Fixture fittings for use in hazardous locations specified below, with the designation and conduit sizes indicated.

FOR USE IN CLASS I, GROUPS C AND D, AND CLASS II, GROUPS E, F, AND G HAZARDOUS LOCATIONS

Series GEC Cat. Nos. GECET, GECEAT, GECCT, GECCAT, GECCTF, GECLAT, GECLBT, GECLT, GECLTF, GECNT, GECTAT, GECTT, GECTTF, GECUET, GECUWT, GECXAT, GECXT, and GECXTF followed by -11, -12, -21, or -22 with threaded hubs. May be followed by M. Conduit sizes 1/2 and 3/4 in. in body and cover.

Series GEC, Cat. Nos. GECET, GECEAT, GECCT, GECCAT, GECCTF, GECLAT, GECLBT, GECLT, GECLTF, GECNT, GECTAT, GECTT, GECTTF, GECXT, and GECXTF followed by -31 or -32 with threaded hubs. May be followed by M. Body hubs are 1 in. conduit size; cover hub is 1/2 or 3/4 in. conduit size.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

