

CERTIFICATE OF COMPLIANCE

Certificate Number 20180123-E83969
Report Reference E83969-19950620
Issue Date 2018-JANUARY-23

Issued to: KILLARK, DIV OF HUBBELL INC (DELAWARE)
3940 MARTIN LUTHER KING DR
ST LOUIS MO 63113

**This is to certify that
representative samples of**

ENCLOSURES FOR USE IN HAZARDOUS LOCATIONS
See Addendum Page

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 1203, Explosion-Proof and Dust-Ignition-Proof Electrical
Equipment for Use in Hazardous (Classified) Locations
CAN/CSA C22.2 No. 25-1966, Enclosures for Use in Class
II Groups E, F, and G Hazardous Locations
CAN/CSA C22.2 No. 30-M1986, Explosion-Proof
Enclosures for Use in Class I Hazardous Locations

Additional Information:

See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180123-E83969
Report Reference E83969-19950620
Issue Date 2018-JANUARY-23


This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Series GR enclosures for use in Class I, Groups B, C and D; Class II, Groups E, F, and G Hazardous Locations.

Cat. No. GRB may be prefixed by 2 or 4, followed by P or -275L; Cat. No. GRE followed by P or -300L; Cat. No. GRK may be prefixed by 4, followed by P or -537L; Cat. No. GRM may be prefixed by 3 or 5, followed by P or -375L; Cat. No. GRL followed by P or -600L; Cat. No. GRH may be prefixed by 4 or 8, followed by P or -775L; Cat. No. GRHA may be prefixed by 4 or 8, followed by P or -775L; Cat. No. GRHC may be prefixed by 4 or 8, followed by P or -775L. All may have suffixes SU3B, SU6, SU8, SU9, SU10B, SU11B, SU14, -CEN and -MOD.

Series GR enclosures for use in Class I, Groups C and D; Class II, Groups E, F and G Hazardous Locations.

Cat. No. GRB may be prefixed by 2 or 4, followed by P or -275L; Cat. No. GRE followed by P or -300L; Cat. No. GRK may be prefixed by 4, followed by P or -537L; Cat. No. GRM may be prefixed by 3 or 5, followed by P or -375L; Cat. No. GRL followed by P or -600L; Cat. No. GRH may be prefixed by 4 or 8, followed by P or -775L; Cat. No. GRHA may be prefixed by 4 or 8, followed by P or -775L; Cat. No. GRHC may be prefixed by 4 or 8, followed by P or -775L. All may have suffixes SU3, SU10, SU11, -CEN and -MOD.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

