

CERTIFICATE OF COMPLIANCE

Certificate Number 20161004-E12379
Report Reference E12379-19650128
Issue Date 2016-OCTOBER-04

Issued to: KILLARK, DIV OF HUBBELL INC (DELAWARE)
3940 MARTIN LUTHER KING DR
ST LOUIS MO 63113

**This is to certify that
representative samples of**

AUXILIARY DEVICES FOR USE IN HAZARDOUS
LOCATIONS

See Addendum Page

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 1203, Explosion-Proof and Dust-Ignition-Proof Electrical
Equipment for Use in Hazardous (Classified) Locations

Additional Information:

See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20161004-E12379
Report Reference E12379-19650128
Issue Date 2016-OCTOBER-04

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

USL - Series XCS and Series FXCS push-button stations, selector switches and pilot lights for use in hazardous locations Class I, Groups C and D and Class II, Groups E, F and G having the electrical ratings and designations as given below:

Cat. No. SPH followed by a five digit number.

Cat. Nos. XCS-1, -2, -3, -4, -5, -6, -13, -14, -41, -42, -43, -44, -45 and -46, followed by suffix -A1, -A2, -A3, -A4, -A5, -A6, -A7, -A75, -A76, -B1, -B2, -B3, -B4, -B4FS, -B5, -B6, -B7, -B19, -B20, -B21, -B22, -B23, -B75, -B76, -B91, or -B92 with or without suffix A, B, C, D, E, F, G or LO.

Cat. Nos. XCS-1, -2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14, -17, -18, -19, -20, -21, -41, -42, -43, -44, -45 and -46, followed by suffix -K2, -K3, -S2, -S3, may be followed by 0, 1, 2, 3, may be followed by A or D, must be followed by A, B, C, D, E, F, G, must be followed by 1, 2, 3, 4, 5, 6, 7, may be followed by LO.

Cat. Nos. XCS-1, -2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14, -17, -18, -19, -20, -21, -41, -42, -43, -44, -45 and -46, followed by M, followed by 1, 2, 3, 4, 5, 6, or 7, may be followed by LO.

Cat. Nos. XCS-7, -8, -9, -10, -11, -12, -17, -18, -19, -20 and -21, followed by one or more of suffix -A1, -A2, -A3, -A4, -A5, -A6, -A7, -A75, -A76, -B1, -B2, -B3, -B4, -B5, -B6, -B7, -B19, -B20, -B21, -B22, -B23, -B75, -B76, -B91, -B92 or -X10, and with or without suffix A, B, C, D, E, F, G, or LO.

Cat. Nos. XCS-14, -17, -18, -19, -20, -21, -41, -42, -43, -44, -45, and -46, followed by suffix -K4 or -S4, may be followed by 0, 1, 2, 3, may be followed by A or D, must be followed by H, followed by 8, may be followed by LO.

Catalog Nos. XCS-14, -17, 018, -19, -20, -21, -41, -42, -43, -44, -45 and -46, followed by M8, may be followed by LO.

Catalog Nos. XCS-0, -14, -18, -19, -20, -21, -31, -32, -33, -34, -35, -36, -37, -38, -41, -42, -43, -44, -45, -46, followed by suffix -K2, -K3, -S2, -S3, followed by -C, -L, -R, followed by 0, 1, 2, 3, 6, 7, followed by F or G, with or without suffix 22, 31, 32, 33, followed by A or D.

Catalog No. XCS-15, followed by suffix -A1, -A2, -A3, -A4, -A5, -A6, -A7, -A75, -A76, -A177, -A179, -B1, -B2, -B3, -B4, -B5, -B6, -B7, -B19, -B20, -B21, -B22, -B23, -B75, -B76, -B91, -B92, -B129, -B130, -B132, -B133 or -B135, and with or without suffix A, B, C, D, E, F, G or LO.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20161004-E12379
Report Reference E12379-19650128
Issue Date 2016-OCTOBER-04

Models (Continued):

Catalog No. XCS-16, followed by suffix -A1, -A2, -A3, -A4, -A5, -A6, -A7, -A8, -A9, -A75, -A76, -A181, -A183, -B1, -32, -B3, -B4, -B5, -B6, -B7, -B8, -B9, -B19, -B20, -B21, -B22, -B23, -B75, -B76, -B91, -B92, -B129, -B130, -B132, -B133, -B135, -B150, -B151, -B156, -B157, -B167, -B168, -B170 or -B173 and with or without suffix A, B, C, D, E, F, G or LO.

Catalog Nos. XCS followed by one of the following numbers; -1, -2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14, -17, -18, -19, -20, -21, -41, -42, -43, -44, -45 and -46 followed by A15 with or without suffix numbers AL, BL, CL, FL, GL, RL, YL, or LO.

Catalog Nos. XCS followed by one of the following numbers; -1, -2, -3, -4, -5, -6, -13, -14, -41, -42, -43, -44, -45 and -46 followed by suffix B13 followed by suffix letters C, O or U, may be followed by suffix letters AL, BL, CL, FL, GL, RL or YL.

Catalog Nos. XCS followed by one of the following numbers; -7, -8, -9, -10, -11, -12, -17 and -18, followed by one of the following suffix BI, B2, B3, B4, B5, B6 and B7 followed by the suffix -B24 or -B30 followed by one of the suffix numbers AL, BL, CL, FL, GL, RL or YL.

Catalog Nos. XCS-15B17, -16B185 and -16B17 followed by one of the suffix numbers AL, BL, CL, FL, GL, RL or YL.

Device catalog number may be followed by "SPC" with numbers to indicate manufacturer's special order.

Push-button stations and selector switches are rated 600 V ac or less. Pilot lights are rated 6 W, 125 V ac, 6S6 lamp.

Cat. Nos. FXCS, followed by 1 through 12 with one of the *following suffixes: Suffix B, followed by 1, 2, 3, 4, 4U, 4FS, 5, 6, or 7, followed by AL, BL, CL, FL, GL, RL, or YL; or Suffix A or B, followed by 13-C, 13-O, 13-U, 15 or 16, followed by AL, BL, CL, FL, GL, RL, or YL or Suffix S, followed by 2 or 3, followed by A or C, followed by 0, 1, 4, or 5; or Suffix K, followed by 2, 21, 22, 3, 31, 32, or 33, followed by A or C, followed by 0, 1, 4 or 5; or Suffix S or K, followed by 2 or 3, followed by L, M, or R, followed by 3 or 6, followed by F or G, followed by 20, 21, 22, 30, 31, 32, or 33, followed by A or D.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

