



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in
 Phone/Fax No : **0712 -2510248, Fax-2510577**

Approval No : A/P/HQ/TN/104/6332 (P550725)

Dated : **30/03/2023**

To,
M/s. HAWKE INTERNATIONAL,
Oxford street west, Ashton-Under-Lyne, Lancashire.,Lancashire
OL7 0NA
UK

Sub : Approval of Flame Proof, Increased Safety Type Electrical Equipments under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. **OIN1306474** dated **01/03/2023** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **IEC 60079-0 : 2011, IEC 60079-1 : 2014-06, IEC 60079-7 : 2015,** standards and covered under **Sira Certification Service** Test reports mentioned below is/are approved for use in **Zone 2** of Gas **IIC** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

| Sr. No | Description | Safety Protection | Equipment reference Number | Test Agency | | | Drawing no |
|--------|----------------------------------------------------------|---------------------------------------------------------------------------|----------------------------|----------------------------|--------------------------------|------------------|------------|
| | | | | Name | Certificate No. | Certificate Date | |
| 1 | Type 492 Male to Female elbow Swivel union with lockstop | Ex db IIC Gb (Approved for Installation in Zone 1 of the hazardous areas) | P550725/1 | Sira Certification Service | IECEX SIR 11.0152U Issue No. 4 | 21/11/2017 | 492 |
| 2 | Type 492 Male to Female elbow Swivel union with lockstop | Ex eb IIC Gb | P550725/2 | Sira Certification Service | IECEX SIR 11.0152U Issue No. 4 | 21/11/2017 | 492 |

This Approval is granted subject to observance of the following conditions:-

1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Sira Certification Service Test Reports referred to above.

2)The equipment shall be used only with approved type of accessories and associated apparatus.

3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-

- (a) Name of the manufacturer
- (b) Name and number by which the equipment is identified.
- (c) Number & date of the test report of the Sira Certification Service applicable to the equipment.
- (d) Equipment reference number of this letter by which use of apparatus is approved.
- (e) Protection level.

4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Sira Certification Service Test report and is identical with the one tested and certified at Sira Certification Service shall be furnished with each equipment.

5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by Sira Certification Service in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.

6) The After sales service and maintenance of subject equipment shall be looked after by your representative Hubbell India Electrical Products LLP, No. 76, II Floor, Duraisamy Road, Vadapalani, Chennai.

Conditions of the Approval:-

This component is not intended to be used alone and requires additional consideration when incorporated into electrical equipment or systems for use in explosive atmospheres

This approval also covers the permissible variations as approved under the Sira Certification Service test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis. The Approval is Valid upto **31/12/2027**

Yours faithfully,

(K. Thiagarajan)
Jt. Chief Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :
 1. Jt. Chief Controller of Explosives, South Circle Office, CHENNAI
 2. Hubbell India Electrical Products LLP,No. 76, II Floor, Duraisamy Road, Vadapalani, Chennai.

for Chief Controller of Explosives
Nagpur

(For more information regarding status,fees and other details please visit our website <http://peso.gov.in>)

This is System Generated document. Signature is not required.