

Government of India Ministry of Commerce & Industry Petroleum & Explosives Safety Organisation (PESO) 5th Floor, A-Block, CGO Complex, Seminary Hills, Nagpur - 440006

> E-mail : explosives@explosives.gov.in Phone/Fax No : 0712 -2510248, Fax-2510577

> > Dated : 01/02/2023

Approval No : A/P/HQ/TN/104/6311 (P550729)

To,

M/s. HAWKE INTERNATIONAL, Oxford street west, Ashton-Under-Lyne, Lancashire.,Lancashire OL7 0NA smashanga@hubbell.com ŮK

Sub: Sir(s),

Please refer to your letter No. OIN1282750 dated 13/01/2023 on the subject.

Approval of Flame Proof, Increased Safety Type Electrical Equipment under Petroleum Rules 2002- Regarding

The following Ex electrical equipment(s) manufactured by you according to IEC 60079-0 : 2017, IEC 60079-1 : 2014-06, IEC 60079-7 : 2017, standards and covered under SGS Baseefa Limited Test reports mentioned below is/are approved for use in Zone 1 of Gas II hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			
				Name	Certificate No.	Certificate Date	Drawing no
1	Type 496 Range Of Elbow Adaptors(Female To Female)	Ex db IIC Gb	P550729/1	SGS Baseefa Limited	IECEx BAS 14.0002U Issue No. 3	12/08/2022	496
2	Type 496 Range Of Elbow Adaptors(Female To Female)	Ex eb IIC Gb (APPROVED FOR INSTALLATION IN ZONE 2 ONLY)	P550729/2	SGS Baseefa Limited	IECEx BAS 14.0002U Issue No. 3	12/08/2022	496

This Approval is granted subject to observance of the following conditions:-

1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the SGS Baseefa Limited Test Reports referred to above

2)The equipment shall be used only with approved type of accessories and associated apparatus.

3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-

(a) Name of the manufacturer

(b) Name and number by which the equipment is identified.

(c) Number & date of the test report of the SGS Baseefa Limited applicable to the equipment.

(d) Equipment reference number of this letter by which use of apparatus is approved.

(e) Protection level.

4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the SGS Baseefa Limited Test report and is identical with the one tested and certified at SGS Baseefa Limited shall be furnished with each equipment.

5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenence schedule, if any, recommended by SGS Baseefa Limited in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characterestics. 6) The After sales service and maintanance of subject equipment shall be looked after by your representative Hubbell India Electrical Products LLP, Hubbell India Electrical Products LLP

This approval also covers the permissible variations as approved under the SGS Baseefa Limited test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis. The Approval is Valid upto 31/12/2027

Yours faithfully.

(K. Thiagaraian) Jt. Chief Controller of Explosives For Chief Controller of Explosives Nagpur

Copy to : 1. Jt. Chief Controller of Explosives, South Circle Office, CHENNAI 2. Hubbell India Electrical Products LLP, Hubbell India Electrical Products LLP

> for Chief Controller of Explosives Nagpur

(For more information regarding status, fees and other details please visit our website http://peso.gov.in)

This is System Generated document. Signature is not required.