

## PowerHUBB™ Gateway Software System Requirements



The PowerHUBB™ Gateway Software is the heart of PowerHUBB's on-premises control system. The software communicates bi-directionally with PowerHUBB Nodes to control lighting levels for each space, as well as receiving incoming commands from sensors and other devices to improve occupant comfort and optimize energy savings. In addition, the software sends all recorded data and system configuration to the optional PowerHUBB Cloud Portal for backup and analysis.

For the PowerHUBB Gateway to operate effectively, please follow the system requirements in the below table.

**Important:** Google Chrome is the recommended browser.

Item	Requirement		
Number of Devices	<500	501-5000	5,001+
Operating System	Windows 8.1 Pro 64-bit; Windows 10 Pro 64-bit; Windows Server 2012 R2 x64; or Windows Server 2016		
Processor	Intel i3-5-7 / Xeon Families Dual core processor	Intel i3-5-7 / Xeon Families Dual core processor	Intel i3-5-7 / Xeon Families Consult with HCS
Memory	8GB RAM	16GB RAM	Consult with HCS
Hard Disk	64GB SSD with 5GB free disk space		Consult with HCS
Network Interface Card	Any standard 10/100/1000 Mbps Ethernet compatible card		
Software	Microsoft SQL Server Express 2012 or SQL Server Express 2016 Microsoft .NET Framework 4.6.2 or higher		