Revision Date: 13 March 2019

Page 1 of 6



# **SAFETY DATA SHEET**

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT** 

**Product Name:** H.M. Gloss Restorer Kit - Part B

Product Number: C400-1520

Intended Use: Epoxy Resin

**COMPANY IDENTIFICATION** 

**Supplier:** Chance Company

210 North Allen Street Centralia, Missouri U.S.A.

**Phone Number:** (573) 682-8465

**24 Hour Emergency (INFOTRAC):** (800) 535-5053 (US and Canada)

(352) 323-3500 (International)

# SECTION 2 HAZARDS IDENTIFICATION

#### **CLASSIFICATION**

Health	Environmental	Physical
No Classifiable Hazards	No Classifiable Hazards	Flammable Liquid – Category 3

#### **LABELLING**

Symbols:



Signal Word: WARNING

Hazard Statements	Precautionary Statements
H302: Harmful If Swallowed	Not Applicable
H315: Causes Skin Irritation	
H350: May Cause Cancer	
H320: Causes Eye Irritation	
May Cause Teratogenicity And Embryotoxicity	
Harmful: May Cause Lung Damage If Swallowed	
May Cause Skin Sensitization	

Potential Health Effects: See Section 11 for more information.

Potential Environmental Effects: See Section 12 for more information.

# SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### MIXTURES.

Name	CAS#	Wt. Percentage*	Comments
Ethylene glycol monobutyl ether	111-76-2	7 - 13	NIL
Xylene	1330-20-7	40 - 70	NIL

Revision Date: 13 March 2019

Page 2 of 6



Fatty acids, C18-unsaturated dimers, polymers with tall oil fatty acids and triethylene tetramine	68082-29-1	10 - 30	NIL
Ethylbenzene	100-41-4	7 - 13	NIL

<sup>\* 0-36 %</sup> material composition inclusive of inert and non-hazardous filler withheld as trade secret in accordance with paragraph 1910.1200(i)(1). Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of distributor and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

## SECTION 4 FIRST AID MEASURES

#### **DESCRIPTION OF NECESSARY FIRST AID MEASURES:**

General Information: In case of accident or if you feel unwell, seek medical advice immediately

(show the label or MSDS where possible).

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. If easy to do, remove contact lenses, if worn. Get medical attention

immediately.

**Skin Contact:** In case of contact, immediately flush skin with plenty of water. Remove contaminated

clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops

and persists.

**Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen.

**Ingestion:** DO NOT induce vomiting. If victim is conscious and alert, give 2 cupfuls of water.

Never give anything by mouth to an unconscious person. Seek medical attention or

call poison control immediately.

**Note To Physicians:** Symptoms may not appear immediately.

See toxicological information (Section 11)

#### SECTION 5 FIRE FIGHTING MEASURES

Flammability: Flammable by WHMIS criteria.

**EXTINGUISHING MEDIA** 

**Suitable Extinguishing Media:** Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

**Products of Combustion:** May include, and are not limited to: oxides of carbon.

**EXPLOSION DATA:** 

**Sensitivity to Mechanical Impact:** Not available. **Sensitivity to Static Discharge:** Not available.

Protective Equipment And

Precautions For Firefighters: Containers may explode when heated. Use water spray to keep fire-

exposed containers cool. Keep upwind of fire. Wear full fire fighting turn-out

gear (full Bunker gear) and respiratory protection (SCBA).

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area

and deny entry to unnecessary and unprotected personnel. Eliminate

sources of ignition.

**ENVIRONMENTAL PRECAUTIONS** 

Environmental Precautions: Keep out of drains, sewers, ditches, and waterways. Minimize use of

water to prevent environmental contamination.

### METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

**Methods For Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite),

then place in a suitable container. Do not flush to sewer or allow to enter

Revision Date: 13 March 2019

Page 3 of 6



waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods For Cleaning Up:** Scoop up material and place in a disposal container. Provide ventilation.

Other Information: Not available.

SECTION 7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Advice on Safe Handling: Keep away from sources of ignition. No smoking. Avoid contact with skin and

eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. When using do not eat

or drink. Wash hands before eating, drinking, or smoking.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage Conditions: Keep out of the reach of children. Keep container tightly closed and in a

well-ventilated place. Store in a cool place.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **EXPOSURE GUIDELINES**

Occupational Exposure Limits			
INGREDIENT	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene glycol monobutyl ether	20 ppm	Not Available	Not Available
Xylene	100 ppm	Not Available	Not Available
Fatty acids, C18-unsaturated dimers, polymers with tall oil fatty acids and triethylene tetramine	Not available	Not Available	Not Available
Ethylbenzene	20 ppm	Not Available	Not Available

**CONTROL PARAMETERS** 

Appropriate Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume,

vapor, etc.) below recommended exposure limits.

**INDIVIDUAL PROTECTION MEASURES** 

**Eye/Face Protection:** Wear eye/face protection. **Hand Protection:** Wear suitable gloves.

Skin And Body Protection: Wear suitable protective clothing, including appropriate boots, boot covers,

overshoes, etc.

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment. **General Hygiene Considerations:** Handle according to established industrial hygiene and safety practices.

SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

**APPEARANCE** 

Physical State: Liquid Appearance: Clear

Color:

Odor:

Hydrocarbon odor

Odor Threshold:

PH:

Not available

Not available

Not available

Viscosity:

Not available

Not available

Not available

Not available

**Boiling Point:** ~ 58 - 153 °C (~ 136 - 308 °F)

Flash Point ~ 27 °C (~ 80.6 °F) [Setaflash Closed Cup]

**Evaporation Rate:** < 1 (Ether = 1)

Lower Flammability Limit:

Upper Flammability Limit:

Vapor Pressure:

Vapor Density:

Specific Gravity:

Solubility in Water:

Vapor Solubility in Water:

Vapor Solubility in Vapor Solubility Solubility in Vapor Solubility Solu

Revision Date: 13 March 2019

Page 4 of 6

HUBBELL

**Coefficient of Water/Oil Distribution:**Not available
Not available
Not available

Percent Volatile, wt. %: 77%
Percent Volatile, vol. %: 79%

VOC content, wt. %: Not available

## SECTION 10 STABILITY AND REACTIVITY

Stability: Stable under normal storage conditions. Keep in a cool place.

**Conditions of Reactivity:** Heat. Incompatible materials.

Incompatible Materials: Strong oxidizers.

**Hazardous Decomposition Products:** May include, and are not limited to: oxides of carbon.

**Possibility of Hazardous Reactions:** No dangerous reaction known under conditions of normal use.

#### SECTION 11 TOXICOLOGICAL INFORMATION

## INFORMATION ON LIKELY ROUTES OF EXPOSURE:

**Inhalation:** May cause respiratory tract irritation. This product may be aspirated into the lungs

and cause chemical pneumonitis. Vapours may cause drowsiness and dizziness.

Eye Contact: Irritating to eyes. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

**Skin Contact:** May be harmful in contact with skin. Irritating to skin. May cause sensitization by skin

contact. Symptoms may include redness, edema, drying, defatting and cracking of

the skin.

Ingestion: Harmful if swallowed. May cause stomach distress, nausea or vomiting. Harmful:

may cause lung damage if swallowed.

## **Component Information:**

Ingredients	LC <sub>50</sub>	LD <sub>50</sub> (Oral)	LD <sub>50</sub> (Dermal)	Chemical Listed as Carcinogen or Potential Carcinogen *
Ethylene glycol monobutyl ether	450 ppm 4hr, Rat 5000 ppm 4hr, Rat;	470 mg/kg, Rat	Not Available	G-A3, I-3
Xylene	47635 mg/L 4hr, Rat	4300 mg/kg, Rat	Not Available	G-A4, I-3
Fatty acids, C18-unsaturated dimers, polymers with tall oil fatty acids and triethylene tetramine	Not available.	> 2000 mg/kg, Rat	Not Available	Not listed.
Ethylbenzene	17.2 mg/L 4hr, Rat	3500 mg/kg, Rat	Not Available	G-A3, I-2B

<sup>\*</sup> See Section 15 for more information

#### **EFFECTS OF CHRONIC EXPOSURE**

**Chronic Effects:** Not hazardous by WHMIS criteria Hazardous by WHMIS criteria Carcinogenicity: Mutagenicity: Not hazardous by WHMIS criteria. **Reproductive Effects:** Not hazardous by WHMIS criteria. Teratogenicity: Hazardous by WHMIS criteria. **Embryotoxicity:** Hazardous by WHMIS criteria. **Respiratory Sensitization:** Not hazardous by WHMIS criteria. Hazardous by WHMIS criteria. Skin Sensitization:

Toxicologically Synergistic Materials: Not available.

Chronic Effects: Contains ingredients known or suspected to be carcinogenic, teratogenic and/or

embryotoxic. Contains Ethylene glycol monobutyl ether which may be absorbed by the skin

in harmful amounts with prolonged or repeated contact.

Signs and Symptoms: Symptoms may include discomfort or pain, excess blinking and tear production, with

possible redness and swelling. Symptoms may include redness, edema, drying, defatting

Revision Date: 13 March 2019

Page 5 of 6



and cracking of the skin. Vapours may cause drowsiness and dizziness

**Medical Conditions** 

Aggravated By Exposure: Because of its irritating properties, product may aggravate preexisting skin, eye, and

respiratory conditions.

Target Organs: Eyes, skin, respiratory system, gastrointestinal tract, nervous system, liver, kidneys, and

bone marrow.

## SECTION 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** May cause long-term adverse effects in the aquatic environment.

Persistence And Degradability:Not availableBioaccumulation / Accumulation:Not availableMobility in Environment:Not available

# SECTION 13 DISPOSAL CONSIDERATIONS

**Disposal Methods:** This material must be disposed of in accordance with all local, state, provincial, and

federal regulations.

## SECTION 14 TRANSPORTATION

Regulatory Information	UN Number	Proper Shipping Name	Transport Hazard Class	Packing Group	Additional Information
TDG	UN1263	Paint	Limited Quantity	Not Available	Not Available

## SECTION 15 REGULATORY INFORMATION

#### **Federal Regulations**

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products

Regulations and the MSDS contains all the information required by the Controlled Products

Regulations.

#### INTERNATIONAL REGULATIONS

Ingredient	Canada DSL/NDSL
Ethylene glycol monobutyl ether	DSL
Xylene	DSL
Fatty acids, C18-unsaturated dimers, polymers with tall oil fatty acids and triethylene tetramine	DSL
Ethylbenzene	DSL

## WHMIS Classification(s):

Class B2 - Flammable Liquid

Class D2A - Carcinogenicity

Class D2A - Teratogenicity and Embryotoxicity

Class D2B - Skin Sensitization

Class D2B - Skin/Eye Irritant

Revision Date: 13 March 2019

Page 6 of 6

## **WHMIS Hazard Symbols:**





#### SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

**ACGIH (G)** American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen. A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen. A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals. 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

# **SECTION 16**

# OTHER INFORMATION

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS)

Health – 2 Flammability – 3 Physical Hazard – 0 PPE – B

# NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)

Health - 2 Fire - 3 Reactivity - 0

Caution: HMIS® and NFPA ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.

**Key to Abbreviations:** ATE = Acute Toxicity Estimate

BCF = Bio-concentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Code

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

TDG = Transportation of Dangerous Goods

TSCA = United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL= Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS= European Inventory of Existing Chemical

Substances/European List of Notified Chemical Substances

------

This SDS provides a good faith representation of information believed to be accurate as of the last revision date. This document does not create any express or implied product warranties. Since conditions of use are beyond the control of HUBBELL Inc., all risks associated with product use are assumed by the user.

.....

