



SAFETY DATA SHEET

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

PRODUCT

Product Name: Epoxy Bond Kit- Part A
Product Number: H1917, T400-0979, T400-1189
Intended Use: Epoxy Resin

COMPANY IDENTIFICATION

Supplier: Chance Company
 210 North Allen Street
 Centralia, Missouri U.S.A.

Phone Number: (573) 682-8465
24 Hour Emergency (INFOTRAC): (800) 535-5053 (*US and Canada*)
 (352) 323-3500 (*International*)

SECTION 2 HAZARDS IDENTIFICATION

CLASSIFICATION

Health	Environmental	Physical
<ul style="list-style-type: none"> • Skin corrosion/irritation – Category 2 • Serious eye damage/eye irritation - Category 2A • Skin sensitization - Category 1 	Acute aquatic hazard – Category 2	No classifiable hazards

LABELLING

Symbols:



Signal Word: WARNING

Hazard Statements

- H315: Causes skin irritation
- H317: May cause an allergic skin reaction
- H319: Causes serious eye irritation
- H411: Toxic to aquatic life with long-lasting effects

Precautionary Statements

- P262: Do not get in eyes, on skin, or on clothing
- P264: Wash hands, forearms and face thoroughly after handling
- P272: Contaminated work clothing must not be allowed out of the workplace
- P280: Wear eye protection, protective gloves
- P302+P352: If on skin: Wash with plenty of soap and water
- P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P333+P313: If skin irritation or rash occurs: Get medical advice/attention
- P337+P313: If eye irritation persists: Get medical advice/attention
- P362+P364: Take off contaminated clothing and wash it before reuse
- P363: Wash contaminated clothing before reuse
- P273: Avoid release to the environment
- P270: Do not eat, drink or smoke when using this product

Other Hazards:

No additional information available.

Product Name: Epoxy Bond Kit- Part A

Revision Date: 17th January 2018

Page 2 of 8



Unknown Acute Toxicity:

Not applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

MIXTURES.

Name	CAS#	Wt. Percentage*	Classification (GHS-US)
Soda-Lime Glass	65997-17-3	47 - 49	Not classified
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-	25068-38-6	45 - 47	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens.1,H317 Aquatic Chronic 2, H411
Silica, Amorphous, Fumed, Crystalline-Free	112945-52-5	1 - 3	Not classified
Orange Color Paste	Not available	1 - 3	Not classified
Diundecyl Phthalate	3648-20-2	1 - 3	Not classified

* 0 - 5 % material composition inclusive of inert and non-hazardous filler withheld as trade secret in accordance with paragraph 1910.1200(i)(1). Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of distributor and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

SECTION 4 FIRST AID MEASURES

DESCRIPTION OF NECESSARY FIRST AID MEASURES:

General Information: Never give anything by mouth to an unconscious person
Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Skin Contact: Gently wash with plenty of soap and water
Inhalation: Remove the victim into fresh air

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Symptoms/Injuries: Skin rash/inflammation
Eye Contact: Causes eye irritation
Skin Contact: Causes skin irritation

Indication of Any Immediate Medical Attention And Special Treatment Needed: No additional information available
See toxicological information (Section 11)

SECTION 5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

Suitable Extinguishing Media: ABC powder. Dry powder. Water spray

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Reactivity: The product is non-reactive under normal conditions of use, storage and transport

ADVICE FOR FIREFIGHTERS: No additional information available

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

For Non-Emergency Personnel:

Protective Equipment: EN 166. Gloves

For Emergency Responders: No additional information available

Product Name: Epoxy Bond Kit- Part A

Revision Date: 17th January 2018

Page 3 of 8



ENVIRONMENTAL PRECAUTIONS

Avoid release to the environment.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Methods For Containment: Collect spillage

Methods For Cleaning Up: Absorb spillage to prevent material damage

Other Information: No additional information available

SECTION 7

HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Precautions on Safe Handling: No additional information available

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Maximum Storage Period: 12 months

Storage Temperature: 25°C

SECTION 8

EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

INGREDIENT	ACGIH TWA	OSHA PEL	NIOSH
Propane, 2,2-bis[p-(2,3 epoxypropoxy)phenyl] – (25068-38-6)	Not applicable	Not applicable	Not applicable
Diundecyl Phthalate (3648-20-2)	Not applicable	Not applicable	Not applicable
Soda-Lime Glass (65997-17-3)	1 fibers/cm ³ (Synthetic Vitreous Fib. continuous film glass fibers; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fibers: length > 5 µm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4- mm objective), using phase-contrast illumination; Synthetic Vitreous Fib., Glass wool fibers; 1 fibers/cm ³ ; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fibers: length > 5 µm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination; Synthetic Vitreous Fib. continuous film glass fibers; 5 mg/m ³ ; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Inhalable fraction)	Not available	Not available
Silica, Amorphous, Fumed, Crystalline-Free (112945-52-5)	Not applicable	Not applicable	Not applicable

Product Name: Epoxy Bond Kit- Part A

Revision Date: 17th January 2018

Page 4 of 8



Orange Color Paste	Not applicable	Not applicable	Not applicable
--------------------	----------------	----------------	----------------

PROTECTION MEASURES

Eye Protection: Safety glasses.
Hand Protection: Gloves
Materials for protective clothing: Butyl Rubber. Neoprene. Nitrile Rubber

SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

Physical State: Liquid
Color: Mixture contains one or more component(s) which have the following color(s): White, Yellow, Colorless
Odor: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure.
Mixture contains one or more component(s) which have the following odor(s): Odorless, Mild odor almost odorless
Odor Threshold: Not available
pH: Not available
Melting Point: Not available
Freezing Point: Not available
Boiling Point: > 320°C
Flash Point: > 252°C
Relative Evaporation Rate (butyl acetate=1): Not available
Flammability (solid, gas): Not available
Vapor Pressure: < 0.0001 mm Hg
Relative Density: Not available
Relative Vapor Density at 20°C: Not available
Specific Gravity / Density: 1.6 g/l
Solubility: Not available
Log P_{ow}: Not available
Auto-Ignition Temperature: > 300°C
Decomposition Temperature: Not available
Viscosity, Kinematic: Not available
Viscosity, Dynamic: 175000 - 200000 cP
Explosion Limits: Not available
Explosive Properties: Not available
Oxidizing Properties: Not available
Other Information: No additional information available

SECTION 10 STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions.
Conditions of Reactivity: The product is non-reactive under normal conditions of use, storage and transport.
Possibility of Hazardous Reactions: No additional information available
Conditions to avoid: No additional information available
Incompatible Materials: No additional information available
Hazardous Decomposition Products: No additional information available

SECTION 11 TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS:

Acute Toxicity: Not classified

**COMPONENT INFORMATION:**

Ingredients	LC ₅₀ (Inhalation)	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	ATE US (oral)
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]- (25068-38-6)	Not available	> 2000 mg/kg (Rat; OECD 420: Acute Oral toxicity – Acute Toxic Class Method; Experimental value)	> 2000 mg/kg (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	Not available
Diundecyl Phthalate (3648-20-2)	Not available	> 15800 mg/kg (Rat)	> 7900 mg/kg (Rabbit)	Not available
Silica, Amorphous, Fumed, Crystalline-Free (112945-52-5)	Not available	3160 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	3160.000 mg/kg body weight

Skin Corrosion/Irritation:	Causes skin irritation
Serious Eye Damage/Irritation:	Causes serious eye irritation
Respiratory or Skin Sensitization:	May cause an allergic skin reaction
Germ Cell Mutagenicity:	Not classified
Carcinogenicity:	Not classified

Ingredients	Chemical Listed as Carcinogen or Potential Carcinogen *
Soda-Lime Glass (65997-17-3)	IARC group 3 - Not classifiable
Silica, Amorphous, Fumed, Crystalline-Free (112945-52-5)	IARC group 3 - Not classifiable

* See Section 15 for more information

Reproductive Toxicity:	Not classified
Specific Target Organ Toxicity (Single Exposure):	Not classified
Specific Target Organ Toxicity (Repeated Exposure):	Not classified
Aspiration Hazard:	Not classified
Symptoms/Injuries After Skin Contact:	Causes skin irritation
Symptoms/Injuries After Eye Contact:	Causes eye irritation

SECTION 12**ECOLOGICAL INFORMATION****Toxicity:**

Ingredient	LC ₅₀ Fish 2	EC ₅₀ Daphnia 2
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]- (25068-38-6)	2.3 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Semi-static system; Fresh water; Experimental value)	1.1 - 2.8 mg/l (EC50; Equivalent or similar to OECD 202; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)

Persistence and Degradability:

Ingredients	Persistence And Degradability	Biochemical Oxygen Demand (BOD)	Chemical Oxygen Demand (COD)	ThOD
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]- (25068-38-6)	Not readily biodegradable in water. Hydrolysis in water. Low potential for adsorption in soil	Not available	Not available	Not available
Diundecyl Phthalate (3648-20-2)	Biodegradable in water. Biodegradability in soil: no data available.	Not available	Not available	Not available
Soda-Lime Glass (65997-17-3)	Not applicable	Not applicable	Not applicable	Not applicable

Product Name: Epoxy Bond Kit- Part A

Revision Date: 17th January 2018

Page 6 of 8



Silica, Amorphous, Fumed, Crystalline-Free (112945-52-5)	Not applicable	Not applicable	Not applicable	Not applicable
--	----------------	----------------	----------------	----------------

Bioaccumulative Potential:

Ingredients	BCF Other Aquatic Organisms 1	Log P _{ow}	Bioaccumulative Potential
Propane, 2,2-bis[p-(2,3 epoxypropoxy) phenyl]- (25068-38-6)	3 - 31 (BCF)	>= 2.918 (Experimental value; EU Method A.8: Partition Coefficient: 25°C	Low potential for bioaccumulation (BCF < 500).
Diundecyl Phthalate (3648-20-2)	Not available	4.95 - 12.1	Bioaccumable.
Soda-Lime Glass (65997-17-3)	Not available	Not available	Not available
Silica, Amorphous, Fumed, Crystalline-Free (112945-52-5)	Not available	Not available	Not bioaccumulative

Mobility in Soil:

Ingredient	Surface tension	Log K _{oc}
Propane, 2,2-bis[p-(2,3-epoxypropoxy) phenyl]- (25068-38-6)	0.0587-0.0589, 20°C	log K _{oc} , SRC PCKOCWIN v2.0; 2.65; QSAR

Effect on The Global Warming:

No known effects from this product

GWPmix Comment:

No known effects from this product

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14 TRANSPORTATION

Regulatory Information	UN Number	Proper Shipping Name	Transport Hazard Class	Hazard labels	Packing Group
DOT	3082	Environmentally Hazardous Substance, Liquid, N.O.S. (Epoxy Resins)	Class 9		III - substances presenting low danger
IMDG	3082	Environmentally Hazardous Substance, Liquid, N.O.S. (Epoxy Resins)	Class 9		III - substances presenting low danger

Product Name: Epoxy Bond Kit- Part A

Revision Date: 17th January 2018

Page 7 of 8



IATA	3082	Environmentally Hazardous Substance, Liquid, N.O.S. (Epoxy Resins)	Class 9	 	III - substances presenting low danger

OTHER INFORMATION

Department of Transportation (DOT)

Dangerous For The Environment: Yes

Marine Pollutant: Yes

DOT Quantity Limitations Passenger Aircraft/Rail(49 CFR 173.27): No limit

DOT Quantity Limitations Cargo Aircraft Only (49 CFR 175.75): No limit

DOT Vessel Stowage Location: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel 171

Emergency Response Guide (ERG) Number:

International Maritime Dangerous Code (IMDG)

Limited Quantities: 5 L

SECTION 15 REGULATORY INFORMATION

US Federal Regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Ingredient	Regulations
Propane, 2,2-bis[p-(2,3 epoxypropoxy)phenyl]- (25068-38-6)	EPA TSCA Regulatory Flag: XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C))

International Regulations:

CANADA (WHMIS): D-2B
 EU-Regulations: No additional information available
 National Regulations: No additional information available

US State Regulations:

California Proposition 65: This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16 OTHER INFORMATION

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS):

Health – 2

Flammability – 1

Physical Hazard – 0

Product Name: Epoxy Bond Kit- Part A

Revision Date: 17th January 2018

Page 8 of 8



Caution: HMIS[®] ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The customer is responsible for determining the PPE code for this material.

Key to Abbreviations:

ATE = Acute Toxicity Estimate

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Code

UN = United Nations

TDG = Transportation of Dangerous Goods

TSCA = United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL= Canadian Domestic Substances List/Non-Domestic Substances List

This SDS provides a good faith representation of information believed to be accurate as of the last revision date. This document does not create any express or implied product warranties. Since conditions of use are beyond the control of HUBBELL Inc., all risks associated with product use are assumed by the user.
