

Page: 1

Compilation date: 16/10/2017

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Product code X099-41/1 & X099-41/2 PART A X099-41/1 & X099-41/2 Part A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture

PC32: Polymer preparations and compounds.

1.3. Details of the supplier of the safety data sheet

Company name

Advanced Adhesives Ltd

Plummer Street Newcastle upon Tyne

NE4 7AB

United Kingdom +44 (0) 191 272 2982 +44 (0) 191 272 1747

Fax Email

Tel

technical@advancedadhesives.co.uk

1.4. Emergency telephone number

Manufacturer

Advanced Adhesives Ltd

Plummer Street Newcastle upon Tyne NE4 7AB

NE4 7AB United Kingdom

+44 (0) 191 272 2982 +44 (0) 191 272 1747

Fax Email

Tel

technical@advancedadhesives.co.uk

Office Hours only: Mon-Thur 9am-5pm Fri 9am-4pm Closed weekends

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP

Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1:

H317

Most important adverse effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye

irritation. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard statements

H315 Causes skin irritation.

H317

May cause an allergic skin reaction.

H319

Causes serious eye irritation.

H411

Toxic to aquatic life with long lasting effects.

Hazard pictograms

GHS07: Exclamation mark
GHS09: Environmental





Signal words Warning

Precautionary statements P261 Avoid breathing dust/fumes/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P302+352 IF ON SKIN: Wash with plenty of water/soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsina

P321 Specific treatment (see instructions on this label).

2.3. Other hazards

PBT This product is not identified as a PBT/vPvB substance

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

BISPHENOL A-(EPICHLORHYDRIN) {REACTION PRODUCT}

EINECS	CAS	PBT / WEL	CLP Classification	Percent
500-033-5	25068-38-6		Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411	>20%

FORMALDEHYDE, POLYMER WITH (CHLOROMETHYL)OXIRANE AND PHENOL, MW <=700

EINECS	CAS	PBT / WEL	CLP Classification	Percent
500-006-8	9003-36-5		Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411	>20%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact Remove all contaminated clothes and footwear immediately unless stuck to skin.

Wash immediately with plenty of soap and water

Eye contact Bathe the eye with running water for 15 minutes. Consult a doctor

Ingestion Wash out mouth with water. Consult a doctor

Inhalation Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact There may be irritation and redness at the site of contact.

Eye contact There may be irritation and redness. The eyes may water profusely

Ingestion There may be soreness and redness of the mouth and throat.

Page: 2

Page: 3

Inhalation There may be irritation of the throat with a feeling of tightness in the chest. Exposure

may cause coughing or wheezing.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment Eye bathing equipment should be available on the premises

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers

5.2. Special hazards arising from the substance or mixture

Exposure hazards In combustion emits toxic fumes

5.3. Advice for fire-fighters

Advice for fire-fighters Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Refer to section 8 of SDS for personal protection details. If outside do not approach

from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or rivers. Contain the spillage using bunding

6.3. Methods and material for containment and cleaning up

Clean-up procedures Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections Refer to section 8 of SDS

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements Avoid direct contact with the substance. Ensure there is sufficient ventilation of the

area. Do not handle in a confined space. Avoid the formation or spread of mists in the

air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in a cool, well ventilated area. Keep container tightly closed. The floor of the

storage room must be impermeable to prevent the escape of liquids.

7.3. Specific end use(s)

Specific end use(s) No data available

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits

No data available

DNEL/PNEC Values

Hazardous ingredients

FORMALDEHYDE, POLYMER WITH (CHLOROMETHYL)OXIRANE AND PHENOL, MW <=700

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	8.3µg/cm2	Workers	Local
DNEL	Dermal	104.15 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	29.39mg/m3	Workers	Systemic
DNEL	Dermal (repeated dose)	62.5mg/kg	General Population	Systemic
DNEL	Inhalation (repeated dose)	8.7mg/m3	General Population	Systemic
DNEL	Oral (repeated dose)	6.25mg/kg bw/day	General Population	Systemic
PNEC	Fresh water	0.003mg/L	-	-
PNEC	Marine water	0.0003mg/L	-	-
PNEC	Microorganisms in sewage treatment	10mg/L	-	-
PNEC	Fresh water sediments	0.294 mg/kg dw	-	-
PNEC	Marine sediments	0.0294mg/kg dw	-	-

8.2. Exposure controls

Engineering measures

Ensure there is sufficient ventilation of the area. The floor of the storage room must

be impermeable to prevent the escape of liquids.

Respiratory protection

Self-contained breathing apparatus must be available in case of emergency

Hand protection

Protective gloves

Eye protection

Safety glasses. Ensure eye bath is to hand.

Skin protection

Protective clothing

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State

Liquid

Colour

Colourless

Odour

Characteristic

Evaporation rate

odour Negligible

Oxidising

Non-oxidising (by

EC criteria)

Solubility in water

Miscible

Viscosity

Highly viscous

Approx. 7

Flash point°C рΗ

>93

Relative density

1.17

9.2. Other information

Other information

Not applicable.

Section 10: Stability and reactivity

Page: 5

10.1. Reactivity

Reactivity Stable under recommended transport or storage conditions

10.2. Chemical stability

Chemical stability Stable under normal conditions

10.3. Possibility of hazardous reactions

Hazardous reactions Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below

10.4. Conditions to avoid

Conditions to avoid Heat

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids

10.6. Hazardous decomposition products

Haz. decomp. products In combustion emits toxic fumes

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients

BISPHENOL A-(EPICHLORHYDRIN) {REACTION PRODUCT}

Route	Species	Test	Value	Units
ORL	MUS	LD50	15600	mg/kg
ORL	RAT	LD50	11400	mg/kg
SKN	RBT	LD50	>20	ml/kg

FORMALDEHYDE, POLYMER WITH (CHLOROMETHYL)OXIRANE AND PHENOL. MW <=700

THE THE TIME THE TOTAL THE TIME TO THE TOTAL THE TIME TO THE TOTAL THE TIME TO				
DERMAL	RBT	LD50	>2,000	ml/kg
ORAL	RAT	LD50	>2 000	mi/kg

Relevant hazards for product

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact There may be irritation and redness at the site of contact

There may be irritation and redness. The eyes may water profusely Ingestion

There may be soreness and redness of the mouth and throat.

Inhalation There may be irritation of the throat with a feeling of tightness in the chest. Exposure

may cause coughing or wheezing

Page: 6

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients

FORMALDEHYDE, POLYMER WITH (CHLOROMETHYL)OXIRANE AND PHENOL, MW <=700

ALGAE	72H ErC50	>1,000 mg/l
DAPHNIA	48H EC50	2.55 mg/l
FISH	96H LC50	2.54 mg/l

12.2. Persistence and degradabilityPersistence and degradability

Persistence and degradability

Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

No bioaccumulation potential

12.4. Mobility in soil

Mobility

Readily absorbed into soil

12.5. Results of PBT and vPvB assessment

PBT identification

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects

Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number

UN3082

14.2. UN proper shipping name

Shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin)

14.3. Transport hazard class(es)

Transport class

9

14.4. Packing group

Packing group

 \mathbf{III}

14.5. Environmental hazards

Environmentally hazardous

Yes

Marine pollutant No

Page: 7

14.6. Special precautions for user

Special precautions

No special precautions.

Tunnel code Transport category E 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations

Not applicable

15.2. Chemical Safety Assessment

Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier,

Section 16: Other information

Other information

This safety data sheet is prepared in accordance with Commission Regulation (EU)

No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3:

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H319

Causes serious eye irritation

H411

Toxic to aquatic life with long lasting effects.

Legal disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for

any damage resulting from handling or from contact with the above product.