

SAFETY DATA SHEET
according to Regulation (EU) 2015/830

X099-41-2 PART B

Page: 1

Compilation date: 19/03/2021

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: X099-41-2 Part B

Product code: X099-41-2 Part B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC32: Polymer preparations and compounds.

1.3. Details of the supplier of the safety data sheet

| | | |
|--|-------------------------------|--|
| Company name: Advanced Adhesives Ltd | Australian Distributor | Hubbell Harsh & Hazardous |
| Plummer Street | | 20 Oakdene Drive |
| Newcastle upon Tyne | | Madeley, Western Australia |
| NE4 7AB | | 6065 |
| United Kingdom | | Australia |
| | | Contact: Callum Atkinson |
| Tel: +44 (0) 191 272 2982 | | +61 (0)8 9409 6339 |
| Fax: +44 (0) 191 272 1747 | | +61(0) 488 155 160 |
| Email: technical@advancedadhesives.co.uk | | catkinson@hubbell.com.au |

1.4. Emergency telephone number

| | | | |
|--------------|--|-------------|---------------------|
| Tel | +44 (0) 191 272 2982 | Aus. | +61 (o) 488 155 160 |
| Fax | +44 (0) 191 272 1747 | | |
| Email | technical@advancedadhesives.co.uk | | |

Office Hours only: Mon-Thur 9am-5pm Fri 9am-4pm Closed weekends

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Skin Corr. 1B: H314; Skin Sens. 1: H317

Most important adverse effects: Causes severe skin burns and eye damage. May cause an allergic skin reaction.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.
H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS05: Corrosion
GHS07: Exclamation mark



[cont...]

SAFETY DATA SHEET
according to Regulation (EU) 2015/830

X099-41-2 PART B

Page: 2

Signal words: Danger

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P302+P352: IF ON SKIN: Wash with plenty of water.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water .
P362+P364: Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

TRIETHYLENETETRAMINE, PROPOXYLATED

| EINECS | CAS | PBT / WEL | CLP Classification | Percent |
|-----------|------------|-----------|--|---------|
| 630-521-4 | 26950-63-0 | - | Acute Tox. 4: H312; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1: H317 | 10-50% |

3,6,9-TRIAZAUNDECAMETHYLENEDIAMINE

| | | | | |
|-----------|----------|---|--|-------|
| 203-986-2 | 112-57-2 | - | Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 2: H411 | 1-10% |
|-----------|----------|---|--|-------|

BIS[2-(N,N-DIMETHYLAMINO)ETHYL] ETHER

| | | | | |
|-----------|-----------|---|---|-------|
| 221-220-5 | 3033-62-3 | - | Acute Tox. 4: H302; Acute Tox. 3: H311; Skin Corr. 1B: H314; Acute Tox. 4: H332 | 1-10% |
|-----------|-----------|---|---|-------|

1,8-DIAZABICYCLO[5.4.0]UNDEC-7-ENE

| | | | | |
|-----------|-----------|---|--|-------|
| 229-713-7 | 6674-22-2 | - | Met. Corr. 1: H290; Acute Tox. 3: H301; Skin Corr. 1B: H314; Aquatic Chronic 3: H412 | 1-10% |
|-----------|-----------|---|--|-------|

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.
Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary.

[cont...]

SAFETY DATA SHEET
according to Regulation (EU) 2015/830

X099-41-2 PART B

Page: 3

If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

[cont...]

SAFETY DATA SHEET
according to Regulation (EU) 2015/830

X099-41-2 PART B

Page: 4

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Environmental: The floor of the storage room must be impermeable to prevent the escape of liquids.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Black

Odour: Unpleasant

Viscosity: Highly viscous

Relative density: 1.11

[cont...]

SAFETY DATA SHEET
according to Regulation (EU) 2015/830

X099-41-2 PART B

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

3,6,9-TRIAZAUNDECAMETHYLENEDIAMINE

| | | | | |
|-----|-----|------|------|-------|
| IPR | RAT | LD50 | 205 | mg/kg |
| IVN | MUS | LD50 | 320 | mg/kg |
| ORL | RAT | LD50 | 3990 | mg/kg |

BIS[2-(N,N-DIMETHYLAMINO)ETHYL] ETHER

| | | | | |
|------|-----|------|------|-------|
| ORAL | RAT | LD50 | 1070 | mg/kg |
|------|-----|------|------|-------|

1,8-DIAZABICYCLO [5.4.0]UNDEC-7-ENE

| | | | | |
|------|-----|------|-----|-------|
| ORAL | RAT | LD50 | 215 | mg/kg |
|------|-----|------|-----|-------|

Relevant hazards for product:

| Hazard | Route | Basis |
|---------------------------|-------|-----------------------|
| Skin corrosion/irritation | DRM | Hazardous: calculated |

[cont...]

SAFETY DATA SHEET
according to Regulation (EU) 2015/830

X099-41-2 PART B

Page: 6

| | | |
|--------------------------------|-----|-----------------------|
| Serious eye damage/irritation | OPT | Hazardous: calculated |
| Respiratory/skin sensitisation | DRM | Hazardous: calculated |

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

1,8-DIAZABICYCLO [5.4.0]UNDEC-7-ENE

| | | | |
|-------------------------|-----------|---------|------|
| Daphnia magna | 48H EC50 | 50 | mg/l |
| FISH | 96H LC50 | 100-220 | mg/l |
| Scenedesmus Subspicatus | 72H ErC50 | 100 | mg/l |

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

SAFETY DATA SHEET
according to Regulation (EU) 2015/830

X099-41-2 PART B

Page: 7

Section 14: Transport information

14.1. UN number

UN number: UN1760

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, N.O.S.
(3,6,9-TRIAZAUNDECAMETHYLENEDIAMINE; BIS[2-(N,N-DIMETHYLAMINO)ETHYL]
ETHER)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: . Inventory listing(s) AUSTRALIA: AICS (Australian Inventory of Chemical Substances) - All components are listed on AICS, or are exempt.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H290: May be corrosive to metals.
H301: Toxic if swallowed.
H302: Harmful if swallowed.
H311: Toxic in contact with skin.
H312: Harmful in contact with skin.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.

[cont...]

SAFETY DATA SHEET
according to Regulation (EU) 2015/830

X099-41-2 PART B

Page: 8

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.