




Premise Wiring

BUYERS GUIDE

www.hubbell.ca





Welcome to Hubbell Canada's **PREMISE WIRING BUYERS GUIDE!** In this guide you will find a broad range of industry-leading products for every aspect of network connectivity and supportive infrastructure!

Products in this guide have been listed in the same manner as our Full Line catalogue to make it easy for you to find what you are looking for!

Need something that's not listed in this guide? Go to the same section in our Full Line catalogue and peruse the other products we offer!

Visit our website to find Hubbell's complete offering of [Electrical](#) and [DataCom](#) solutions.


TABLE of CONTENTS


COPPER DataCOM	1
COPPER Cross Connect.	1
COPPER Assemblies	2
COPPER Cable	2
Audio/Video	3
FIBER Connectivity.	4
FIBER Assemblies.	4
FIBER Enclosures	5
METAL Racks	6
METAL Cable Management.	6
METAL Wall Mount Enclosures.	6 - 7
METAL Wall Mount Racks	7
netSELECT Connectivity	
netSELECT Residential Solutions	7 - 8
Mission Critical® Warranty Program	9


Jacks


Colour	Category 6A COBRA-LOCK™		Category 6 COBRA-LOCK™		Category 6		Category 5e	
	Single	24 pack	Single	24 pack	Single	24 pack	Single	24 pack
Blue	HJU6AB	HJU6AB24	HJU6B	HJU6B24	HXJ6B	HXJ6B24	HXJ5EB	HXJ5EB24
White	HJU6AW	HJU6AW24	HJU6W	HJU6W24	HXJ6W	HXJ6W24	HXJ5EW	HXJ5EW24
Yellow	HJU6AY	HJU6AY24	HJU6Y	HJU6Y24	HXJ6Y	HXJ6Y24	HXJ5EY	HXJ5EY24
Black	HJU6ABK	HJU6ABK24	HJU6BK	HJU6BK24	HXJ6BK	HXJ6BK24	HXJ5EBK	HXJ5EBK24




Other colours available. Contact Customer Service for details.

Plastic Wall Plates With Keystone Openings	
	1 Gang
1 Port	IFP11W
2 Port	IFP12W
3 Port	IFP13W
4 Port	IFP14W

Surface Boxes	
	
1 Port	HSB1W
2 Port	HSB2W
4 Port	HSB4W
6 Port	HSB6W

Modular Face Plate Frames	
Single Service (Low Voltage)	
	Plastic
1 gang	IMF1W
2 gang	IMF2W
3 gang	IMF3W
4 gang	IMF4W

Unloaded Decorator Frames	
	
Keystone:	
2 Port	ISF2W
3 Port	ISF3W
4 Port	ISF4W
6 Port	ISF6W

Field Terminated Male RJ45 Plugs		
		
Category 6	SP6	SP6A90
Category 6A	SP6A	SP690

COPPER | Cross Connect

Patch Panels - Unloaded

Ports	Unloaded
24	HPJ24
48	HPJ48



COPPER | Assemblies



Category 6A Low Diameter Patch Cords*

Colour	3'	5'	7'	10'
Blue	HCL6AB03	HCL6AB05	HCL6AB07	HCL6AB010
White	HCL6AW03	HCL6AW05	HCL6AW07	HCL6AW010
Yellow	HCL6AY03	HCL6AY05	HCL6AY07	HCL6AY010
Black	HCL6ABK03	HCL6ABK05	HCL6ABK07	HCL6ABK010



24-Piece Bulk Pack

Category 6 Low Diameter Patch Cords*

Colour	3'	5'	7'	10'
Blue	HCL6B03	HCL6B05	HCL6B07	HCL6B010
White	HCL6W03	HCL6W05	HCL6W07	HCL6W010
Yellow	HCL6Y03	HCL6Y05	HCL6Y07	HCL6Y010
Black	HCL6BK03	HCL6BK05	HCL6BK07	HCL6BK010

Category 5e Low Diameter Patch Cords*

Colour	3'	5'	7'	10'
Blue	HCL5EB03	HCL5EB05	HCL5EB07	HCL5EB010
White	HCL5EW03	HCL5EW05	HCL5EW07	HCL5EW010
Yellow	HCL5EY03	HCL5EY05	HCL5EY07	HCL5EY010
Black	HCL5EBK03	HCL5EBK05	HCL5EBK07	HCL5EBK010



Low Diameter Series

*Other lengths and colours available. 24-piece bulk pack available up to 15' (add X24 to part number). Please see full line catalogue.

Category 6A Standard Patch Cords*

Colour	3'	5'	7'	10'
Blue	HC6AB03	HC6AB05	HC6AB07	HC6AB010
White	HC6AW03	HC6AW05	HC6AW07	HC6AW010
Yellow	HC6AY03	HC6AY05	HC6AY07	HC6AY010
Black	HC6ABK03	HC6ABK05	HC6ABK07	HC6ABK010



Category 6 Standard Patch Cords*

Colour	3'	5'	7'	10'
Blue	HC6B03	HC6B05	HC6B07	HC6B010
White	HC6W03	HC6W05	HC6W07	HC6W010
Yellow	HC6Y03	HC6Y05	HC6Y07	HC6Y010
Black	HC6BK03	HC6BK05	HC6BK07	HC6BK010



Category 5e Standard Patch Cords*

Colour	3'	5'	7'	10'
Blue	HC5EB03	HC5EB05	HC5EB07	HC5EB010
White	HC5EW03	HC5EW05	HC5EW07	HC5EW010
Yellow	HC5EY03	HC5EY05	HC5EY07	HC5EY010
Black	HC5EBK03	HC5EBK05	HC5EBK07	HC5EBK010



*Other lengths and colours available. 24-piece bulk pack available up to 15' (add X24 to part number).

COPPER | Cable

UTP Cables

Colour	Cat 6A		Cat 6		Cat 5e	
	Riser (FT4)	Plenum (FT6)	Riser (FT4)	Plenum (FT6)	Riser (FT4)	Plenum (FT6)
Blue	C6ASRDSB	C6ASPDSB	HC6RRREB	HC6RPEB	C5ERRB	C5ERPBB
White	C6ASRDSW	C6ASPDSW	HC6RRREW	HC6RPEW	C5ERRW	C5ERPWB
Yellow	C6ASRDSY	C6ASPDSY	HC6RRREY	HC6RPEY	C5ERRY	C5ERPBY
Black	C6ASRDSBK	C6ASPDSBK	HC6RRREBK	HC6RPEBK	C5ERRBK	C5ERPBBK

*Other colours available. Please see full line catalogue.

HDMI 110 UTP EXTENDERS (2) 4-pair UTP cable installation, 5VDC, up to 147ft (45m)	
Description	Cat. No.
Decorator style	ISFH110W
2 Unit iStation style	IMH110ST2W



HDMI ACCESSORIES		
Description	1 Port	2 Port
Loaded HDMI Decorator Frames	NS801W	NS802W







Feed-Through Plates		
Description	Colour	Cat. No.
1-gang	White	NSAV1W
2-gang	White	NSAV2W



Description	Feed-thru Coupler
HDMI 1.4 Connectors for IMB and ISFB series modules	HDMIC14



Unloaded iStation Modules							
Blank Modules		Keystone Modules		HDMI / HD15/9-Pin		HDMI/HD15/9-Pin:	
							
0.5 Unit	IMB05W	1 Unit 1 Port	IM1K1W	1 Unit	IMBDS1W	1 Port	ISFB15W
1 Unit	IMB1W	1 Unit 2 Port	IM2K1W	1.5 Unit Angled	IMBDSA15W		
1.5 Unit	IMB15W	1.5U Angled 1 Port	IM1KA15W				
		1.5U Angled 2 Port	IM2KA15W				

*Other colours available. Please see full line catalogue.

Connectors*



Colour	Fiber Type	Pre-Polished Connectors		Fusion Splice Connectors
		LC – 12 pack	SC – 12 pack	LC – 6 pack
Aqua	MM, 50µm, OM3/OM4	FCLC900K50GM12	FCSC900K50GM12	FCLCF900M50G6PK
Blue	SM, OS2 (UPC)	FCLC900KSM12	FCSC900KSM12	FCLCF900SM6PK

*Other colours available. See full-line catalogue.


LC Duplex FSP Adapter Panels*



Colour	LC 6-Port (3 LC Duplex)	LC 12-Port (6 LC Duplex)	LC 24-Port (12 LC Duplex)
	SM / MM	SM / MM	SM / MM
Aqua	FSPLCDS3AQ	FSPLCDS6AQ	FSPLCDS12AQ
Black	FSPLCDS3BK	FSPLCDS6BK	FSPLCDS12BK
Blue	FSPLCDS3B	FSPLCDS6B	FSPLCDS12B
Yellow	FSPLCDS3Y	FSPLCDS6Y	FSPLCDS12Y

*Other colours available. See full-line catalogue.

SC Duplex FSP Adapter Panels*



Colour	SC 6-Port (3 SC Duplex)	SC 12-Port (6 SC Duplex)
	SM / MM	SM / MM
Aqua	FSPSCDS3AQ	FSPSCDS6AQ
Black	FSPSCDS3BK	FSPSCDS6BK
Blue	FSPSCDS3B	FSPSCDS6B
Yellow	FSPSCDS3Y	FSPSCDS6Y

*Other colours available. See full-line catalogue.

Other FSP Adapter Panels

Description	Cat. No.
Blank	FSPB
6-Port ST Simplex	FSPST6
Unloaded 6-Port JACK-PACK®	FSPHD6X



FIBER | Assemblies

Patch Cables*



Colour	Fiber Type	Length	LC to LC Duplex	SC to SC Duplex
Aqua	MM, 50µm, OM3	2 metres	DFPCLCLCE2MM	DFPCSCSCE2MM
Aqua		3 metres	DFPCLCLCE3MM	DFPCSCSCE3MM
Yellow	SM, OS2	2 metres	DFPCLCLCS2SM	DFPCSCSCS2SM
Yellow		3 metres	DFPCLCLCS3SM	DFPCSCSCS3SM

*Other colours and configurations available. Please see full-line catalogue.

FCR Rack Mount Enclosures*



Style	Rack Units	Height In(mm)	Width In(mm)	Depth In(mm)	FSP Panel Capacity	Splice Panel Capacity	Max LC Port Capacity	Cat. No.
Swing-out	1	1.75(44)	19(483)	11(279)	3	-	72	FPR3SP
Enhanced	1	1.75(44)	19(483)	17(432)	3	3	72	FCR1U3SP
Enhanced	2	3.5(89)	19(483)	17(432)	6	6	144	FCR2U6SP
Enhanced	3	5.25(133)	19(483)	17(432)	12	12	288	FCR3U12SP
Enhanced	4	7(178)	19(483)	17(432)	15	16	360	FCR4U15SP

*Other options available. Please see full-line catalogue for complete listing.

FEUR Rack Mount Interconnect Shelves



Adapter Type	Rack Units	Height In(mm)	Width In(mm)	Depth In(mm)	Max LC Port Capacity	Cat. No.
FSP Adapter Panel Unloaded	1	1.75(44)	19(483)	8.6(218)	72	FEURFSPD

Loaded shelves available. Please see full-line catalogue for complete listing.

Wall Mount Enclosures



Style	Height In(mm)	Width In(mm)	Depth In(mm)	FSP Panel Capacity	Splice Tray Capacity	Cat. No.
Single Door	5.75(146)	9.2(234)	2.5(64)	1	0	FTU1SP
Single Door	8.5(216)	10.6(269)	2.5(64)	2	0	FTU2SP
Double Door	12(305)	14(356)	3.25(83)	4	(2) 7"(178)	FCW4SP
Double Door	16(406)	14(356)	6.50(165)	12	(4) 10"(254)	FCW12SP

Fusion Splice Trays

Description	Cat. No.
12 Splice	STRAY12F
24 Splice	STRAY24F



METAL I Racks



Standard Relay Racks

Description	Cat. No.
Standard Relay Rack • 84" H, 45U, 3" deep rails	HPW84RR19
Rack Kit - 2 post rack comes with Vertical Managers • 84" H, 45U, 3" deep rack w/ VS76 managers with lift-off covers	CS1976
Rack Kit - 2 post rack comes with Vertical Managers • 84"H, 45U, 3" deep rack w/ VS76H managers with hinged covers	CS1976H
Cantilevered Shelves • Solid Shelf • Perforated shelf	MCCCS19
	MCCCS19P



METAL I Cable Management

S Series	
6" Z-Channel w/ lift off covers	VS76
6" Z-Channel w/ hinged covers	VS76H
1U, 3" w/ lift off cover	HS13C
2U, 3" w/ lift off cover	HS23C



SD Series *	
4" x 5" x 84" w/cover	VSD45
1U, 3" w/cover	HSD13
2U, 3" w/cover	HSD23

*Plastic Duct



METAL I Wall Mount Enclosures

QUADCAB Wall Mount Cabinets


Description	Door Style	Load Capacity	Cat. No.
HLQ LIGHT DUTY SERIES			
12RU, 24"H x 22"W x 24"D	Window	150	HLQ24
19RU, 24"H x 22"W x 24"D	Window	250	HLQ36
25RU, 24"H x 22"W x 24"D	Window	350	HLQ48
12RU, 24"H x 22"W x 24"D	Mesh	150	HLQ24M
19RU, 24"H x 22"W x 24"D	Mesh	250	HLQ36M
25RU, 24"H x 22"W x 24"D	Mesh	350	HLQ48M



Description	Door Style	Load Capacity	Cat. No.
HEQ ECONOMY SERIES			
5RU, 12"H x 22.6"W x 14"D	Mesh	100	HEQ12
8RU, 18"H x 22.6"W x 14"D	Mesh	100	HEQ18
12RU, 24"H x 22.6"W x 14"D	Mesh	100	HEQ24
5RU, 12"H x 22.6"W x 14"D	Solid	100	HEQ12S
8RU, 18"H x 22.6"W x 14"D	Solid	100	HEQ18S
12RU, 24"H x 22.6"W x 14"D	Solid	100	HEQ24S



Description	Door Style	Load Capacity	Cat. No.
HSQ HEAVY DUTY SERIES*			
12RU, 24"H x 22.6"W x 20"D	Window	400	HSQ24
12RU, 24"H x 22.6"W x 26"D	Window	400	HSQ2426
12RU, 24"H x 22.6"W x 36"D	Window	400	HSQ2436
19RU, 36"H x 22.6"W x 20"D	Window	400	HSQ36
19RU, 36"H x 22.6"W x 26"D	Window	400	HSQ3626
19RU, 36"H x 22.6"W x 36"D	Window	400	HSQ3636
26RU, 48"H x 22.6"W x 20"D	Window	400	HSQ48
26RU, 48"H x 22.6"W x 26"D	Window	400	HSQ4826
26RU, 48"H x 22.6"W x 36"D	Window	400	HSQ4836



*Solid door styles also available. Please see full-line catalogue.

REBOX®

Accessories



Description	Cat. No.
5U, 32" Height, Black	RE4B
5U, 42" Height, Light Gray	RE4X
5U, 42" Height, Black	RE4XB



Description	Cat. No.
4RU Patch Panel Mounting Brackets	REK19
Fan Kit (1x57CFM fan) 2 kits required for RE4/RE4X	REKF
Fan Filter Kit	REKFF

METAL I Wall Mount Racks

Wall Mount Swing Frames

Description	Cat. No.
12 RU, 18"(457mm) deep x 24" (610mm) high	HPWWMR24
19 RU, 18"(457mm) deep x 36"(914mm) high	HPWWMR36



Wall Mount Brackets (Bottom Hinged)

Description	Cat. No.
1RU, 1.75"H x 19"W x 4"D	WBB14
2RU, 3.5"H x 19"W x 4"D	WBB24
2RU, 3.5"H x 19"W x 8"D	WBB28
4RU, 7"H x 19"W x 4"D	WBB44
4RU, 7"H x 19"W x 8"D	WBB48
6RU, 10.5"H x 19"W x 4"D	WBB64
6RU, 10.5"H x 19"W x 8"D	WBB68
6RU, 10.5"H x 19"W x 18"D	WBB618



*Side-Hinged styles also available. Please see full-line catalogue.

netSELECT I Connectivity

Patch Cables



Length	Category 5e		Category 6	
	Blue	White	Blue	White
3 ft	NSC5EB03	NSC5EW03	NSC6B03	NSC6W03
5 ft	NSC5EB05	NSC5EW05	NSC6B05	NSC6W05
10 ft	NSC5EB10	NSC5EW10	NSC6B10	NSC6W10

Jacks



Package	Category 5e		Category 6	
	Blue	White	Blue	White
Single	NSJ5EB	NSJ5EW	NSJ6B	NSJ6W
25 Pack	NSJ5EB25	NSJ5EW25	NSJ6B25	NSJ6W25



Unloaded Jack Panels

Ports	Cat. No.
24	NSPJ24
48	NSPJ48



netSelect | Residential Solutions

In-Wall Audio/Video

FPTV Connection Enclosure					
Description	Height Inches (mm)	Width Inches (mm)	Depth Inches (mm)	Colour	Cat. No.
2-gang in-wall enclosure	8.16" (207)	7.92" (201)	3.37" (86)	White	NSAV62M
4-gang in-wall enclosure	14.80" (376)	7.92" (201)	3.37" (86)	White	NSAV124M
Steel cover for NSAV6 series	7.2" (183)	7.2" (183)	0.05" (1)	White	NSAV6C
Steel cover for NSAV12 series	13.80" (351)	7.2" (183)	0.05" (1)	White	NSAV12C
Power Kit, 15 AMP surge				White	NSOKPS

Network Modules



14" c/w hinged vented door	NSOBXP14
28" c/w hinged vented door	NSOBXP28
42" c/w hinged vented door	NSOBXP42

Network Modules



8-port telephone module	NSOPTM8
8-port Category 6 data module	NSODM8C6
8-port Category 5e data module	NSODM8
12-port telephone module	NSOMTM12
2.3GHz coaxial splitter module - 4-way	NSOVM42G
2.3GHz coaxial splitter module - 6-way	NSOVM62G
2.3GHZ coaxial splitter module - 8-way	NSOVM82G
Blank module plate (allows for mounting of active components ie switches, routers)	NSOBM

Other module configurations available from stock. Contact Customer Service for details.

Hubbell Premise Wiring Mission Critical® Warranty Program



Our MISSION CRITICAL® Warranty means superior network protection for you.

- Start with Hubbell Premise Wiring connecting hardware
- Use cable from Hubbell
- Have your structured cabling system installed by a Hubbell Certified Installer.



The Hubbell MISSION CRITICAL® Program gives you an assurance of system success with a 25-year guarantee on the components, performance, and installation integrity of your structured cabling system.



CERTIFIED INSTALLERS

We are committed to providing our Certified Installers with:

- Virtual or in-person sessions
- Industry leading product and system performance
- Training programs
- Standards and installation procedures and guideline manual
- In-house technical support
- On-line current technical information
- Sales growth incentives
- BICSI CECs (Continuing Education Credits)



Other Hubbell Solutions...




Hubbell Wiring
Device-Kellems Catalog



Hubbell Premise Wiring
Catalog



SystemOne Recessed
Floor Boxes



Hubbell Delivery Systems
Catalog



Hubbell Metal Raceway
Catalog



SystemOne Recessed
Fire-Rated Poke-Throughs



Hubbell Canada

870 Brock Road South • Pickering, ON L1W 1Z8
Tel: 1-800-465-7051 • Fax: (905) 839-9108
www.hubbell.ca