



BIN STOCKING & VENDING CROSS REFERENCE GUIDE

FASTENAL[®]



BIN STOCKING & VENDING CROSS REFERENCE GUIDE

Use this cross-reference guide to help select the appropriate Hubbell products to enable new installations, and support existing maintenance within your facilities across the Hubbell brands offered by Fastenal.

TABLE OF CONTENTS



Straight Blade Devices Industrial Grade	4
Straight Blade Devices Commercial Grade	9
Locking Devices Industrial Grade	10
GFCI Devices Industrial Grade	19
GFCI Devices Commercial & Hospital Grade	20
Straight Blade Devices Hospital Grade	21

Watertight Devices Straight Blade Devices	23
Watertight Devices Locking Devices	25
Watertight Devices Accessories	29
Kellems® Wire Management	32
Circuit-Lock® Motor Disconnects	33



Straight Blade Devices Industrial Grade	33
Locking Devices Industrial Grade	41
GFCI Devices Commercial Grade	50
GFCI Devices Hospital Grade	51

Straight Blade Devices Hospital Grade	51
Watertight Devices Straight Blade Devices	53
Watertight Devices Locking Devices	54
Wire Management	58



EMT Fittings	59
Rigid Fittings	61
Liquidtight Fittings	64
Miscellaneous	66



Hazardous Location Fittings & Conduit Bodies	68
--	----



NEMA 1, 3R Enclosures	75
-----------------------	----



Compression Connectors & Terminals	76
Mechanical	79
Tooling & Accessories	87




Precautions have been taken to assure the accuracy of the information in this crossover and data may not reflect a relationship between the quality level of the competitive wiring devices to Hubbell Wiring Devices. It merely is a numerical crossover. For those numbers or manufacturers that do not appear in this crossover tool; email or call Technical Services. Typographical errors, which are brought to our attention, will be corrected in subsequent updates. Hubbell reserves the right to make changes to this crossover without prior notification to this crossover without prior notification.

SERVICES & RESOURCES

ARE YOU LOOKING TO CONTROL INVENTORY BUILD-UP, IMPROVE DATA, OR ELIMINATE STOCK OUTAGES?

Fastenal can help by executing a custom program that brings planning, visibility, and efficiency to your bin stock process. Leverage our expertise and resources to reduce inventory, touches, and total costs.



Technology

Solutions to visualize inventory, automate replenishment, and simplify purchasing.



Proximity

Rely on our local stocking model to reduce inventory with confidence.



Service

A dedicated local resource who will visit regularly, engage personally, and react quickly.



Organization

Utilizing lean concepts and professional labeling to make product easy to access.



Visibility

Track usage by location, GL code, and other metrics YOU want to see.

FOR CLASS C SPEND, THE BULK OF THE COST ISN'T IN THE PRICE—

It's in the process, from cutting a PO to putting the product away. An even bigger factor is opportunity cost, the working capital tied up in inventory, the talent wasted on repetitive tasks, the production lost due to missing or hard-to-find parts. At Fastenal, we strive to deliver value that goes well beyond piece price, helping your business not only spend less, but do more of what you do best.



Decrease Spend—Through vendor consolidation and efficient category management.



Improve Working Capital—We stock your inventory needs locally...so you don't have to.



Reduce Freight Expenses—Through careful inventory planning and utilization of our transportation fleet.



Increase Productivity—By making product perpetually available and easily accessible.



1. FAST 360°—Analyze the spend dynamics behind each part and view on-hand inventory by location, down to the individual bin position.

2. Fastenal Managed Inventory—We offer a full lineup of non-automated bins, shelving, and cabinets to support wide-ranging product needs.

3. Onsite—Providing custom consigned inventory and full-time supply chain experts within your four walls as part of an integrated partnership.

4. Logistics—Ensuring a consistent flow of product — from our regional DC, to your local branch (or onsite), and ultimately to the point-of-use.

5. Multi-Level Support—Including our local service team, our regional distribution center team, district and regional leadership, lean consulting/implementation specialists, and engineers to assist with fastener selection, applications, and design.

6. FAST Bin - RFID—Automating your Kanban stocking location.



















7. FAST Bin - Infrared—Bringing automation and visibility to production line consumables at the point of use.

8. FAST Bin - Scale—View real-time inventory levels of the parts in your production environment.



















SPEND LESS, DO MORE.

Vendor # 135794

Receptacles | Extra Heavy Duty, Specification Grade

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, DUPLEX	Black	0736066	HBL5262BK	AH5262BK	5262E	5262ABK	
	Brown	0736064	HBL5262	AH5262B	5262	5262A	
	Gray	0736068	HBL5262GY	AH5262GY	5262GY	5262AGRY	
	Ivory	0736071	HBL5262I	AH5262V	5262I	5262AI	
	White	0736078	HBL5262W	AH5262W	5262W	5262AW	
  20A 125V, NEMA 5-20R, DUPLEX	Black	0736171	HBL5362BK	AH5362BK	5362E	5362ABK	
	Brown	0736169	HBL5362	AH5362B	5362	5362A	
	Gray	0736174	HBL5362GY	AH5362GY	5362GY	5362AGRY	
	Ivory	0736177	HBL5362I	AH5362V	5362I	5362AI	
	White	0736185	HBL5362W	AH5362W	5362W	5362AW	
  15A 250V, NEMA 6-15R, DUPLEX	Brown	0736264	HBL5662	AH5662B/5662CB	5098/5662	5662/5662A	5662DW
	Ivory	0736265	HBL5662I	AH5662V/5662CV	5098I/5662I	5662AI/5662I	
  20A 250V, NEMA 6-20R, DUPLEX	Black	99608129	HBL5462BK	815BK		5862BK/5862ABK	
	Brown	0736212	HBL5462	AH5462B/5462CB	5462/5824	5862/5862A	5452DW/5462DW
	Gray	0736214	HBL5462GY	AH5462GY	5822I/5824I	5862GRY/5862AGRY	
	Ivory	0736215	HBL5462I	AH5462V/5462CV		5862AI/5862I	
	Red	99616694	HBL5462R			5862RED/5862ARED	
  15A 125V, NEMA 5-15R, SINGLE	Black	99612986	HBL5261BK	5261B	5261	5261	
	Brown	0736056	HBL5261	5261V	5261I	5261I	
	Ivory	0736058	HBL5261I				
  20A 125V, NEMA 5-20R, SINGLE	Black	0736161	HBL5361BK	5361BK	5361E	5361BK	
	Brown	0736160	HBL5361	5361B	5361	5361	
	Gray	0736162	HBL5361GRY	5361GY	5361GY	5361GRY	
	Ivory	0736164	HBL5361I	5361V	5361I	5361I	
	White	0736167	HBL5361W	5361W	5361W	5361W	
  15A 250V, NEMA 6-15R, SINGLE	Brown	0736261	HBL5661	AH5684/5661B	5651/5661	5651/5671	
	Ivory	0736262	HBL5661I	5661V	5089I	5651I/5671I	
	Brown ²	99616591	HBL5684	5684B	5684/5684B	5658S5	
  20A 250V, NEMA 6-20R, SINGLE	Brown	0736208	HBL5461	5461B	5461/5823	5851/5871	
	Ivory	0736210	HBL5461I	5461V	5461I/5821I	5851I/5871I	
  15A 125V, NEMA 5-15R, COMPACT, BACK AND SIDE WIRED, DUPLEX	Black	0736041	HBL5252BK	AH5252BK	5252E/ 5262E	PS5262BK	5252DWBLK
	Brown	0736039	HBL5252	AH5252B	5252/5262	PS5262	5252DW/5262DW
	Gray	0736042	HBL5252GY	AH5252GY	5252GY/5262GY	PS5262GRY	
	Ivory	0736043	HBL5252I	AH5252V	5252I/5262I	PS5262I	5262DWI
	White	0736045	HBL5252W	AH5252W	5252W/5262W	PS5262W	5262DWW


Receptacles | Extra Heavy Duty, Specification Grade, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  <p>20A 125V, NEMA 5-20R, COMPACT, BACK AND SIDE WIRED, DUPLEX</p>	Black	0736147	HBL5352BK	AH5352BK/5352BK	5352E/5362E	PSS362BK	5362DWBLK
	Brown	0736145	HBL5352	AH5352B	5352/5362	PSS362	5352DW/5362DW
	Gray	0736149	HBL5352GY	AH5352GY	5352GY/5362GY	PSS362GRY	
	Ivory	0736150	HBL5352I	AH5352V	5352I/5362I	PSS362I	5362DWI
	White	0736152	HBL5352W	AH5352W	5352W/5362W	PSS362W	
  <p>15A 250V, NEMA 6-15R, COMPACT, BACK AND SIDE WIRED, DUPLEX</p>	Brown	99616697	HBL5652	816B		5652	
	Ivory	99616698	HBL5652I	816V	5652	5652I	
	Brown ²	0736260	HBL5658	AH5684		5658	
  <p>15A 125V, NEMA 5-15R, COMPACT, SIDE WIRED ONLY, DUPLEX</p>	Brown	0736031	HBL5242	AH5242B	5242		
	Gray	0736032	HBL5242GY	AH5242GY	5242GY		
	Ivory	0736033	HBL5242I	AH5242V	5242I		
	White	0736035	HBL5242W	AH5242W	5242W		
  <p>20A 125V, NEMA 5-20R, COMPACT, SIDE WIRED ONLY, DUPLEX</p>	Brown	0736140	HBL5342	AH5342B	5342		
	Gray	0736141	HBL5342GY	AH5342GY	5342GY		
	Ivory	0736142	HBL5342I	AH5342V	5342I		
	White	0736144	HBL5342W	AH5342W	5342W		
  <p>15A 125V, NEMA 5-15R, HEAVY DUTY SINGLE</p>	Brown	0736036	HBL5251	817B/5251B	5251	5251	
	Ivory	0736038	HBL5251I	817V	5251I	5251I	
	Brown ²	0736048	HBL5258	AH5684	5258SS	5258	
	Ivory ²	99616723	HBL5258I			5258I	
  <p>20A 125V, NEMA 5-20R, HEAVY DUTY, SINGLE</p>	Brown ²	0736155	HBL5358	5358/5734B	5558SS	5358	
  <p>20A 125V/250V, NEMA 10-20R, SINGLE</p>	Black	0736610	HBL6810	805VBOX	5032I	6810	
  <p>20A 125V/250V, NEMA 14-20R, HEAVY DUTY, SINGLE</p>	Black	0736921	HBL8410	5759		3820	
  <p>20A 3Ø 250V AC, NEMA 15-20R, HEAVY DUTY, SINGLE</p>	Black	0736923	HBL8420	5781			














² Panel mount version available, 1.75 in. (44.5) centers

Vendor # 135794

Receptacles | Extra Heavy Duty, Specification Grade, Continued



















Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 20A 3ØY 120/208V AC, NEMA 18-20R, SINGLE	Black	99616719	HBL7250	7250	7250FR	3822	

Plugs | Insulgrip®, Elastogrip® & Valise®









Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15P, ILLUMINATED	Clear	922681283	515LP				
 15A 125V, NEMA 5-15P	Black & White	0736082	HBL5266C	AH5266/5266	5266C/5266	PSS266XBK/PSS266X	5266
 15A 125V, NEMA 5-15P, ANGLE	Black & White	0736083	HBL5266CA	6265/5266AN	5266CA	PSS266SSAN	14R47
 15A 125V, NEMA 5-15P	Yellow & White ¹	0736107	HBL52CM66C	AH5965CR/5266NCR	52CM66C	CR5266X	
 20A 125V, NEMA 5-20P, ILLUMINATED	Clear	922681379	520LP				
 20A 125V, NEMA 5-20P	Black & White	0736193	HBL5366C	5366/6766/5366N	5366C/5366CY	PSS366X/5366XCN	5366
 20A 125V, NEMA 5-20P, ANGLE	Black & White	0736194	HBL5366CA	5366AN	5356VA/5366CA	5366SSAN	14R33
 20A 125V, NEMA 5-20P	Yellow & White ¹	0736205	HBL53CM66C	5364VCR/5366NCR	53CM66C	D0521C	
 15A 250V, NEMA 6-15P	Black & White	0736266	HBL5666C	6666/5666N	1449/5666C	PSS666X/5666BK	5666
 15A 250V, NEMA 6-15P, ANGLE	Black & White	0736267	HBL5666CA	5666AN	15656VA	5666SSAN	
 15A 250V, NEMA 6-15P	Yellow & White ¹	99616556	HBL56CM66C		56CM66C		
 20A 250V, NEMA 6-20P	Black & White	0736218	HBL5466C	5466/6866/5466N	1448/5466C	PSS466X/5864BK	
 20A 250V, NEMA 6-20P, ANGLE	Black & White	0736219	HBL5466CA	5466AN	5456VA	5466SSAN	

¹ Corrosion resistant device

Plugs | Insulgrip®, Elastogrip® & Valise®, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  20A 250V, NEMA 6-20P	Yellow & White ¹	99616540	HBL54CM66C			54CM66C	
  20A 125V/250V, NEMA 10-20P	Black & White	0736992	HBL9977C	9151N	9151N	9977	
  20A 125V/250V, NEMA 14-20P, NYLON, ANGLE 4-POSITION	Black & White	0736922	HBL8411C	5757		5333DF	
  20A 3Ø 250V, NEMA 15-20P, ANGLE 4-POSITION	Black & White	0736924	HBL8421C	5783			
  20A 3ØY 120/208V, NEMA 18-20P, ANGLE 4-POSITION	Black & White	99616551	HBL7251C	7251N			
  15A 125V, NEMA 5-15P	Yellow DustTight Yellow Watertight	0734401 0734404	HBL1447 HBL14W47	1447 14W47	1447 14W47	1447 14W47	1447 14W47
  20A 125V, NEMA 5-20P	Yellow DustTight Yellow Watertight	0734400 0734403	HBL1433 HBL14W33	1433 14W33	1433 14W33	1433 14W33	14W33
  15A 125V, NEMA 5-15P, VALISE	Yellow Black Gray	0736380 0736378 0736379	HBL5965VY HBL5965VBLK HBL5965VGY	AH5965Y/4867 AH5965BK 5269N	515PV/5256VY 515CR/5259VB 5259VG	PS5965Y PSS269XBK/5296BK 5269XGY	
  20A 125V, NEMA 5-20P, VALISE	Yellow Black	0736191 0736189	HBL5364VY HBL5364VBK	AH5364Y AH5364BK	5356VY 5356VB	PS5364Y 5765BK	





Flanged Inlets & Receptacles

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15P, FLANGED INLET	White	0736089	HBL5278C	5278C	5239/5278C	4515/5278SS	1447MB
  20A 125V, NEMA 5-20P, FLANGED INLET	White	0736200	HBL5378C	5778C	15378C	5378SS	1433MB
  15A 250V, NEMA 6-15P, FLANGED INLET	White	0736271	HBL5678C	5678C	15678C	5678SS	1449MB
  20A 250V, NEMA 6-20P, FLANGED INLET	White	0736222	HBL5478C	5878C	5478C	5478SS	1448MB













¹ Corrosion resistant device

Vendor # 135794

Flanged Inlets & Receptacles | Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15R, FLANGED RECEPTACLE	White	0736091	HBL5279C	5279C	5279C	5279SS	1547MB
 20A 125V, NEMA 5-20R, FLANGED RECEPTACLE	White	0736201	HBL5379C	5779C	15379C	5379SS	1533MB
 15A 250V, NEMA 6-15R, FLANGED RECEPTACLE	White	99616590	HBL5679C	5679C	15679C	5679SS	1549MB
 20A 250V, NEMA 6-20R, FLANGED RECEPTACLE	White	0736223	HBL5479C	5879C	5479C	5479SS	1548MB

Connectors | Insulgrip®, Elastogrip® & Valise®









Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15R ILLUMINATED	Clear	922680387	515LC				
 15A 125V, NEMA 5-15R	Black & White	0736086	HBL5269C	AH5269/5269/5269N	5269C	PS5269X/5269X	5269
 15A 125V, NEMA 5-15R	Yellow & White ¹	0736109	HBL52CM69C	AH5969CR/5269NCR	52CM69C	CR5269X	
 20A 125V, NEMA 5-20R ILLUMINATED	Clear	922679604	520LC				
 20A 125V, NEMA 5-20R	Black & White	0736195	HBL5369C	AH5369/5369/5369N	5369C	PS5369X/5369X	5369/5370
 20A 125V, NEMA 5-20R	Yellow & White ¹	0736206	HBL53CM69C	5369NCR	53CM69C	D0523C	
 15A 250V, NEMA 6-15R	Black & White	0736269	HBL5669C	AH5669/5669/5669N	1549	PS5669X/5669BK/5669XHG	5669
 20A 250V, NEMA 6-20R	Black & White	0736220	HBL5469C	AH5469/5469/5469N	1548/5469C	5469X/5469XHG/5866BK	1548/5469
 15A 125V, NEMA 5-15R, DUSTTIGHT	Yellow Elastomer/Rubber	0734406	HBL1547	1547	1547	1547	1547
 15A 125V, NEMA 5-15R, WATERTIGHT	Yellow Elastomer/Rubber	0734418	HBL15W47	15W47	15W47/15W47B		15W47
 20A 125V, NEMA 5-20R, DUSTTIGHT	Yellow Elastomer/Rubber	0734405	HBL1533	1533	1533	1533	1533
 20A 125V, NEMA 5-20R, WATERTIGHT	Yellow Elastomer/Rubber	0734417	HBL15W33	15W33	15W33	15W33	15W33

¹ Corrosion resistant device

STRAIGHT BLADE DEVICES | INDUSTRIAL GRADE

Vendor # 135794











Connectors | Insulgrip®, Elastogrip® & Valise®, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, VALISE	Yellow	0736388	HBL5969VY	AH5969Y	515CV/5259VY/5269CY	5969VY	
	Black	0736386	HBL5969VBLK	AH5969BLK	515CR/5259VB	5269XBK/5296BK	
	Gray	0736387	HBL5969VGY	5269N	5259VG	5269XGY	
  20A 125V, NEMA 5-20R, VALISE	Yellow	0736198	HBL5369VY	AH5369Y/4228BOX	5359VY	5369VY	
	Black	0736196	HBL5369VBK	AH5364BK	5356VB	5765BK	
  15A 250V, NEMA 6-15R, VALISE	Yellow	0736270	HBL5669VY	AH5369Y/5669Y	15656VY	1549/5669VY	1549
  20A 250V, NEMA 6-20R, VALISE	Yellow	0736221	HBL5469VY	4509BOX	5459VY	5469VY	

STRAIGHT BLADE DEVICES | COMMERCIAL GRADE







Vendor # 135794

Receptacles | Specification Grade

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, BACK & SIDE WIRED, DUPLEX	Black	0732321	BR15BLK	BR15BK	BR15E		
	Brown	0732316	BR15	BR15B	BR15	BR15	
	Gray	0732325	BR15GRY	BR15GY	BR15GY	BR15GRY	
	Ivory	0732329	BR15I	BR15V	BR15I	BR15I	
	White	0732339	BR15WHI	BR15W	BR15W	BR15W	
  20A 125V, NEMA 5-20R, BACK & SIDE WIRED, DUPLEX	Black	0732350	BR20BLK	BR20BK	BR20E		
	Brown	0732345	BR20	BR20B	BR20	BR20	
	Gray	0732354	BR20GRY	BR20GY	BR20GY	BR20GRY	
	Ivory	0732358	BR20I	BR20V	BR20I	BR20I	
	White	0732368	BR20WHI	BR20W	BR20W	BR20W	
  15A 125V, NEMA 5-15R, BACK & SIDE WIRED, DUPLEX, TAMPER-RESISTANT	Black	0732322	BR15BLKTR	TRBR15BK	TBR15E		
	Brown	0732338	BR15TR	TRBR15B	TBR15		
	Gray	0732326	BR15GRYTR	TRBR15GY	TBR15GY		
	Ivory	0732330	BR15ITR	TRBR15V	TBR15I		
	White	0732340	BR15WHITR	TRBR15W	TBR15W		
  20A 125V, NEMA 5-20R, BACK & SIDE WIRED, DUPLEX, TAMPER-RESISTANT	Black	0732351	BR20BLKTR	TRBR20BK	TBR20E		
	Brown	0732367	BR20TR	TRBR20B	TBR20		
	Gray	0732355	BR20GRYTR	TRBR20GY	TBR20GY		
	Ivory	0732359	BR20ITR	TRBR20V	TBR20I		
	White	0732369	BR20WHITR	TRBR20W	TBR20W		
  15A 125V, NEMA 5-15R, SIDE WIRED ONLY, DUPLEX	Black	0732657	CR15BLK	CR15BK	CR15E		
	Brown	0732650	CR15	CR15B	CR15	CR15	
	Gray	0732663	CR15GRY	CR15GY	CR15GY	CR15GRY	
	Ivory	0732669	CR15I	CR15V	CR15I	CR15I	
	White	0732687	CR15WHI	CR15W	CR15W	CR15W	









Vendor # 135794

Receptacles | Specification Grade, Continued

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead	
  <p>20A 125V, NEMA 5-20R, SIDE WIRED ONLY, DUPLEX</p>	Black	0732704	CR20BLK	CR20BK	CR20E	CR20BK		
	Brown	0732697	CR20	CR20B	CR20	CR20		
	Gray	0732710	CR20GRY	CR20GY	CR20GY	CR20GY	CR20GRY	
	Ivory	0732716	CR20I	CR20V	CR20I	CR20I	CR20I	
	White	0732734	CR20WHI	CR20W	CR20W	CR20W	CR20W	
  <p>15A 125V, NEMA 5-15R, SIDE WIRED ONLY, DUPLEX, TAMPER-RESISTANT</p>	Black	99613018	CR15BLKTR	TRCR15BK	TCR15E	TR15BK		
	Brown	0732684	CR15TR	TRCR15B	CR15SG	TR15		
	Gray	0732666	CR15GRYTR	TRCR15GY	CR15SGG	TR15GRY		
	Ivory	0732672	CR15ITR	TRC15LV	CR15SGI	TR15I		
	White	99612987	CR15WHITR	TRCR15W	CR15SGW	TR15W		
  <p>20A 125V, NEMA 5-20R, SIDE WIRED ONLY, DUPLEX, TAMPER-RESISTANT</p>	Black	0732707	CR20BLKTR	TRCR20BK	TCR20E	TR20BK		
	Brown	0732731	CR20TR	TRCR20B	TCR20	TR20		
	Gray	0732713	CR20GRYTR	TRCR20GY	TCR20GY	TR20GRY		
	Ivory	0732719	CR20ITR	TRCR20V	T5820I	TR20I		
	White	0732737	CR20WHITR	TRCR20W	T5820W	TR20W		

Vendor # 135794

Twist-Lock® Receptacles | Extra Heavy Duty



















Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  <p>15A 125V, NEMA L5-15R, DUPLEX</p>	Brown	0735763	HBL4700	4700/WD4700	4700	4700	4700/4700DW
	Ivory	0735764	HBL4700I	4700I			
	Orange	0739301	IG4700A	IG4700	4700IG	IG4700	
	Yellow	99614318	HBL47CM00	CR4700/4700CR			
  <p>15A 250V, NEMA L6-15R, DUPLEX</p>	Brown	0735684	HBL4550	6580	4550	4550	
	Orange	0739299	IG4550A		4550IG		
  <p>15A 277V, NEMA L7-15R, DUPLEX</p>	Brown	0735858	HBL4750	4750	4750	4750	
  <p>15A 125V, NEMA 5-15R, SINGLE</p>	Black Short Strap	0735766	HBL4710	AHL515R/4710	4710	4710	
		0735781	HBL4713	4713	47CM10		

Twist-Lock® Receptacles | Extra Heavy Duty, Continued





Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 250V, NEMA L6-15R, SINGLE	Black Short Strap	0735686 0735688	HBL4560 HBL4563	AHL615R/6560	4560 4560SS/47CM60	4560	
  15A 277V, NEMA L7-15R, SINGLE	Black Short Strap	0735882 99614459	HBL4760 HBL4763	AHL715R/4760 4763	4760 47CM60	4760	
  20A 125V, NEMA L5-20R, SINGLE	Black	0734707	HBL2310	AHL520R/L520R	2310	L520R	4747
  20A 250V, NEMA L6-20R, SINGLE	Black	0734729	HBL2320	AHL620R/L620R	2320	L620R	4748
  20A 277V, NEMA L7-20R, SINGLE	Black	0734752	HBL2330	AHL720R	2330	L720R	4749
  20A 125/250V, NEMA L14-20R, SINGLE	Black	0734801	HBL2410	AHL1420R/L1420R	2410	L1420R	4774
  20A 3Ø 250V AC, NEMA L15-20R, SINGLE	Black	0734833	HBL2420	AHL1520R	2420	L1520R	4775
  20A 3Ø 480V AC, NEMA L16-20R, SINGLE	Black	0734849	HBL2430	AHL1620R	2430	L1620R	4776
  20A 3ØY 120/208V AC, NEMA L18-20R, SINGLE	Black	0734868	HBL2440	AHL1820R	2440	L1820R	

Vendor # 135794





















Twist-Lock® Receptacles | Extra Heavy Duty, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  20A 3ØY 277/480V AC, NEMA L19-20R, SINGLE	Black	0734880	HBL2450	AHL1920R	2450	L1920R	
  20A 3ØY 120/208V AC, NEMA L21-20R, SINGLE	Black	0734921	HBL2510	AHL2120R/L2120R	2510	L2120R	
  30A 125V, NEMA L5-30R, SINGLE	Black	0734965	HBL2610	AHL530R	2610	L530R	4947
  30A 250V, NEMA L6-30R, SINGLE	Black	0734989	HBL2620	AHL630R/L630R	2620	L630R	4948
  30A 125/250V, NEMA L14-30R, SINGLE	Black	0735054	HBL2710	AHL1430R	2710	L1430R	4974
  30A 3Ø 250V AC, NEMA L15-30R, SINGLE	Black	0735072	HBL2720	AHL1530R/L1530R	2720	L1530R	4975
  30A 3Ø 480V AC, NEMA L16-30R, SINGLE	Black	0735087	HBL2730	AHL1630R	2730	L1630R	4976
  30A 3Ø 600V AC, NEMA L17-30R, SINGLE	Black	0735102	HBL2740	AHL1730R	2740	L1730R	
  30A 3ØY 120/208V AC, NEMA L18-30R, SINGLE	Black	0735115	HBL2750	AHL1830R	2750	L1830R	

Twist-Lock® Receptacles | Extra Heavy Duty, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  30A 3ØY 277/480V AC, NEMA L19-30R, SINGLE	Black	0735120	HBL2760	AHL1930R	2760	L1930R	
  30A 3ØY 120/208V AC, NEMA L21-30R, SINGLE	Black	0735138	HBL2810	AHL2130R	2810	L2130R	
















Twist-Lock® Plugs | Extra Heavy Duty

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA L5-15P	Black & White Yellow & White ¹	0735803 0735908	HBL4720C HBL47CM20C	CWL515P/4720/4721N 4721NCR	4720C 47CM20C	PSL515P CRL515P	4720
  15A 125V, NEMA L5-15P, ANGLE	Black & White	0735804	HBL4720CA	CWL515PAN/4721AN	4720CA	PS4720SSAN	
  15A 250V, NEMA L6-15P	Black & White Yellow & White ¹	0735689 99614334	HBL4570C HBL45CM70C	CWL615P/6565N 6565NY	4570C 45CM70C	PSL615P	2449/24T49
  15A 250V, NEMA L6-15P, ANGLE	Black & White	99614290	HBL4570CA	6565AN	4570CA	PS615PAN	
  15A 277V, NEMA L7-15P	Black & White Yellow & White ¹	0735886 99614335	HBL4770C HBL47CM70C	CWL715P/4770	4770C 47CM70C	PSL715P	2434/4770
  15A 277V, NEMA L7-15P, ANGLE	Black & White	99614456	HBL4770CA	4771AN	4470CA	PS715PAN	
  20A 125V, NEMA L5-20P	Black & White Yellow & White ¹	0734713 0734784	HBL2311 HBL23CM11	AHL520P/L520P CRL520P	2311 23CM11	L520P/L520PCN CRL520P	2647/26T47
  20A 250V, NEMA L6-20P	Black & White Yellow & White ¹	0734736 99614337	HBL2321 HBL23CM21	AHL620P CRL620P	2321 23CM21	L620PCN CRL620P	2648/26T48
  20A 277V, NEMA L7-20P	Black & White	0734757	HBL2331	AHL720P	2331	L720P/L720PCN	2649/26T49
  20A 125/250V, NEMA L14-20P	Black & White Yellow & White ¹	0734815 99614336	HBL2411 HBL24CM11	AHL1420P CRL1420P	2411	L1420P/L1420PCN CRL1420P	2674/26T74


¹ Corrosion resistant device

Vendor # 135794

Twist-Lock® Plugs | Extra Heavy Duty, Continued




















Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 20A 3Ø 250V AC, NEMA L15-20P	Black & White Yellow & White ¹	0734840 99614338	HBL2421 HBL24CM21	AHL1520P CRL1520P	2421	L1520P/L1520PCN	2675/26T75
 20A 3Ø 480V AC, NEMA L16-20P	Black & White Yellow & White ¹	0734857 0734898	HBL2431 HBL24CM31	AHL1620P CRL1620P	2431	L1620P	2776/26T76
 20A 3ØY 120/208V, NEMA L18-20P	Black & White	0734869	HBL2441	AHL1820P	2441	L1820P	
 20A 3ØY 277/480V AC, NEMA L19-20P	Black & White	0734881	HBL2451	AHL1920P	2451	L1920P	
 20A 3ØY 120/208V AC, NEMA L21-20P	Black & White Yellow & White ¹	0734926 99614339	HBL2511 HBL25CM11	AHL2120P	2511	L2120P/L2120PCN	2681/26T81
 30A 125V, NEMA L5-30P	Black & White Yellow & White ¹	0734971 0735046	HBL2611 HBL26CM11	AHL530P CRL530P	2611 26CM11	L530P/L530PCN CRL530P	2847/28T47
 30A 250V, NEMA L6-30P	Black & White Yellow & White ¹	0734995 99614341	HBL2621 HBL26CM21	AHL630P CRL630P	2621 26CM21	L630P/L630PCN CRL630P	2848/28T48
 30A 125/250V, NEMA L14-30P	Black & White Yellow & White ¹	0735060 0735130	HBL2711 HBL27CM11	AHL1430P CRL1430P	2711 2711CY/27CM11	L1430P/L1430PCN CRL1430P	2874/28T74
 30A 3Ø 250V AC, NEMA L15-30P	Black & White Yellow & White ¹	0735078 99614473	HBL2721 HBL27CM21	AHL1530P CRL1530P	2721 27CM21	L1530P/L1530PCN	2875/28T75
 30A 3Ø 480V AC, NEMA L16-30P	Black & White	0735093	HBL2731	AHL1630P	2731	L1630P	2876/28T76
 30A 3Ø 600V AC, NEMA L17-30P	Black & White	0735107	HBL2741	AHL1730P	2741	L1730P/L1730PCN	2877/28T77
 30A 3ØY 120/208V AC, NEMA L18-30P	Black & White	0735116	HBL2751	AHL1830P	2751	L1830P	
 30A 3ØY 277/480V AC, NEMA L19-30P	Black & White	0735121	HBL2761	AHL1930P	2761	L1930P	
 30A 3ØY 120/208V AC, NEMA L21-30P	Black & White	0735144	HBL2811	AHL2130P	2811	L2130P	2881/28T81
 15A 125V, NEMA L5-15P	Yellow Dust Tight Yellow Watertight	0734877 0734920	HBL2447 HBL24W47	2447	2447	2447	2447

Twist-Lock® Connectors | Extra Heavy Duty

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA L5-15R	Black & White Yellow & White ¹	0735809 99614319	HBL4729C HBL47CM29C	CWL515C/4729/4731N 4731NCR	4729C 47CM29C	PSL515C/L515CCN CRL515C	4729

¹ Corrosion resistant device




Twist-Lock® Connectors | Extra Heavy Duty, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA L5-15R, ANGLE 90°	Black & White	99614226	HBL4729CA	CWL515CAN			
 15A 250V, NEMA L6-15R	Black & White Yellow & White ¹	0735693 99614463	HBL4579C HBL45CM79C	CWL615C/6566N 6566NY	4579C 45CM79C	PSL615C/L615CCN	2549/25T49
 15A 277V, NEMA L7-15R	Black & White Yellow & White ¹	0735894 99614464	HBL4779C HBL47CM79C	CWL715C/4772N	4779C 47CM79C	PSL715C/L715C	2534/4779
 20A 125V, NEMA L5-20R	Black & White Yellow & White ¹	0734720 0734786	HBL2313 HBL23CM13	CWL520C/AHL520C CRL520C	2313 23CM13	L520C/L520CCN CRL520C	2747/27T47
 20A 250V, NEMA L6-20R	Black & White Yellow & White ¹	0734743 99614320	HBL2323 HBL23CM23	AHL620C	2323 23CM23	L620C/L620CCN CRL620C	2748/27T48
 20A 277V, NEMA L7-20R	Black & White	0734763	HBL2333	AHL720C	2333	L720C	2749/27T49
 20A 125/250V, NEMA L14-20R	Black & White Yellow & White ¹	0734821 99614325	HBL2413 HBL24CM13	AHL1420C CRL1420C	2413	L1420C/L1420CCN CRL1420C	2774/27T74
 20A 3Ø 250V, NEMA L15-20R	Black & White Yellow & White ¹	0734843 99614322	HBL2423 HBL24CM23	AHL1520C CRL1520C	2423	L1520C/L1520CCN	2775/27T75
 20A 3Ø 480V, NEMA L16-20R	Black & White Yellow & White ¹	0734862 99614323	HBL2433 HBL24CM33	AHL1620C CRL1620C	2433	L1620C	27T76
 20A 3ØY 120/208V, NEMA L18-20R	Black & White	0734870	HBL2443	AHL1820C	2443	L1820C	
 20A 3ØY 277/480V, NEMA L19-20R	Black & White	0734883	HBL2453	AHL1920C	2453	L1920C	
 20A 3ØY 120/208V, NEMA L21-20R	Black & White Yellow & White ¹	0734931 99614467	HBL2513 HBL25CM13	AHL2120C	2513	L2120C	2781/27T81
 30A 125V, NEMA L5-30R	Black & White Yellow & White ¹	0734978 0735049	HBL2613 HBL26CM13	AHL530C CRL530C	2613 26CM13	L530C CRL530C	2947/29T47
 30A 250V, NEMA L6-30R	Black & White Yellow & White ¹	0735003 99614321	HBL2623 HBL26CM23	AHL630C CRL630C	C2623/2623B 26CM23	L630C/L630CCN CRL630C	2948/29T48
 30A 125/250V, NEMA L14-30R	Black & White Yellow & White ¹	0735064 0735131	HBL2713 HBL27CM13	AHL1430C/L1430C CRL1430C	2713 2713CY/27CM13	L1430C/L1430CCN CRL1430C	2974/29T74
 30A 3Ø 250V, NEMA L15-30R	Black & White Yellow & White ¹	0735081 99614465	HBL2723 HBL27CM23	AHL1530C/L1530C CRL1530C	2723 27CM23	L1530C/L1530CCN	2975/29T75
 30A 3Ø 480V, NEMA L16-30R	Black & White	0735096	HBL2733	AHL1630C	2733	L1630C	2976/29T76
 30A 3Ø 600V, NEMA L17-30R	Black & White	0735110	HBL2743	AHL1730C	2743	L1730C/L1730CCN	2977/29T77
 30A 3ØY 120/208V, NEMA L18-30R	Black & White	0735117	HBL2753	AHL1830C	2753	L1830C	












¹ Corrosion resistant device

Vendor # 135794











Twist-Lock® Connectors | Extra Heavy Duty, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 30A 3ØY 277/480V, NEMA L19-30R	Black & White	0735122	HBL2763	AHL1930C	2763	L1930C	
 30A 3ØY 120/208V, NEMA L21-30R	Black & White	0735149	HBL2813	AHL2130C	2813	L2130C	2981/29T81
 15A 125V, NEMA L5-15R	Yellow Dust Tight Yellow Watertight	0776056 0734964	HBL2547 HBL25W47	2547	2547	2547	2547




Twist-Lock® Flanged Inlets | Extra Heavy Duty

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA L5-15P	White	0735791	HBL4716C	CWL515FI	4716C	4716SS	2447MB
 15A 250V, NEMA L6-15P	White	0735699	HBL4586C	CWL615FI	4586C	614	2449MB
 15A 277V, NEMA L7-15P	White	99614241	HBL4786C	CWL715FI	4786C	L0714	2434MB
 20A 125V, NEMA L5-20P	White	0734726	HBL2315	AHL520FI	2315	L520FI	2647MB
 20A 250V, NEMA L6-20P	White	0734749	HBL2325	AHL620FI	2325	L620FI	2648MB
 20A 277V, NEMA L7-20P	White	0734766	HBL2335	AHL720FI	2335	L720FI	2649MB
 20A 125/250V, NEMA L14-20P	White	0734824	HBL2415	AHL1420FI	2415	L1420FI	2674MB
 20A 3Ø 250V, NEMA L15-20P	White	0734845	HBL2425	AHL1520FI	2425	L1520FI	2675MB
 20A 3Ø 480V, NEMA L16-20P	White	0734865	HBL2435	AHL1620FI	2435	L1620FI	2676MB
 20A 3ØY 120/208V, NEMA L18-20P	White	99614244	HBL2445	AHL1820FI	2445	L1820FI	
 20A 3ØY 277/480V, NEMA L19-20P	White	99614433	HBL2455	AHL1920FI	2455	L1920FI	

Twist-Lock® Flanged Inlets | Extra Heavy Duty, Continued































Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 20A 3ØY 120/208V, NEMA L21-20P	White	0734935	HBL2515	AHL2120FI	2515	L2120FI	2681MB
 30A 125V, NEMA L5-30P	White	0734984	HBL2615	AHL530FI	2615	L530FI	2847MB
 30A 250V, NEMA L6-30P	White	0735010	HBL2625	AHL630FI	2625F	L630FI	2848MB
 30A 125/250V, NEMA L14-30P	White	0735068	HBL2715	AHL1430FI	2715	L1430FI	2874MB
 30A 3Ø 250V, NEMA L15-30P	White	0735084	HBL2725	AHL1530FI	2725	L1530FI	2875MB
 30A 3Ø 480V, NEMA L16-30P	White	0735099	HBL2735	AHL1630FI	2735	L1630FI	2876MB
 30A 3Ø 600V, NEMA L17-30P	White	99614250	HBL2745	AHL1730FI	2745	L1730FI	2745
 30A 3ØY 120/208V, NEMA L18-30P	White	99614251	HBL2755	AHL1830FI	2755	L1830FI	
 30A 3ØY 277/480V, NEMA L19-30P	White	99614252	HBL2765	AHL1930FI	2765	L1930FI	
 30A 3ØY 120/208V, NEMA L21-30P	White	0735153	HBL2815	AHL2130FI	2815	L2130FI	2881MB

Twist-Lock® Flanged Receptacles | Extra Heavy Duty

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA L5-15R	White	0735785	HBL4715C	AHL515FO	4715C	4715SS	2547MB
 15A 250V, NEMA L6-15R	White	0735697	HBL4585C	AHL615FO	4585C		2549MB
 15A 277V, NEMA L7-15R	White	99614259	HBL4785C	AHL715FO	4785C		2534MB







Vendor # 135794

Twist-Lock® Flanged Receptacles | Extra Heavy Duty, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  20A 125V, NEMA L5-20R	White	0734728	HBL2316	AHL520FO	2316	L520FO	2747MB
  20A 250V, NEMA L6-20R	White	0734751	HBL2326	AHL620FO	2326	L620FO	2748MB
  20A 277V, NEMA L7-20R	White	0734768	HBL2336	AHL720FO	2336	L720FO	2749MB
  20A 125/250V, NEMA L14-20R	White	0734828	HBL2416	AHL1420FO	2416	L1420FO	2774MB
  20A 3Ø 250V, NEMA L15-20R	White	0734847	HBL2426	AHL1520FO	2426	L1520FO	2775MB
  20A 3Ø 480V, NEMA L16-20R	White	0734867	HBL2436	AHL1620FO	2436	L1620FO	2776MB
  20A 3ØY 120/208V, NEMA L18-20R	White	99614267	HBL2446	AHL1820FO	2446	L1820FO	
  20A 3ØY 277/480V, NEMA L19-20R	White	99614441	HBL2456	AHL1920FO	2456	L1920FO	
  20A 3ØY 120/208V, NEMA L21-20R	White	0734937	HBL2516	AHL2120FO	2516	L2120FO	2781MB
  30A 125V, NEMA L5-30R	White	0734987	HBL2616	AHL530FO	2616	L530FO	2947MB
  30A 250V, NEMA L6-30R	White	0735013	HBL2626	AHL630FO	2626F	L630FO	2948MB
  30A 125/250V, NEMA L14-30R	White	0735071	HBL2716	AHL1430FO	2716	L1430FO	2974MB
  30A 3Ø 250V, NEMA L15-30R	White	0735086	HBL2726	AHL1530FO	2726	L1530FO	2975MB
  30A 3Ø 480V, NEMA L16-30R	White	0735101	HBL2736	AHL1630FO	2736	L1630FO	2976MB
  30A 3Ø 600V, NEMA L17-30R	White	99614274	HBL2746	AHL1730FO	2746	L1730FO	2977MB





LOCKING DEVICES | INDUSTRIAL GRADE

Twist-Lock® Flanged Receptacles | Extra Heavy Duty, Continued





Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  30A 3ØY 120/208V, NEMA L18-30R	White	99614443	HBL2756	AHL1830FO	2756	L1830FO	
  30A 3ØY 277/480V, NEMA L19-30R	White	99614268	HBL2766	AHL1930FO	2766	L1930FO	
  30A 3ØY 120/208V, NEMA L21-30R	White	0735155	HBL2816	AHL2130FO	2816	L2130FO	2981MB

GFCI DEVICES | INDUSTRIAL GRADE

AUTOGUARD® Self-Test GFCI Receptacles | Industrial, Extra Heavy Duty









Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, FEED THROUGH, TAMPER- AND WEATHER RESISTANT	Black	922676655	GF5262SGBK		GS262WTE		
	Brown	922681510	GF5262SG		GS262WT		
	Gray	922678035	GF5262SGGY		GS262WTG		
	Ivory	922678960	GF5262SGI		GS262WTI		
	Red	923667310	GF5262SGR		GF5262SGR		
	White	922679525	GF5262SGW		GF5262SGW		
  20A 125V, NEMA 5-20R, FEED THROUGH, TAMPER- AND WEATHER RESISTANT	Black	922680418	GF5362SGBK		GS362WTE		
	Brown	922678071	GF5362SG		GS362WT		
	Gray	922678941	GF5362SGGY		GS362WTG		
	Ivory	922681261	GF5362SGI		GS362WTI		
	Red	922679743	GF5362SGR		GS362WTR		
	White	922678103	GF5362SGW		GS362WTW		
Yellow	922676588	GF5362SGYEL					

AUTOGUARD® Self-Test GFCI Receptacles | Commercial, Heavy Duty









Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, TAMPER- AND WEATHER RESISTANT	Black	0784403	GFTWRST15BK		GFWT1E	1597TRWRBK	
	Brown	0784406	GFTWRST15	TWRSGF15B	GFWT1	1597TRWR	
	Gray	0784404	GFTWRST15GY	TWRSGF15FGY	GFWT1GY	1597TRWRGRY	
	Ivory	0784405	GFTWRST15I	TWRSGF15FV	GFWT1I	1597TRWRI	
	Red	0784408	GFTWRST15R				
	White	0784409	GFTWRST15W	TWRSGF15W	GFWT1W	1597TRWRW	
  20A 125V, NEMA 5-20R, TAMPER- AND WEATHER RESISTANT	Black	0784465	GFTWRST20BK		GFWT2E	2097TRWRBK	
	Brown	0784468	GFTWRST20	TWRSGF20B	GFWT2	2097TRWR	
	Gray	0784466	GFTWRST20GY	TWRSGF20GY	GFWT2GY	2097TRWRGY	
	Ivory	0784467	GFTWRST20I	TWRSGF20V	GFWT2I	2097TRWRI	
	Red	0784470	GFTWRST20R				
	White	0784471	GFTWRST20W	TWRSGF20W	GFWT2W	2097TRWRW	

Vendor # 135794

AUTOGUARD® Self-Test GFCI Receptacles | Commercial, Heavy Duty, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, TAMPER-RESISTANT	Black	922682140	GFTRST15BK	TRSGF15BK	GFTR1E	1597TRBK	
	Brown	922403580	GFTRST15	TRSGF15	GFTR1	1597TR	
	Gray	922682287	GFTRST15GY	TRSGF15GY	GFTR1GY	1597TRGRY	
	Ivory	922403572	GFTRST15I	TRSGF15V	GFTR1I	1597TRI	
	Red	922676565	GFTRST15R				
White	922403598	GFTRST15W	TRSGF15W	GFTR1W	1597TRW		
  20A 125V, NEMA 5-20R, TAMPER-RESISTANT	Black	922680707	GFTRST20BK	TRSGF20BK	GFTR2E	2097TRBK	
	Brown	922678938	GFTRST20	TRSGF20	GFTR2	2097TR	
	Gray	922679997	GFTRST20GY	TRSGF20GY	GFTR2GY	2097TRGRY	
	Ivory	922403570	GFTRST20I	TRSGF20V	GFTR2I	2097TRI	
	Red	07031826	GFTRST20R				
White	07031827	GFTRST20W	TRSGF20W	GFTR2W	2097TRW		
  15A 125V, NEMA 5-15R	Black	0784387	GFRST15BK	SGF15BK	GFNT1E	1597BK	5252GF
	Brown	0784390	GFRST15	SGF15	GFNT1	1597	
	Gray	0784388	GFRST15GY	SGF15GY	GFNT1GY	1597GRY	
	Ivory	0784389	GFRST15I	SGF15V	GFNT1I	1597I	
	Red	0784392	GFRST15R			1597RED	
White	0784393	GFRST15W	SGF15W	GFNT1W	1597W		
  20A 125V, NEMA 5-20R	Black	0784395	GFRST20BK	SGF20BK	GFNT2E	2097BK	5352GF
	Brown	0784398	GFRST20	SGF20	GFNT2	2097	
	Gray	0784396	GFRST20GY	SGF20GY	GFNT2GY	2097GRY	
	Ivory	0784397	GFRST20I	SGF20I	GFNT2I	2097I	
	Red	0784400	GFRST20R	SGF20RD	GFNT2R	2097RED	
White	0784401	GFRST20W	SGF20W	GFNT2W	2097W		





AUTOGUARD® Self-Test GFCI Receptacles | Hospital Grade

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, EXTRA HEAVY DUTY, TAMPER- AND WEATHER RESISTANT	Black	922681733	GF8200SGBK				
	Brown	922681449	GF8200SG				
	Gray	923667315	GF8200SGGY				
	Ivory	922677240	GF8200SGI				
	Red	923667311	GF8200SGR				
White	922676573	GF8200SGW					
  20A 125V, NEMA 5-20R, EXTRA HEAVY DUTY, TAMPER- AND WEATHER RESISTANT	Black	923667312	GF8300SGBK				
	Brown	922676191	GF8300SG				
	Gray	923667313	GF8300SGGY				
	Ivory	923667309	GF8300SGI				
	Red	922678933	GF8300SGR				
White	922681211	GF8300SGW					
  15A 125V, NEMA 5-15R, HEAVY DUTY, TAMPER- AND WEATHER RESISTANT	Black	922677629	GFTWRST82BK	TRSGFH15BK	GFTR1HGE/GFWT1HGE	1597HGTRBK	
	Brown	922681738	GFTWRST82	TRSGFH15B	GFTR1HG/GFWT1HG	1597HGTR	
	Gray	922679459	GFTWRST82GY	TRSGFH15GY	GFTR1HGGY/GFWT1HGGY	1597HGTRGRY	
	Ivory	922681169	GFTWRST82I	TRSGFH15V	GFTR1HGI/GFWT1HGI	1597HGTRI	
	Red	922679033	GFTWRST82R	TRSGFH15RD	GFTR1HGR/GFWT1HGR	1597HGTRRED	
White	922679934	GFTWRST82W	TRSGFH15W	GFTR1HGW/GFWT1HGW	1597HGTRW		
  20A 125V, NEMA 5-20R, HEAVY DUTY, TAMPER- AND WEATHER RESISTANT	Black	922679558	GFTWRST83BK	TRSGFH20BK	GFTR2HGE/GFWT2HGE	2097HGTRBK	
	Brown	922679275	GFTWRST83	TRSGFH20B	GFTR2HG/GFWT2HG	2097HGTR	
	Gray	922680052	GFTWRST83GY	TRSGFH20GY	GFTR2HGGY/GFWT2HGGY	2097HGTRGRY	
	Ivory	07031828	GFTWRST83I	TRSGFH20V	GFTR2HGI/GFWT2HGI	2097HGTRI	
	Red	07031829	GFTWRST83R	TRSGFH20RD	GFTR2HGR/GFWT2HGR	2097HGTRRED	
White	07031830	GFTWRST83W	TRSGFH20W	GFTR2HGW/GFWT2HGW	2097HGTRW		

GFCI DEVICES | HOSPITAL GRADE

Vendor # 135794




AUTOGUARD® Self-Test GFCI Receptacles | Hospital Grade, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 <p>15A 125V, NEMA 5-15R, HEAVY DUTY, TAMPER-RESISTANT WITH ALARM</p>	Black	922682104	GFRST82BKB			1597HGTRBK	
	Brown	922681052	GFTRST82B			1597HGTR	
	Gray	922679504	GFTRST82GYB			1597HGTRGRY	
	Ivory	922680245	GFTRST82IB			1597HGTRI	
	Red	922677372	GFTRST82RB			1597HGTRRED	
	White	922681886	GFTRST82WB			1597HGTRW	
 <p>20A 125V, NEMA 5-20R, HEAVY DUTY, TAMPER-RESISTANT WITH ALARM</p>	Black	922682011	GFRST83BKB			2097HGTRBK	
	Brown	922681164	GFTRST83B			2097HGTR	
	Gray	922680888	GFTRST83GYB			2097HGTRGRY	
	Ivory	922677281	GFTRST83IB			2097HGTRI	
	Red	922678892	GFTRST83RB			2097HGTRRED	
	White	922679823	GFTRST83WB			2097HGTRW	
 <p>15A 125V, NEMA 5-15R, HEAVY DUTY</p>	Black	0784889	GFRST82BK		GFNT1HGE	1597HGBK	
	Brown	0784892	GFRST82	SGFH15B	GFNT1HG	1597HG	
	Gray	0784890	GFRST82GY	SGFH15GY	GFNT1HGGY	1597HGGRY	
	Ivory	0784891	GFRST82I	SGFH15V	GFNT1HGI	1597HGI	
	Red	0784894	GFRST82R	SGFH15RD	GFNT1HGR	1597HGRED	
	White	0784895	GFRST82W	SGFH15W	GFNT1HGW	1597HW	
 <p>20A 125V, NEMA 5-20R, HEAVY DUTY</p>	Black	0784897	GFRST83BK		GFNT2HGE	2097HGBK	
	Brown	0784900	GFRST83	SGFH20B	GFNT2HG	2097HG	
	Gray	0784898	GFRST83GY	SGFH20GY	GFNT2HGGY	2097HGGRY	
	Ivory	0784899	GFRST83I	SGFH20V	GFNT2HGI	2097HGI	
	Red	0784902	GFRST83R	SGFH20RD	GFNT2HGR	2097HGRED	
	White	0784903	GFRST83W	SGFH20W	GFNT2HGW	2097HW	

STRAIGHT BLADE DEVICES | HOSPITAL GRADE











Vendor # 135794

Receptacles | Hospital Grade













Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 <p>15A 125V, NEMA 5-15R, HBL EXTRA HEAVY DUTY, DUPLEX</p>	Brown	0736810	HBL8200	AH8200B/8200B	8200		
	Gray	0736811	HBL8200GY	AH8200GY/8200GY	8200GY		
	Ivory	0736818	HBL8200I	AH8200V/8200V	8200I		
	Red	0736824	HBL8200RED	AH8200RD/8200RD	8200R		
	White	0736832	HBL8200W	AH8200W/8200W	8200W		
 <p>20A 125V, NEMA 5-20R, HBL EXTRA HEAVY DUTY, DUPLEX</p>	Brown	0736860	HBL8300	AH8300B/8300B	8300	8300	85362/85362DW
	Gray	0736862	HBL8300GY	AH8300GY/8300GRY	8300GY	8300GRY	
	Ivory	0736870	HBL8300I	AH8300V/8300V	8300I	8300I	85362I/85362DWI
	Red	99611198	HBL8300RED	AH8300RD/8300RD	8300R	8300RED	85362R/85362DWR
	White	0736885	HBL8300W	AH8300W/8300W	8300W	8300W	85362W/85362DWW
 <p>15A 125V, NEMA 5-15R, HBL EXTRA HEAVY DUTY, DUPLEX, TAMPER-RESISTANT</p>	Brown	0736826	HBL8200SGA	AHTR8200B/TR8200B	5262SG/8200SG	TR62/TR62H	
	Gray	0736828	HBL8200SGGYA	AHTR8200GY/TR8200GY	5262SGG/8200SGG	TR62GRY/TR62HGRY	
	Ivory	0736829	HBL8200SGIA	AHTR8200V/TR8200V	5262SGI/8200SGI	26262HGI/TR62I	
	Red	0736830	HBL8200SGRA	AHTR8200RD/TR8200RD	5262SGR/8200SGR	TR62HRED/TR62RED	
	White	0736831	HBL8200SGWA	AHTR8200W/TR8200W	5262SGW/8200SGW	26262HW/TR62HW/TR62W	

Vendor # 135794

Receptacles | Hospital Grade, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  20A 125V, NEMA 5-20R, HBL EXTRA HEAVY DUTY, DUPLEX, TAMPER-RESISTANT	Brown	0736878	HBL8300SGA	AHTR8300B/TR8300B	8300SG	TR63H	
	Gray	0736880	HBL8300SGGYA	AHTR8300GY/TR8300GY	8300SGG	TR63HGRY	
	Ivory	0736881	HBL8300SGIA	AHTR8300V/TR8300V	8300SGI	TR63HI/TR63HLA	
	Red	0736883	HBL8300SGRA	AHTR8300RD/TR8300RD	8300SGR	TR63HRED	
	White	0736884	HBL8300SGWA	AHTR8300W/TR8300W	8300SGW	TR63HW	
  15A 125V, NEMA 5-15R, HBL EXTRA HEAVY DUTY, SLENDER/COMPACT DUPLEX	Brown	0736813	HBL8200H	8200HB/5262HG	8200H	PS8200H	
	Gray	0736814	HBL8200HG	8200HGY/5262HGGY	8200HGY	PS8200HGRY	
	Ivory	0736815	HBL8200HI	8200HV/8200V	8200HI	PS8200HI	
	Red	0736816	HBL8200HRED	8200RD/8200RED	8200HR/8200R	PS8200HRED/8200RED	
	White	0736817	HBL8200HW	8200HW/8200W	8200HW/8200W	PS8200HW/8200W	
  20A 125V, NEMA 5-20R, HBL EXTRA HEAVY DUTY, SLENDER/COMPACT DUPLEX	Brown	0736864	HBL8300H	8300/8300B	8300H	PS8300H	
	Gray	0736866	HBL8300HG	8300GY/8300HGY	8300HGY	PS8300HGRY	
	Ivory	0736867	HBL8300HI	8300HV	8300HI	PS8300HI	
	Red	99616670	HBL8300HRED	AH8300RD/8300HRD	8300HR	PS8300HRED	
	White	0736869	HBL8300HW	8300HW	8300HW	PS8300HW	
  15A 125V, NEMA 5-15R, HBL EXTRA HEAVY DUTY, SINGLE	Brown	0736835	HBL8210	8210/8210B	8210	8201	85261DW
	Gray	0736836	HBL8210GY	8210GY	8210GY	8201GRY	
	Ivory	0736838	HBL8210I	8210V	8210I	8201I	
	Red	0736840	HBL8210R	8210RD	8210R	8201RED	
	White	0736842	HBL8210W	8210W	8210W	8201E/8201W	
  20A 125V, NEMA 5-20R, HBL EXTRA HEAVY DUTY, SINGLE	Brown	0736888	HBL8310	8310/8310B	8310	8301	85361DW
	Gray	0736890	HBL8310GY	8310GY	8310GY	8301GRY	
	Ivory	0736892	HBL8310I	8310I/8310V	8310I	8301I	
	Red	0736894	HBL8310R	8310RD	8310R	8301RED	
	White	0736896	HBL8310W	8310W	8310W	8301W	



Plugs | Hospital Grade

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15P, INSULGRIP	Black & White	0736845	HBL8215C	5266NHG/6266HG	8215C	PSS266XHG/5266XHG	85000/85266
  15A 125V, NEMA 5-15P, INSULGRIP	Transparent	0736847	HBL8215CT	8266/6266HGC	8215CT	PSS266XHG/5266XHG	85447
  15A 125V, NEMA 5-15P, INSULGRIP, 90° ANGLE	Transparent	0736846	HBL8215CAT	6265HGC	8215CAT	PSS266HGAN/5266HGAN	85050
  20A 125V, NEMA 5-20P, INSULGRIP	Black & White	0736899	HBL8315C	5366NHG/6766HG	5366XHG/8315C	PSS366XHG/5366XHG	85366
  20A 125V, NEMA 5-20P, INSULGRIP	Transparent	0736901	HBL8315CT	5366NHG/6765HGC	8315CT/8315PLC	PSS366XHG/5366XHG	85433
  20A 125V, NEMA 5-20P, INSULGRIP, 90° ANGLE	Transparent	0736900	HBL8315CAT	6765HG			






STRAIGHT BLADE DEVICES | HOSPITAL GRADE

Vendor # 135794

Plugs | Hospital Grade, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15P, VALISE	White	0736807	HBL8115V	5366NHG/8115V/8364V	8256V	8115V/PS8115	
 20A 125V, NEMA 5-15P, VALISE	White	99616547	HBL8364V		8356V/8359V		





Connectors | Hospital Grade

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15R, INSULGRIP	Black & White	0736848	HBL8219C	AH8219HG/5269NHG	8219C	PS5269XHG/5269XHG	85002/85269
 15A 125V, NEMA 5-15R, INSULGRIP	Transparent	0736849	HBL8219CT	8269/6269HGC	8219CT	PS5269XHG/5269XHG	85547
 20A 125V, NEMA 5-20R, INSULGRIP	Black & White	0736902	HBL8319C	AH8319HG	8319C	PS5369XHG/5369XHG	85369
 20A 125V, NEMA 5-20R, INSULGRIP	Transparent	0736903	HBL8319CT	5369NHGC/8369	8319CT/8319PLC	PS5369XHG/5369XHG	
 15A 125V, NEMA 5-15R, VALISE	White	0736809	HBL8119V	AH8119W	8259V		

WATERTIGHT DEVICES | STRAIGHT BLADE DEVICES



Vendor # 135794

Plugs | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*







Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15P, PLUG, LED POWER INDICATING	Clear	922678418	HBL14W47AWC					
 15A 125V, NEMA 5-15P, PLUG	Yellow	0781815	HBL14W47A	14W47	1510-PW6P	14W47	14W47	14W47
 20A 125V, NEMA 5-20P, PLUG, LED POWER INDICATING	Clear	922681345	HBL14W33AWC					
 20A 125V, NEMA 5-20P, PLUG	Yellow	0781814	HBL14W33A	14W33	1512-PW6P	14W33	14W33	14W33

Vendor # 135794






Plugs | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*, Continued

Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
 15A 250V, NEMA 6-15P, PLUG	Yellow	0781818	HBL14W49	14W49	1514-PW6P	14W49	14W49	14W49	
 20A 250V, NEMA 6-20P, PLUG	Yellow	0781817	HBL14W48	14W48	1516-PW6P	14W48	14W48	14W48	

Connectors | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*

Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
 15A 125V, NEMA 5-15R, CONNECTOR, LED POWER INDICATING	Clear	922680717	HBL15W47AWC						
 15A 125V, NEMA 5-15R, CONNECTOR	Yellow	0781821	HBL15W47A	15W47	1610-PW6P	15W47	15W47	15W47	
 20A 125V, NEMA 5-20R, CONNECTOR, LED POWER INDICATING	Clear	922681415	HBL15W33AWC						
 20A 125V, NEMA 5-20R, CONNECTOR	Yellow	0781820	HBL15W33A	15W33	1612-PW6P	15W33	15W33	15W33	
 15A 250V, NEMA 6-15R, CONNECTOR	Yellow	0781824	HBL15W49	15W49	1614-PW6P	15W49	15W49	15W49	
 20A 250V, NEMA 6-20R, CONNECTOR	Yellow	0781823	HBL15W48	15W48	1616-PW6P	15W48	15W48	15W48	

Receptacles | with Lift Cover, Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*







Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
 15A 125V, NEMA 5-15R, RECEPTACLE, WITH LIFT COVER	Yellow	0781911	HBL60W47	60W47	2715-FS10	60W47	60W47	60W47	
 20A 125V, NEMA 5-20R, RECEPTACLE, WITH LIFT COVER	Yellow	0781909	HBL60W33	60W33	2715-FS12	60W33	60W33	60W33	
 15A 250V, NEMA 6-15R, RECEPTACLE, WITH LIFT COVER	Yellow	0781915	HBL60W49	60W49	2715-FS14	60W49	60W49	60W49	
 20A 250V, NEMA 6-20R, RECEPTACLE, WITH LIFT COVER	Yellow	0781913	HBL60W48	60W48	2715-FS16	60W48	60W48	60W48	
 15A 125V, NEMA 5-15R, RECEPTACLE, DUPLEX	Yellow	0781912	HBL60W47D	60W47DPLX	1610-PWDX	80W47-D	60W47DPLX	60W47DPLX	

*Single and duplex receptacles while in use, not with cover closed.

WATERTIGHT DEVICES | STRAIGHT BLADE DEVICES

Vendor # 135794





















Receptacles | with Lift Cover, Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*, Continued

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
  15A 250V, NEMA 6-15, RECEPTACLE, DUPLEX	Yellow	0781916	HBL60W49D	60W49DPLX	1614-PWDX	80W49-D	60W49DPLX	60W49DPLX
  20A 125V, NEMA 5-20, RECEPTACLE, DUPLEX	Yellow	0781910	HBL60W33D	60W33DPLX	1612-PWDX		60W33DPLX	60W33DPLX
  20A 250V, NEMA 6-20, RECEPTACLE, DUPLEX	Yellow	0781914	HBL60W48D	60W48DPLX	1616-PWDX		60W48DPLX	60W48DPLX

WATERTIGHT DEVICES | LOCKING DEVICES

Vendor # 135794













Twist-Lock® Plugs | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA L5-15P, LED POWER INDICATING	Clear	922679482	HBL24W47AWC					
  15A 125V, NEMA L5-15P	Yellow	0781826	HBL24W47A	24W47	1520-PW6P	24W47	24W47	24W47
  15A 250V, NEMA L6-15P	Yellow	0781828	HBL24W49	24W49	1522-PW6P	24W49	24W49	24W49
  15A 277V, NEMA L7-15P	Yellow	0781825	HBL24W34	24W34	1524-PW6P	24W34	24W34	24W34
  20A 125V, NEMA L5-20P, LED POWER INDICATING	Clear	922677504	HBL26W47WC					
  20A 125V, NEMA L5-20P	Yellow	0781835	HBL26W47	L520PW	2310-PW6P	26W47	26W47	26W47
  20A 250V, NEMA L6-20P	Yellow	0781837	HBL26W48	L620PW	2312-PW6P	26W48	26W48	26W48
  20A 277V, NEMA L7-20P	Yellow	0781838	HBL26W49	L720PW	2314-PW6P	26W49	26W49	26W49
  20A 125/250V, NEMA L14-20P	Yellow	0781839	HBL26W74	L1420PW	2320-PW6P	26W74	26W74	26W74
  20A 3Ø 250V AC, NEMA L15-20P	Yellow	0781840	HBL26W75	L1520PW	2322-PW6P	26W75	26W75	26W75




*Single and duplex receptacles while in use, not with cover closed.

Vendor # 135794

Twist-Lock® Plugs | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*, Continued

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 20A 3Ø 480V AC, NEMA L16-20P	Yellow	0781842	HBL26W76	L1620PW	2424-PW6P	26W76	26W76	26W76
 20A 125/250V, NON-NEMA	Yellow	0781833	HBL26W08	9965PW	2316-PW6P	26W08	26W08	26W08
 30A 125V, NEMA L5-30P	Yellow	0781865	HBL28W47	L530PW	2510-PW6P	28W47	28W47	28W47
 30A 250V, NEMA L6-30P	Yellow	0781867	HBL28W48	L630PW	2512-PW6P	28W48	28W48	28W48
 30A 277V, NEMA L7-30P	Yellow	0781868	HBL28W49	L730PW	2514-PW6P	28W49	28W49	28W49
 30A 125/250V, NEMA L14-30P	Yellow	0781869	HBL28W74	L1430PW	2520-PW6P	28W74	28W74	28W74
 30A 3Ø 250V AC, NEMA L15-30P	Yellow	0781870	HBL28W75	L1530PW	2522-PW6P	28W75	28W75	28W75
 30A 3Ø 480V AC, NEMA L16-30P	Yellow	0781871	HBL28W76	L1630PW	2524-PW6P	28W76	28W76	28W76
 30A 3Ø 600V AC, NEMA L17-30P	Yellow	0781873	HBL28W77	L1730PW	2526-PW6P	28W77	28W77	28W77
 30A 3ØY 120/208V AC, NEMA L18-30P	Yellow	0781874	HBL28W78	L1830PW	2530-PW6P			28W78
 30A 125/250V, NON-NEMA	Yellow	0781863	HBL28W08	3331PW	2516-PW6P	28W08	28W08	28W08
 30A 3Ø 120/208V AC, NON-NEMA	Yellow	0781864	HBL28W09	3431PW	2528-PW6P	28W09	28W09	28W09







































Twist-Lock® Connectors | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA L5-15R, LED POWER INDICATING	Clear	922680586	HBL25W47AWC					
 15A 125V, NEMA L5-15R	Yellow	0781830	HBL25W47A	25W47	1620-CW6P	25W47	25W47	25W47
 15A 250V, NEMA L6-15R	Yellow	0781832	HBL25W49	25W49	1622-PW6P	25W49	25W49	25W49

*Single and duplex receptacles while in use, not with cover closed.

WATERTIGHT DEVICES | LOCKING DEVICES

































Twist-Lock® Connectors | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*, Continued

Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
  15A 277V, NEMA L7-15R	Yellow	0781829	HBL25W34	25W34	1624-CW6P	25W34	25W34	25W34	
  20A 125V, NEMA L5-20R, LED POWER INDICATING	Clear	922677365	HBL27W47WC						
  20A 125V, NEMA L5-20R	Yellow	0781850	HBL27W47	L520CW	2410-CW6P	27W47	27W47	27W47	
  20A 250V, NEMA L6-20R	Yellow	0781852	HBL27W48	L620CW	2412-CW6P	27W48	27W48	27W48	
  20A 277V, NEMA L7-20R	Yellow	0781853	HBL27W49	L720CW	2414-CW6P	27W49	27W49	27W49	
  20A 125/250V, NEMA L14-20R	Yellow	0781854	HBL27W74	L1420CW	2420-CW6P	27W74	27W74	27W74	
  20A 3Ø 250V, NEMA L15-20R	Yellow	0781855	HBL27W75	L1520CW	2422-CW6P	27W75	27W75	27W75	
  20A 3Ø 480V, NEMA L16-20R	Yellow	0781857	HBL27W76	L1620CW	2424-CW6P	27W76	27W76	27W76	
  20A 125/250V, NON-NEMA	Yellow	0781848	HBL27W08	7314CW	2416-CW6P	27W08	27W08	27W08	
  30A 125V, NEMA L5-30R	Yellow	0781880	HBL29W47	L530CW	2610-CW6P	29W47	29W47	29W47	
  30A 250V, NEMA L6-30R	Yellow	0781882	HBL29W48	L630CW	2612-CW6P	29W48	29W48	29W48	
  30A 277V, NEMA L7-30R	Yellow	0781883	HBL29W49	L730CW	2614-CW6P	29W49	29W49	29W49	
  30A 125/250V, NEMA L14-30R	Yellow	0781884	HBL29W74	L1430CW	2620-CW6P	29W74	29W74	29W74	
  30A 3Ø 250V, NEMA L15-30R	Yellow	0781885	HBL29W75	L1530CW	2622-PW6P	29W75	29W75	29W75	
  30A 3Ø 480V, NEMA L16-30R	Yellow	0781886	HBL29W76	L1630CW	2624-PW6P	29W76	29W76	29W76	
  30A 3Ø 600V, NEMA L17-30R	Yellow	0781888	HBL29W77	L1730CW	2626-CW6P	29W77	29W77	29W77	
  30A 3ØY 120/208V, NEMA L18-30R	Yellow	0781889	HBL29W78	L1830CW	2630CW6P			29W78	
  30A 125/250V, NON-NEMA	Yellow	0781878	HBL29W08	3333CW	2616-CW6P	29W08	29W08	29W08	
  30A 3Ø 120/208V, NON-NEMA	Yellow	0781879	HBL29W09	3433CW	2628-CW6P	29W09	29W09	29W09	

*Single and duplex receptacles while in use, not with cover closed.

Vendor # 135794

Twist-Lock® Receptacles | with Lift Cover, Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*





Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/ Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
  15A 125V, NEMA L5-15R	Yellow	0781920	HBL65W47	65W47	2715-FS20	65W47	65W47	65W47	
  15A 250V, NEMA L6-15R	Yellow	0781922	HBL65W49	65W49	2715-FS22	65W49	65W49	65W49	
  15A 277V, NEMA L7-15R	Yellow	0781918	HBL65W34	65W34	2715-FS24	65W34	65W34	65W34	
  20A 125V, NEMA L5-20R	Yellow	0781927	HBL67W47	L520W	2820-FS10	67W47	67W47	67W47	
  20A 250V, NEMA L6-20R	Yellow	0781928	HBL67W48	L620RW	2820-FS12	67W48	67W48	67W48	
  20A 277V, NEMA L7-20R	Yellow	0781929	HBL67W49	L720RW	2820-FS14	67W49	67W49	67W49	
  20A 125/250V, NEMA L14-20R	Yellow	0781930	HBL67W74	L1420RW	2920-FS20	67W74	67W74	67W74	
  20A 3Ø 250V AC, NEMA L15-20R	Yellow	0781931	HBL67W75	L1520RW	2920-FS22	67W75	67W75	67W75	
  20A 3Ø 480V AC, NEMA L16-20R	Yellow	0781932	HBL67W76	L1620RW	2820-FS24	67W76	67W76	67W76	
  20A, 125/250V, NON-NEMA	Yellow	0781925	HBL67W08		2820-FS16	67W08	67W08	67W08	
  30A 125V, NEMA L5-30R	Yellow	0781938	HBL69W47	L530RW	2830-FS10	69W47	69W47	69W47	
  30A 250V, NEMA L6-30R	Yellow	0781939	HBL69W48	L630RW	2830-FS12	69W48	69W48	69W48	
  30A, 277V, NEMA L7-30R	Yellow	0781940	HBL69W49	L730RW	2830-FS14	69W49	69W49	69W49	
  30A 125/250V, NEMA L14-30R	Yellow	0781941	HBL69W74	L1430RW	2930-FS20	69W74	69W74	69W74	
  30A 3Ø 250V AC, NEMA L15-30R	Yellow	0781942	HBL69W75	L1530RW	2930-FS22	69W75	69W75	69W75	
  30A 3Ø 480V AC, NEMA L16-30R	Yellow	0781943	HBL69W76	L1630RW	2930-FS24	69W76	69W76	69W76	

*Single and duplex receptacles while in use, not with cover closed.

WATERTIGHT DEVICES | LOCKING DEVICES

Vendor # 135794




Twist-Lock® Receptacles | with Lift Cover, Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*, Continued

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
  30A 3Ø 600V AC, NEMA L17-30R	Yellow	0781944	HBL69W77	L1730RW	2930-FS26	69W77	69W77	69W77
  30A, 125/250V, NON-NEMA	Yellow	0781937	HBL69W08	3333RW	2830-F516	69W08	69W08	69W08



WATERTIGHT DEVICES | ACCESSORIES

Vendor # 135794

Lift Covers | UL Type 4X

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 FOR USE WITH 15A OR 20A STRAIGHT BLADE RECEPTACLES AND 15A TWIST-LOCK® RECEPTACLES; RECEPTACLE NOT INCLUDED.	Yellow Black	0781917 922679477	HBL6500 HBL6500BK	WLRS-1	2700FS	60W03		6500
 FOR USE WITH 20A TWIST-LOCK® RECEPTACLES; RECEPTACLE NOT INCLUDED. NOTE: WHEN MATING WITH HBL26W09, 20A NON-NEMA PLUG, USE HBL6800 COVER	Yellow Black	0781924 922676279	HBL6700 HBL6700BK	WLRS-2	2800FS	60W04		6700
 FOR USE WITH 30A TWIST-LOCK® RECEPTACLES; RECEPTACLE NOT INCLUDED.	Yellow Black	0781936 922676945	HBL6800 HBL6800BK		2900FS	60W05		6900





FD Boxes & Angled Adapters

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 (2) ¾" NPT HUBS, FD BOX	Yellow White Gray	91183130 922678664 922681941	HBL60CM83A HBL60CM83WA HBL6083			FDBX1-Y		453CR
 (2) 1" NPT HUBS, FD BOX	Yellow White Gray	922682023 922682185 922676986	HBL60CM84A HBL60CM84WA HBL6084			FDBX1-Y		454CR



*Single and duplex receptacles while in use, not with cover closed.

Vendor # 135794



FD Boxes & Angled Adapters | Continued

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 55° ANGLE ADAPTER	Yellow White Gray	922681834 922676391 922679157	HBL60CM55 HBL60CM55W HBL6055					
 (2) ¾" NPT HUBS, BOX/ADAPTER KIT	Yellow White Gray	922677787 922679035 922680688	HBL60CM83AK HBL60CM83WAK HBL6083AK					
 (2) 1" NPT HUBS, BOX/ADAPTER KIT	Yellow White Gray	922680749 922677049 922677674	HBL60CM84AK HBL60CM84WAK HBL6084AK					
 BLANK COVER PLATE	Yellow White Gray	99617238 922676927 0737478	HBL60CM88 HBL60CM88W HBLP14FS					


FD Boxes | GFCI Protected

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 WATERTIGHT FD BOX, GFCI MODULE, 30A 120V	Yellow	922676592	HBLWTGF120					
 WATERTIGHT FD BOX, GFCI MODULE, 30A 240V	Yellow	922679927	HBLWTGF240					



Portable Outlet Boxes | with Cord Connector(s) Installed

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 PORTABLE OUTLET BOX, DEEP	Yellow	0781908	HBL3099	WD3099	6129	3099-1Y		3099
 PORTABLE OUTLET BOX, DEEP, FEED THRU	Yellow	0781907	HBL3090F	WD3090F		3059F-1Y		






Portable Outlet Boxes | Pre-Assembled, .38"–.50" (9.7–12.7) with Cord Connector Installed

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 PORTABLE OUTLET BOX, DEEP, YELLOW WITH (2) DUPLEX PLATES	Yellow	0781893	HBL3000	WD3099-DDN				

Portable Outlet Boxes | Configurable, Includes Locknut, Cord Connector Sold Separately




Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 OUTLET BOX/	Yellow Black	0781903 0781904	HBL3080 HBL3080BK					
 FEED THRU BOX/	Yellow Black	0781905 0781906	HBL3080F HBL3080FBK					

Covers | For Portable Outlet Boxes & Panels



Description	Rating	Preferred Brand		Competitor Part Numbers				
		Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 OUTLET BOX COVER, DUPLEX RECEPTACLE	UL Type 3R UL Type 1	0781898 0781894	HBL3056 HBL3051	WD3060	6131	3056-Y 3051-Y		3056
 OUTLET BOX COVER, 1.39" DIAMETER RECEPTACLE	UL Type 3R UL Type 1	0781899 0781895	HBL3057 HBL3052		6132	3057-Y 3052-Y		3057
 OUTLET BOX COVER, 1.572" DIAMETER RECEPTACLE	UL Type 3R UL Type 1	0781900 0781897	HBL3058 HBL3055		6133	3058-Y 3055-Y		3058
 OUTLET BOX COVER; GFCI	UL Type 3R UL Type 1	0781902 0781901	HBL3061 HBL3060	WD3056	6135Y	3061-Y 3060-Y		3061
 OUTLET BOX COVER; BLANK	UL Type 3R UL Type 1	0781896	HBL3054	WD3061	6034	3054-Y		3054

Vendor # 135794




Strain Relief | Deluxe & Dust-Tight Cord Grips

Description	NPT Size	Diameter Range	Preferred Brand		Competitor Part Numbers				
			Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Remke	Woodhead
 DELUXE CORD GRIPS STRAIGHT MALE THREAD ALUMINUM FITTINGS, STAINLESS STEEL MESH, LIQUIDTIGHT, FOR INSULATED CABLES	1/2"	.187"-250"	0731385	07401004	DC100187	L7705		RSR45104E	36250
	1/2"	.250"-375"	0731386	07401006	DC10250	L7706	CG405/CG406	RSR105E/RSR106E	36251
	1/2"	.375"-500"	0731387	07401008	DC100375	L7707	CG407	RSR107E/RSR108E	36254
	1/2"	.500"-625"	0731388	07401010	DC100500	L7708	CG409	RSR109E/RSR110E	36256
	3/4"	.500"-625"	0731392	07401017	DC200500	L7700	CG609/CG610	RSR209E/RSR210E	36261
	3/4"	.625"-750"	0731393	07401018	DCF200625	L7713	CG611/CG612	RSR212E	36263
	1"	.625"-750"	0731395	07401021	DC300625	L7717	CG812/CG813	RSR312E	36265
	1"	.750"-875"	0731396	07401023	DC300750	L7718	CG814/CG815	RSR314E	36267
	1"	.875"-1.000"	0731397	07401025	DC300875	L7719	CG816	RSR316E	36269
	1 1/4"	.875"-1.000"	0731398	07401026	DC400875	L7724	CG1016	RSR45516E/RSR416E	36271
	1 1/4"	1.125"-1.250"	0731399	07401027	DC4001000	L7725	CG1018	RSR45518E/RSR418E	36272
	1 1/2"	1.125"-1.250"	0731400	07401028	DC4001125	L7726	CG1020	RSR45520E/RSR420E	36273
	1 1/2"	.875"-1.000"	99613428	07401029	DC500875	L7729		RSR516E	36475
	1 1/2"	1.250"-1.375"	0731404	07401032	DC5001250	L7733	CG1222	RSR522E	36478
 DUST-TIGHT STRAIN RELIEF GRIPS NON-INSULATED, WIDE RANGE STRAIN RELIEF ALUMINUM FITTINGS, GALVANIZED STEEL MESH, FOR INSULATED CABLES	1/2"	.24"-32"	0731346	073031200	TC124			7303-001R	
	1/2"	.32"-43"	0731347	073031201	TC132			7303-002R	
	1/2"	.43"-54"	0731348	073031202	TC143			7303-003R	
	3/4"	.54"-73"	0731349	073031203A	TC254			7303-004R	
	1"	.73"-97"	0731350	073031204	TC373			7303-005R	
	1 1/4"	.97"-1.25"	0731351	073031205	TC497			7303-006R	
 DUST-TIGHT STRAIN RELIEF GRIPS INSULATED, WIDE RANGE STRAIN RELIEF WITH INSULATING BUSHING ALUMINUM FITTINGS, GALVANIZED STEEL MESH, FOR INSULATED CABLES	1/2"	.24"-32"	0731352	073031206	TC124/TC124	L7501	BOX22	7303-008	36501
	1/2"	.32"-43"	0731353	073031207	TC132/TC132	L7502	BOX30	7303-009	36503
	1/2"	.43"-54"	0731354	073031208	TC143/TC143	L7503	BOX40	7303-010	36505
	3/4"	.54"-73"	0731355	073031209A	TC1254	L7504	BOX52	7303-011	36508
	1"	.73"-97"	0731356	073031210	TC1373/TC373	L7505	BOX70	7303-012	36512
	1 1/4"	.97"-1.25"	0731357	073031211	TC497/TC497	L7506	BOX94	7303-013	36515
	1 1/2"	1.25"-1.50"	0731358	073031212	TC15125	L7507	BOX120	7303-014	36516
	2"	1.50"-1.70"	0731359	073031213	TC16150	L7508	BOX140	7303-015	36517
	2 1/2"	1.70"-2.00"	0731360	073031214	TC17170	L7509		7303-016	36518
	2 1/2"	2.00"-2.45"	0731361	073031215	TC17200	L7511		7303-017	36519






Support | Bus Drop Support Grips

Description	Diameter Range	Approx. Breaking Strength/Working Load lbs	Preferred Brand		Competitor Part Numbers				
			Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Remke	Woodhead
 SINGLE EYE, WIDE RANGE, GALVANIZED STEEL	.24"-32"	350/35	0731362	073041276	BDS22	L7981	FC22	7304-001	36560
	.32"-43"	450/45	0731363	073041277	BDS30	L7982	FC30	7304-002	36562
	.43"-54"	550/55	0731364	073041278	BDS41	L7983	FC40	7304-003	36564
	.54"-73"	1000/100	0731365	073041279	BDS53	L7984	FC52	7304-004	36567
	.73"-85"	1,400/140	0731366	073041280	BDS70	L7985	FC70	7304-005	36569
	.85"-1.00"	1,400/140	0731367	073041281	BDS82	L7986	FC70	7304-006	36571
	1.00"-1.25"	1,400/140	0731368	073041282	BDS96	L7987	FC94	7304-007	36574
	 UNIVERSAL EYE, WIDE RANGE, GALVANIZED STEEL	.32"-43"	450/45	99607721	073041284	BDU30	L7991	FC30LB	7304-011R
.43"-56"		550/55	99613210	073041285	BDU41	L7992	FC40LB	7304-012R	36584
.56"-73"		1000/100	0731371	073041286	BDU53	L7993	FC52LB	7304-013R	36587
.73"-85"		1,400/140	0731372	073041287	BDU70	L7994		7304-014R	36589
.85"-1.00"		1,400/140	99613211	073041288	BDU82	L7995	FC94LB	7304-015R	36591

Support | Standard Duty Support Grips










Description	Diameter Range	Approx. Breaking Strength/Working Load lbs	Preferred Brand		Competitor Part Numbers				
			Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Remke	Woodhead
 SINGLE EYE, CLOSED MESH, SINGLE WEAVE, TIN-COATED BRONZE	.50"-62"	530/30	0730744	02201013	SGS50	L9501	FC050U	2201-013R	35030
	.63"-74"	790/79	0730745	02201014	SGS63	L9502	FC062U	2201-014R	35031
	.75"-99"	1,020/102	0730746	02201015	SGS75	L9503	FC075U	2201-015R	35032
	1.00"-1.24"	1,610/161	0730747	02201017	SGS100	L9504	FC100U	2201-016R	35033
	1.25"-1.49"	1,610/161	0730748	02201018	SGS125	L9505	FC125U	2201-017R	35034
	1.50"-1.74"	1,610/161	0730749	02201019	SGS150	L9506	FC150U	2201-018R	35035
 SAFETY SPRING SUPPORT GRIPS, 8.25" LENGTH	.75"	500/50	0731764	20302001	B2001	L7997	S40	203-02-001	36237
	1"	850/85	0731765	20302002	B2002	L7998	S80	203-02-002	36238
 JUNIOR PULLING GRIPS	.25"-37"	450/90	0731261	03305001	LPJ25	L8500	PJ25	3305-002R	35970
	.38"-49"	900/180	0731262	03305002	LPJ37	L8501	PJ37	3305-003R	35971
	.50"-62"	1,300/260	0731263	03305003	LPJ50	L8502	PJ50	3305-004R	35972
	.63"-74"	1,950/390	0731264	03305004	LPJ62	L8503	PJ62	3305-005R	35973
	.75"-99"	2,800/560	0731265	03305005	LPJ75	L8504	PJ75	3305-006R	35974
	1.00"-1.24"	3,900/780	0731266	03305006	LPJ100	L8505	PJ100	3305-007R	35975

CIRCUIT-LOCK® DISCONNECT SWITCHES

Description	Phase/ Poles	HP				Preferred Brand		Competitor Part Numbers			
		120 ¹	240	480	600	Fastenal	Wiring Device-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Mennekes	Pass & Seymour
 30A, TYPE 1, NON-METALLIC	3/3	3	7.5	15	20	99609245	HBL1389MQR				
	3/3	3	7.5	15	20	99609247	HBL1389MQ5				
	3/3	3	7.5	15	20	99609246	HBL1389MQR2				
 30A, NEMA 1, ALUMINUM	1/2	2	5	10	15	0734368	HBL1372D	AH6808GDAC	N1302DS		7832/7842P
	3/3	3	7.5	15	20	0734369	HBL1379D	AH7810GD	N1303 DS		7813P
 30A, NEMA 1, NON-METALLIC	1/2	2	5	10	15	0734388	HBL1392D	6810G	N1302T		7812/7812P/7812PMD
	3/3	3	7.5	15	20	0734383	HBL1389D		7810GD/N1303T		7813/7813PMD
 30A, NEMA 3/3R, NON-METALLIC	1/2	2	5	10	15	99617060	HBL13R22D				
	3/3	3	7.5	15	20	0734392	HBL13R23D				
 30A, NEMA 3R, DIE CAST ALUMINUM	1/2	2	5	10	15	99617059	HBL13R12D				
	3/3	3	7.5	15	20	99617062	HBL13R13D				

¹Notes Single Phase HP










Vendor # 135794

Description	Phase/ Poles	HP				Preferred Brand		Competitor Part Numbers			
		120 ¹	240	480	600	Fastenal	Wiring Device- Kellems	Eaton-Cooper/ Arrow Hart	Leviton	Mennekes	Pass & Seymour
 30A, NEMA 3R, ALUMINUM	1/2 3/3	2 3	5 7.5	10 15	15 20	0734396 0734393	HBL13R92D HBL13R89D	AH6808WDAC AH7810WD/7810WP	N3302 N3303		7832MD 7833/7833MD
 30A, IP69K, TYPE 4X, NON-METALLIC, LABELLESS	3/3 3/3 3/3 3/3 3/3	1 1 1 1 1	7.5 7.5 7.5 7.5 5	15 15 15 15 10	15 15 15 15 10	0737213 0737216 99612060 99616996 0737218 0737214	HBLDS3 HBLDS3AC HBLDS3AC2 HBLDS3NK HBLDS3ACNK HBLDS33ACNK	AH30MS1B AH30MS1BM2	LDS30AX LDS30AX	ME20S1A/ME30S1A/ME32MS1A/ ME20MS2A/ME30MS2A	PS30SS PS30SSAX
 30A, TYPE 4X, NON-METALLIC, LABELLESS	3/3 3/3 3/3	1 1 1	7.5 7.5 7.5	15 15 15	15 15 15	99613044 99613046 99613045	HBLDS3MQR HBLDS3MQ5 HBLDS3MQR2				
 30A, IP69K, TYPE 4X, STAINLESS STEEL	3/3 3/3 3/3	1 1 1	7.5 7.5 7.5	15 15 15	15 15 15	99612212 99617149 99617152	HBLDS3SS HBLDS3SSAC HBLDS3SSVFD		MDS3AX	ME30ST1A/ME20ST2A/ME30ST2A ME30ST1AM2/ME20ST2AM2/ ME30ST2AM2	
 30A, TYPE 4X, STAINLESS STEEL	3/3 3/3	1 1	7.5 7.5	15 15	15 15	99612056 99609268	HBLDS3SSMQR HBLDS3SSMQ5				
 30A, IP69K, TYPE 4X, 12, IP69K, STAINLESS STEEL, SLOPED	3/3 3/3 3/3 3/3 3/3 3/3	1 1 1 1 1 1	7.5 7.5 7.5 7.5 7.5 7.5	15 15 15 15 15 15	15 15 15 15 15 15	99609258 922681689 99609264 99609259 99609260 99609262 99609261	HBLDS3SSR HBLDS3SSR2K HBLDS3SSRVFD HBLDS3SSRAC HBLDS3SSRMQR HBLDS3SSRMQ5 HBLDS3SSRMQR2			ME30SLP1AM2/ME30SLP1AM2V2/ ME20SLP2AM2/ME30SLP2AM2	
 30A, TYPE 4X, NON-METALLIC, FUSED DISCONNECT	3/3	1	7.5	15	20	0733384	FDS30	AH30MS2F	LDS30FAX	ME30FDS2A	PS30FSS
 30A, NEMA 4X, STAINLESS STEEL	3/3	3	7.5	15	20	99617025	HBL13S33D				
 30A, NEMA 4X, NON-METALLIC	3/3	3	7.5	15	20	99617026	HBL13X33D				

¹Notes Single Phase HP




CIRCUIT-LOCK® DISCONNECT SWITCHES

Vendor # 135794

Description	Phase/ Poles	120 ¹	HP				Preferred Brand		Competitor Part Numbers			
			240	480	600	Fastenal	Wiring Device- Kellems	Eaton-Cooper/ Arrow Hart	Leviton	Mennekes	Pass & Seymour	
 60A, NEMA 3R, ALUMINUM	1/2 3/3	- -	10 10	15 15	20 20	99612950 99612951	HBL16R92D HBL16R93D	AHMC260L3 AHMC360L3	N3602 N3603		7862R 7863R	
 60A, IP69K, TYPE 4X, NON-METALLIC	3/3 3/3	7.5 7.5	30 30	50 50	50 50	0737225 0737227	HBLDS6 HBLDS6AC	AH60MS2B AH60MS2BM2	LDS60AX LDS60AX	ME40MS1A/ME40MS2A	PS60SS PS60SSAX	
 60A, IP69K, TYPE 4X, STAINLESS STEEL	3/3 3/3	7.5 7.5	30 30	50 50	50 50	99617150 99617151	HBLDS6SS HBLDS6SSAC		MDS6AX MDS6AX	ME60ST2A		
 60A, IP69K, TYPE 4X, 12, IP69K, STAINLESS STEEL, SLOPED	3/3 3/3 3/3	7.5 7.5 7.5	30 30 30	50 50 50	50 50 50	99609265 99609267 99609266	HBLDS6SSR HBLDS6SSRVFD HBLDS6SSRAC			ME40SLP2AM2/ME60SLP2AM2 ME40SLP2AM2/ME60SLP2AM2		
 60A, TYPE 4X, NON-METALLIC, FUSED DISCONNECT	3/3	3	15	30	50	0733385	FDS60		LDS60FAX	ME60FDS3A	PS60FSS	
 60A, NEMA 4X, STAINLESS STEEL	3/3	-	10	25	30	99617032	HBL16S63D					
 60A, 600V AC, NEMA 4X, NON-METALLIC	3/3	-	10	25	30	99617029	HBL16X63D					
 100A, IP69K, TYPE 4X, NON-METALLIC	3/3 3/3	7.5 7.5	30 30	50 50	50 50	0737210 0737211	HBLDS10 HBLDS10AC	AH100MS2M2	LDS100AX LDS100AX	ME80MS2A/ME100MS2A	PS100SS PS100SSAX	
 100A, IP69K, TYPE 4X, STAINLESS STEEL	3/3 3/3	7.5 7.5	30 30	50 50	50 50	99617147 99617148	HBLDS10SS HBLDS10SSAC		MDS1AX MDS1AX	ME100ST3A ME100ST3A		

¹Notes Single Phase HP





Vendor # 135794

Description	Phase/ Poles	HP				Preferred Brand		Competitor Part Numbers			
		120 ¹	240	480	600	Fastenal	Wiring Device-Kellems	Eaton-Cooper/ Arrow Hart	Leviton	Mennekes	Pass & Seymour
 100A, IP69K, TYPE 4X, 12, IP69K, STAINLESS STEEL, SLOPED	3/3	7.5	30	50	50	99609255	HBLDS10SSR				
	3/3	7.5	30	50	50	99609257	HBLDS10SSRVFD			ME100SLP3AM2/ME100SLP4AM2	
	3/3	7.5	30	50	50	99609256	HBLDS10SSRAC				
 200A, TYPE 4X, 12, NON-METALLIC	3/3	10	75	150	200	923667314	HBLDS20				
 200A, TYPE 4X, 12, STAINLESS STEEL	3/3	10	75	150	200	923667316	HBLDS20SS				

BRYANT® STRAIGHT BLADE DEVICES | INDUSTRIAL GRADE



















Vendor # 132611

Receptacles | Extra Heavy Duty, Specification Grade

Description	Color	Preferred Brand		Eaton-Cooper/ Arrow Hart	Leviton	Competitor Part Numbers	
		Fastenal	Bryant			Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15R, DUPLEX	Black	99398460	BRY5262BLK	AH5262BK	5262E	5262ABK	
	Brown	0702386	BRY5262	AH5262B	5262	5262A	
	Gray	99398461	BRY5262GRY	AH5262GY	5262GY	5262AGRY	
	Ivory	0702385	BRY5262I	AH5262V	5262I	5262AI	
	White	99398463	BRY5262W	AH5262W	5262W	5262AW	
 20A 125V, NEMA 5-20R, DUPLEX	Black	99398464	BRY5362BLK	AH5362BK	5362E	5362ABK	
	Brown	0702387	BRY5362	AH5362B	5362	5362A	
	Gray	99398466	BRY5362GRY	AH5362GY	5362GY	5362AGRY	
	Ivory	0703913	BRY5362I	AH5362V	5362I	5362AI	
	White	99398468	BRY5362W	AH5362W	5362W	5362AW	
 15A 250V, NEMA 6-15R, DUPLEX	Brown	99399142	BRY5662	AH5662B/5662CB	5098/5662	5662/5662A	5662DW
	Ivory	99399144	BRY5662I	AH5662V/5662CV	5098I/5662I	5662AI/5662I	
 20A 250V, NEMA 6-20R, DUPLEX	Black	99399154	BRY5462BLK	815BK		5862BK/5862ABK	
	Brown	99399155	BRY5462	AH5462B/5462CB	5462/5824	5862/5862A	5452DW/5462DW
	Gray	99399156	BRY5462GRY	AH5462GY	5462GY/5824GY	5862GRY/5862AGRY	
	Ivory	99399157	BRY5462I	AH5462V/5462CV	5822I/5824I	5862AI/5862I	
	Red	99399158	BRY5462RED			5862RED/5862ARED	

¹Notes Single Phase HP

Receptacles | Extra Heavy Duty, Specification Grade, Continued







Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, SINGLE	Black Brown Ivory	99402572 0700768 0702388	5261BLK 5261 5261I	5261B 5261V	5261 5261I	5261 5261I	
  20A 125V, NEMA 5-20R, SINGLE	Black Brown Gray Ivory White	99398292 0700771 99402578 0702390 99398294	5361BLK 5361 5361GRY 5361I 5361W	5361BK 5361B 5361GY 5361V 5361W	5361E 5361 5361GY 5361I 5361W	5361BK 5361 5361GRY 5361I 5361W	
  15A 250V, NEMA 6-15R, SINGLE	Brown Ivory	0700769 0702389	5661 5661I	5661B 5661V	5651/5661 5089I	5651/5671 5651I/5671I	
  15A 250V, NEMA 6-15R, COMPACT, BACK AND SIDE WIRED, SINGLE	Brown ²	99402546	5684	AH5684		5658	
  20A 250V, NEMA 6-20R, SINGLE	Brown Ivory	0700772 0702391	5461 5461I	5461B 5461V	5461/5823 5461I/5821I	5851/5871 5851I/5871I	
  15A 125V, NEMA 5-15R, COMPACT, BACK AND SIDE WIRED, DUPLEX	Black Brown Gray Ivory White	99399506 0722778 99399507 0722779 99399509	5262BBLK 5262BN 5262BGRY 5262BI 5262BW	AH5252BK AH5252B AH5252GY AH5252V AH5252W	5252E/ 5262E 5252/5262 5252GY/5262GY 5252I/5262I 5252W/5262W	PSS5262BK PSS5262 PSS5262GRY PSS5262I PSS5262W	5252DWBLK 5252DW/5262DW 5262DWI 5262DWW
  20A 125V, NEMA 5-20R, COMPACT, BACK AND SIDE WIRED, DUPLEX	Black Brown Gray Ivory White	99399510 0722780 99399511 0722781 99399513	5362BBLK 5362BN 5362BGRY 5362BI 5362BW	AH5352BK/5352BK AH5352B AH5352GY AH5352V AH5352W	5352E/5362E 5352/5362 5352GY/5362GY 5352I/5362I 5352W/5362W	PSS5362BK PSS5362 PSS5362GRY PSS5362I PSS5362W	5362DWBLK 5352DW/5362DW 5362DWI
  15A 125V, NEMA 5-15R, COMPACT, SIDE WIRED ONLY, DUPLEX	Brown Gray Ivory White	99399161 99399162 99399163 99399165	5242 5242GRY 5242I 5242W	5242/AH5242B 5242GRY/AH5242GY 5242I/AH5242V 5242W/AH5242W	5242 5242GY 5242I 5242W		
  20A 125V, NEMA 5-20R, COMPACT, SIDE WIRED ONLY, DUPLEX	Brown Gray Ivory White	99399167 99399168 99399169 99399171	5342 5342GRY 5342I 5342W	5342 5342GRY 5342I 5342W	5342 5342GY 5342I 5342W		

² Panel mount version available, 1.94 in. (49.3) centers

















BRYANT® STRAIGHT BLADE DEVICES | INDUSTRIAL GRADE

Vendor # 132611

Receptacles | Extra Heavy Duty, Specification Grade, Continued













Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, HEAVY DUTY SINGLE	Brown Ivory Brown ²	99402632 99402633 99402544	5251 5251I 5258	817B/5251B 817V AH5684/5258B	5251 5251I 5258SS	5251 5251I 5258	
  20A 125V/250V, NEMA 10-20R, SINGLE	Black	0700780	9326	805VBOX	5032I	6810	
  20A 3ØY 120/208V AC, NEMA 18-20R, SINGLE	Black	923667249	7250	7250	7250FR	3822	

Plugs | TECH-SPEC® Triple Gripper®

















Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15P	Black & White	0701958	BRY5266NP	AH5266/5266	5266C/5266	PSS266XBK/PSS266X	5266
  15A 125V, NEMA 5-15P, ANGLE	Black & White	99401426	5295	6265/5266AN	5266CA	PSS266SSAN	14R47
  15A 125V, NEMA 5-15P	Yellow & White ¹	99401451	BRY5266NPCR	AH5965CR/5266NCR	52CM66C	CR5266X	
  20A 125V, NEMA 5-20P	Black & White	0701961	BRY5366NP	5366/6766/5366N	5366C/5366CY	PSS366X/5366XCN	5366
  20A 125V, NEMA 5-20P, ANGLE	Black & White	99401427	5395	5366AN	5356VA/5366CA	5366SSAN	14R33
  20A 125V, NEMA 5-20P	Yellow & White ¹	99401433	BRY5366NPCR	5364VCR/5366NCR	53CM66C	D0521C	
  15A 250V, NEMA 6-15P	Black & White	0701959	BRY5666NP	6666/5666N	1449/5666C	PSS666X/5666BK	5666
  15A 250V, NEMA 6-15P, ANGLE	Black & White	99401465	5695	5666AN	15656VA	5666SSAN	

¹ Corrosion resistant device | ² Panel mount version available, 1.75 in. (44.5) centers

Plugs | TECH-SPEC® Triple Gripper®, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 250V, NEMA 6-15P	Yellow	99401452	BRY5666NPSY		56CM66C		
  20A 250V, NEMA 6-20P	Black & White	0701962	BRY5466NP				
  20A 250V, NEMA 6-20P	Yellow	99401435	BRY5466NPSY				
  20A 125V/250V, NEMA 10-20P	Black & White	0700781	9151N	9151N	9151N	9977	
  20A 3ØY 120/208V, NEMA 18-20P	Gray & White	0700798	7251N	7251N	7251C	7251DF	
  15A 125V, NEMA 5-15P, COBRA®	Yellow Black	0700343 99403480	BRY5965Y 5966VBK	5269N	5259VG	5269XGY	








Flanged Inlets & Receptacles | TECH-SPEC® Triple Gripper®

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15P, FLANGED INLET	White	99399281	5278	5278C	5239/5278C	4515/5278SS	1447MB
  20A 125V, NEMA 5-20P, FLANGED INLET	White	99399284	5378	5778C	15378C	5378SS	1433MB
  15A 250V, NEMA 6-15P, FLANGED INLET	White	99399282	5678	5678C	15678C	5678SS	1449MB
  20A 250V, NEMA 6-20P, FLANGED INLET	White	99399285	5478	5878C	5478C	5478SS	1448MB
  15A 125V, NEMA 5-15R, FLANGED RECEPTACLE	White	99399286	5279	5279C	5279C	5279SS	1547MB
  20A 125V, NEMA 5-20R, FLANGED RECEPTACLE	White	99399288	5379	5779C	15379C	5379SS	1533MB
  15A 250V, NEMA 6-15R, FLANGED RECEPTACLE	White	99399287	5679	5679C	15679C	5679SS	1549MB
  20A 250V, NEMA 6-20R, FLANGED RECEPTACLE	White	99399289	5479	5879C	5479C	5479SS	1548MB





BRYANT® STRAIGHT BLADE DEVICES | INDUSTRIAL GRADE

Vendor # 132611

Connectors | TECH-SPEC® Triple Gripper®









Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15R	Black & White	0701342	BRY5269NC	AH5269/5269/5269N	5269C	P55269X/5269X	5269
 15A 125V, NEMA 5-15R	Yellow & White ¹	99398821	BRY5269NCCR	AH5969CR/5269NCR	52CM69C	CR5269X	
 20A 125V, NEMA 5-20R	Black & White	0701478	BRY5369NC	AH5369/5369/5369N	5369C	P55369X/5369X	5369/5370
 20A 125V, NEMA 5-20R	Yellow	99403479	5369BY	5369NCR	53CM69C	D0523C	
 15A 250V, NEMA 6-15R	Black	99398774	5669B	AH5669/5669/5669N	1549	P55669X/5669BK/5669XHG	5669
 20A 250V, NEMA 6-20R	Black & White	0701475	BRY5469NC	AH5469/5469/5469N	1548/5469C	5469X/5469XHG/5866BK	1548/5469
 15A 125V, NEMA 5-15R, COBRA®	Yellow Black	0700344 99403478	BRY5969Y 5969VBK	5269N	5259VG	5269XGY	

Receptacles | Specification Grade

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15R, BACK & SIDE WIRED, DUPLEX	Black	99399082	CBRS15BLK	BR15B	BR15	BR15	
	Brown	0701984	CBRS15	BR15GY	BR15GY	BR15GRY	
	Gray	99399084	CBRS15GRY	BR15V	BR15I	BR15I	
	Ivory	0701982	CBRS15I	BR15W	BR15W	BR15W	
	White	99399086	CBRS15W	BR15B	BR15	BR15	
 20A 125V, NEMA 5-20R, BACK & SIDE WIRED, DUPLEX	Black	99399089	CBRS20BLK	BR20BK	BR20E		
	Brown	0701987	CBRS20	BR20B	BR20	BR20	
	Gray	99399091	CBRS20GRY	BR20GY	BR20GY	BR20GRY	
	Ivory	0701983	CBRS20I	BR20V	BR20I	BR20I	
	White	99399094	CBRS20W	BR20W	BR20W	BR20W	
 15A 125V, NEMA 5-15R, BACK & SIDE WIRED, DUPLEX, TAMPER-RESISTANT	Black	99401982	CBRS15BLKTR	TRBR15BK	TBR15E		
	Brown	99401983	CBRS15TR	TRBR15B	TBR15		
	Gray	99401984	CBRS15GRYTR	TRBR15GY	TBR15GY		
	Ivory	99398555	CBRS15ITR	TRBR15V	TBR15I		
	White	99401986	CBRS15WTR	TRBR15W	TBR15W		
 20A 125V, NEMA 5-20R, BACK & SIDE WIRED, DUPLEX, TAMPER-RESISTANT	Black	99401988	CBRS20BLKTR	TRBR20BK	TBR20E		
	Brown	99401989	CBRS20TR	TRBR20B	TBR20		
	Gray	99401990	CBRS20GRYTR	TRBR20GY	TBR20GY		
	Ivory	99401991	CBRS20ITR	TRBR20V	TBR20I		
	White	99401993	CBRS20WTR	TRBR20W	TBR20W		







¹ Corrosion resistant device

Receptacles | Specification Grade, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, SIDE WIRED ONLY, DUPLEX	Black	99398856	CRS15BLK	CR15BK	CR15E		
	Brown	99399083	CRS15	CR15B	CR15	CR15	
	Gray	99398857	CRS15GRY	CR15GY	CR15GY	CR15GY	CR15
	Ivory	0726029	CRS15I	CR15V	CR15I	CR15I	CR15GRY
	White	99398858	CRS15W	CR15W	CR15W	CR15W	CR15I
  20A 125V, NEMA 5-20R, SIDE WIRED ONLY, DUPLEX	Black	99398860	CRS20BLK	CR20BK	CR20E		CR20BK
	Brown	99399090	CRS20	CR20B	CR20	CR20	CR20
	Gray	99398861	CRS20GRY	CR20GY	CR20GY	CR20GY	CR20GRY
	Ivory	99399092	CRS20I	CR20V	CR20I	CR20I	CR20I
	White	99399087	CRS20W	CR20W	CR20W	CR20W	CR20W
  15A 125V, NEMA 5-15R, SIDE WIRED ONLY, DUPLEX, TAMPER-RESISTANT	Black	99402147	CRS15BLKTR	TRCR15BK	TCR15E		TR15BK
	Brown	99402148	CRS15TR	TRCR15B	CR15SG	TR15	TR15
	Gray	99402149	CRS15GRYTR	TRCR15GY	CR15SGG	TR15GRY	TR15GRY
	Ivory	99402150	CRS15ITR	TRC15LV	CR15SGI	TR15I	TR15I
	White	99402152	CRS15WTR	TRCR15W	CR15SGW	TR15W	TR15W
  20A 125V, NEMA 5-20R, SIDE WIRED ONLY, DUPLEX, TAMPER-RESISTANT	Black	99402154	CRS20BLKTR	TRCR20BK	TCR20E		TR20BK
	Brown	99402155	CRS20TR	TRCR20B	TCR20	TR20	TR20
	Gray	99402156	CRS20GRYTR	TRCR20GY	TCR20GY	TR20GRY	TR20GRY
	Ivory	99402157	CRS20ITR	TRCR20V	T5820I	TR20I	TR20I
	White	99402159	CRS20WTR	TRCR20W	T5820W	TR20W	TR20W

LOCKING DEVICES | INDUSTRIAL GRADE

Receptacles | Extra Heavy Duty

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA L5-15R, DUPLEX	Brown	99399958	4700DR	4700/WD4700	4700	4700	4700/4700DW
	Ivory	99399959	4700DRI	4700I			
	Orange	99399965	4700DRIG	IG4700	4700IG	IG4700	
	Yellow	99399964	4700DRCR	CR4700/4700CR			
  15A 250V, NEMA L6-15R, DUPLEX	Brown	99399960	70615DR	6580	4550	4550	
	Orange	99399966	70615DRIG				
  15A 277V, NEMA L7-15R, DUPLEX	Brown	99399961	4750DR	4750	4750	4750	








BRYANT® LOCKING DEVICES | INDUSTRIAL GRADE

Vendor # 132611

Receptacles | Extra Heavy Duty, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, SINGLE	Black Short Strap	0700804 99402542	4710 4713BRY	4713	47CM10		
  15A 250V, NEMA L6-15R, SINGLE	Black	0700805	70615FR	AHL615R/6560	4560	4560	
  15A 277V, NEMA L7-15R, SINGLE	Black	0700806	4760	AHL715R/4760	4760	4760	
  20A 125V, NEMA L5-20R, SINGLE	Black	0700807	70520FR	AHL520R/L520R	2310	L520R	4747
  20A 250V, NEMA L6-20R, SINGLE	Black	0700808	70620FR	AHL620R/L620R	2320	L620R	4748
  20A 277V, NEMA L7-20R, SINGLE	Black	0700809	70720FR	AHL720R	2330	L720R	4749
  20A 125/250V, NEMA L14-20R, SINGLE	Black	0700819	71420FR	AHL1420R/L1420R	2410	L1420R	4774
  20A 3Ø 250V AC, NEMA L15-20R, SINGLE	Black	0700820	71520FR	AHL1520R	2420	L1520R	4775
  20A 3Ø 480V AC, NEMA L16-20R, SINGLE	Black	0700821	71620FR	AHL1620R	2430	L1620R	4776







Receptacles | Extra Heavy Duty, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  20A 3ØY 120/208V AC, NEMA L18-20R, SINGLE	Black	0702543	71820FR	AHL1820R	2440	L1820R	
  20A 3ØY 277/480V AC, NEMA L19-20R, SINGLE	Black	0702544	71920FR	AHL1920R	2450	L1920R	
  20A 3ØY 120/208V AC, NEMA L21-20R, SINGLE	Black	0702561	72120FR	AHL2120R/L2120R	2510	L2120R	
  30A 125V, NEMA L5-30R, SINGLE	Black	0700812	70530FR	AHL530R	2610	L530R	4947
  30A 250V NEMA, L6-30R, SINGLE	Black	0700813	70630FR	AHL630R/L630R	2620	L630R	4948
  30A 125/250V, NEMA L14-30R, SINGLE	Black	0700822	71430FR	AHL1430R	2710	L1430R	4974
  30A 3Ø 250V AC, NEMA L15-30R, SINGLE	Black	0700823	71530FR	AHL1530R/L1530R	2720	L1530R	4975
  30A 3Ø 480V AC, NEMA L16-30R, SINGLE	Black	0700824	71630FR	AHL1630R	2730	L1630R	4976
  30A 3Ø 600V AC, NEMA L17-30R, SINGLE	Black	0700825	71730FR	AHL1730R	2740	L1730R	





















BRYANT® LOCKING DEVICES | INDUSTRIAL GRADE

Vendor # 132611

Receptacles | Extra Heavy Duty, Continued













Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  30A 3ØY 120/208V AC, NEMA L18-30R, SINGLE	Black	0702546	71830FR	AHL1830R	2750	L1830R	
  30A 3ØY 277/480V AC, NEMA L19-30R, SINGLE	Black	0702547	71930FR	AHL1930R	2760	L1930R	
  30A 3ØY 120/208V AC, NEMA L21-30R, SINGLE	Black	0702564	72130FR	AHL2130R	2810	L2130R	

Plugs | TECH-SPEC® Triple Gripper®





Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA L5-15P	Black & White Yellow & White ¹	0701323 99400134	4721NP 4721NPCR	CWL515P/4720/4721N 4721NCR	4720C 47CM20C	PSL515P CRL515P	4720
  15A 125V, NEMA L5-15P, ANGLE	Black & White	99400081	4722N	CWL515PAN/4721AN	4720CA	PS4720SSAN	
  15A 250V, NEMA L6-15P	Black & White	0701324	70615NP	6565NY	45CM70C		2449/24T49
  15A 277V, NEMA L7-15P	Black & White	0701325	4770NP		47CM70C		
  20A, 125V, NEMA L5-20P	Black & White Yellow & White ¹	0701326 99400135	70520NP 70520NPCR	AHL520P/L520P	2311	L520P/L520PCN	2647/26T47
  20A, 250V, NEMA L6-20P	Black & White Yellow & White ¹	0701327 99400136	70620NP 70620NPCR	AHL620P CRL620P	2321 23CM21	L620PCN CRL620P	2648/26T48
  20A, 277V, NEMA L7-20P	Black & White	0701328	70720NP	AHL720P	2331	L720P/L720PCN	2649/26T49
  20A, 125/250V, NEMA L14-20P	Black & White	0701970	71420NP	CRL1420P		CRL1420P	2674/26T74
  20A 3Ø 250V AC, NEMA L15-20P	Black & White	0701971	71520NP	CRL1520P			2675/26T75
  20A 3Ø 480V AC, NEMA L16-20P	Black & White	0701972	71620NP	CRL1620P			2776/26T76

¹ Corrosion resistant device

Plugs | TECH-SPEC® Triple Gripper,® Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
 20A 3ØY 120/208V, NEMA L18-20P	Black & White	0702531	71820NP	AHL1820P	2441	L1820P	
 20A 3ØY 277/480V AC, NEMA L19-20P	Black & White	0702532	71920NP	AHL1920P	2451	L1920P	
 20A 3ØY 120/208V AC, NEMA L21-20P	Black & White	0702549	72120NP	AHL2120P	2511	L2120P/L2120PCN	2681/26T81
 30A 125V, NEMA L5-30P	Black & White Yellow & White ¹	0701330 99400137	70530NP 70530NPCR	AHL530P CRL530P	2611 26CM11	L530P/L530PCN CRL530P	2847/28T47
 30A 250V, NEMA L6-30P	Black & White Yellow & White ¹	0701331 99400138	70630NP 70630NPCR	AHL630P CRL630P	2621 26CM21	L630P/L630PCN CRL630P	2848/28T48
 30A 125/250V, NEMA L14-30P	Black & White	0701973	71430NP	AHL1430P	2711	L1430P/L1430PCN	2874/28T74
 30A 3Ø 250V AC, NEMA L15-30P	Black & White	0701974	71530NP	CRL1530P	27CM21		2875/28T75
 30A 3Ø 480V AC, NEMA L16-30P	Black & White	0701975	71630NP	AHL1630P	2731	L1630P	2876/28T76
 30A 3Ø 600V AC, NEMA L17-30P	Black & White	0701976	71730NP	AHL1730P	2741	L1730P/L1730PCN	2877/28T77
 30A 3ØY 120/208V AC, NEMA L18-30P	Black & White	0702534	71830NP	AHL1830P	2751	L1830P	
 30A 3ØY 277/480V AC, NEMA L19-30P	Black & White	0702535	71930NP	AHL1930P	2761	L1930P	
 30A 3ØY 120/208V AC, NEMA L21-30P	Black & White	0702552	72130NP	AHL2130P	2811	L2130P	2881/28T81

Connectors | TECH-SPEC® Triple Gripper®


















Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA L5-15R	Black & White Yellow & White ¹	0701477 99399939	4732NC 4732NCCR	CWL515C/4729/4731N 4731NCR	4729C 47CM29C	PSL515C/L515CCN CRL515C	4729
 15A 250V, NEMA L6-15R	Black & White	0701343	70615NC	CWL615C/6566N	4579C	PSL615C/L615CCN	2549/25T49
 15A 277V, NEMA L7-15R	Black & White	0701344	4779NC	CWL715C/4772N	4779C	PSL715C/L715C	2534/4779
 20A 125V, NEMA L5-20R	Black & White Yellow & White ¹	0701345 99399940	70520NC 70520NCCR	CWL520C/AHL520C	2313	L520C/L520CCN	2747/27T47

¹ Corrosion resistant device

BRYANT® LOCKING DEVICES | INDUSTRIAL GRADE

Vendor # 132611

Connectors || TECH-SPEC® Triple Gripper®, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
 20A 250V, NEMA L6-20R	Black & White Yellow & White ¹	0701346 99399941	70620NC 70620NCCR	AHL620C	2323	L620C/L620CCN	2748/27T48
 20A 277V, NEMA L7-20R	Black & White	0701347	70720NC	AHL720C	2333	L720C	2749/27T49
 20A 125/250V, NEMA L14-20R	Black & White	0701353	71420NC	AHL1420C		L1420C/L1420CCN	2774/27T74
 20A 3Ø 250V, NEMA L15-20R	Black & White	0701354	71520NC	CRL1520C			2775/27T75
 20A 3Ø 480V, NEMA L16-20R	Black & White	0701355	71620NC	CRL1620C			27T76
 20A 3ØY 120/208V, NEMA L18-20R	Black & White	0702537	71820NC	AHL1820C	2443	L1820C	
 20A 3ØY 277/480V, NEMA L19-20R	Black & White	0702538	71920NC	AHL1920C	2453	L1920C	
 20A 3ØY 120/208V, NEMA L21-20R	Black & White	0702555	72120NC	AHL2120C	2513	L2120C	2781/27T81
 30A 125V, NEMA L5-30R	Black & White Yellow & White ¹	0701349 99399942	70530NC 70530NCCR	AHL530C CRL530C	2613 26CM13	L530C CRL530C	2947/29T47
 30A 250V, NEMA L6-30R	Black & White Yellow & White ¹	0701350 99400113	70630NC 70630NCCR	AHL630C CRL630C	C2623/2623B 26CM23	L630C/L630CCN CRL630C	2948/29T48
 30A 125/250V, NEMA L14-30R	Black & White	0701356	71430NC	AHL1430C/L1430C	2713	L1430C/L1430CCN	2974/29T74
 30A 3Ø 250V, NEMA L15-30R	Black & White	0701357	71530NC	AHL1530C/L1530C	2723	L1530C/L1530CCN	2975/29T75
 30A 3Ø 480V, NEMA L16-30R	Black & White	0701358	71630NC	AHL1730C	CWL1730C	CWL1730C	2976/29T76
 30A 3Ø 600V, NEMA L17-30R	Black & White	0701359	71730NC	AHL1730C	2743	L1730C/L1730CCN	2977/29T77
 30A 3ØY 120/208V, NEMA L18-30R	Black & White	0702540	71830NC	AHL1830C	2753	L1830C	
 30A 3ØY 277/480V, NEMA L19-30R	Black & White	0702541	71930NC	AHL1930C	2763	L1930C	
 30A 3ØY 120/208V, NEMA L21-30R	Black & White	0702558	72130NC	AHL2130C	2813	L2130C	2981/29T81

¹ Corrosion resistant device















Flanged Inlets

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15P	White	99399969	4716MB	CWL515FI	4716C	4716SS	2447MB
 15A 250V, NEMA L6-15P	White	99399970	70615MB	CWL615FI	4586C	614	2449MB
 15A 277V, NEMA L7-15P	White	99399971	4786MB	CWL715FI	4786C	L0714	2434MB
 20A 125V, NEMA L5-20P	White	99399978	70520MB	AHL520FI	2315	L520FI	2647MB
 20A 250V, NEMA L6-20P	White	99399980	70620MB	AHL620FI	2325	L620FI	2648MB
 20A 277V, NEMA L7-20P	White	99399984	70720MB	AHL720FI	2335	L720FI	2649MB
 20A 125/250V, NEMA L14-20P	White	99399976	71420MB	AHL1420FI	2415	L1420FI	2674MB
 20A 3Ø 250V, NEMA L15-20P	White	99399989	71520MB	AHL1520FI	2425	L1520FI	2675MB
 20A 3Ø 480V, NEMA L16-20P	White	99399992	71620MB	AHL1620FI	2435	L1620FI	2676MB
 20A 3ØY 120/208V, NEMA L18-20P	White	99399972	71820MB	AHL1820FI	2445	L1820FI	
 20A 3ØY 277/480V, NEMA L19-20P	White	99399982	71920MB	AHL1920FI	2455	L1920FI	
 20A 3ØY 120/208V, NEMA L21-20P	White	99399973	72120MB	AHL2120FI	2515	L2120FI	2681MB
 30A 125V, NEMA L5-30P	White	99400004	70530MB	AHL530FI	2615	L530FI	2847MB
 30A 250V, NEMA L6-30P	White	99400005	70630MB	AHL630FI	2625F	L630FI	2848MB













BRYANT® LOCKING DEVICES | INDUSTRIAL GRADE

Vendor # 132611





























Flanged Inlets | Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  30A, 125/250V, NEMA L14-30P	White	99400002	71430MB	AHL1430FI	2715	L1430FI	2874MB
  30A 3Ø 250V, NEMA L15-30P	White	99400014	71530MB	AHL1530FI	2725	L1530FI	2875MB
  30A 3Ø 480V, NEMA L16-30P	White	99400017	71630MB	AHL1630FI	2735	L1630FI	2876MB
  30A 3Ø 600V, NEMA L17-30P	White	99400019	71730MB	AHL1730FI	2745	L1730FI	2745
  30A 3ØY 120/208V, NEMA L18-30P	White	99399998	71830MB	AHL1830FI	2755	L1830FI	
  30A 3ØY 277/480V, NEMA L19-30P	White	99400007	71930MB	AHL1930FI	2765	L1930FI	
  30A 3ØY 120/208V, NEMA L21-30P	White	99399999	72130MB	AHL2130FI	2815	L2130FI	2881MB

Flanged Receptacles

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA L5-15R	White	99400199	4715ER	AHL515FO	4715C	4715SS	2547MB
  15A 250V, NEMA L6-15R	White	99400032	70615ER	AHL615FO	4585C		2549MB
  15A 277V, NEMA L7-15R	White	99400033	4785ER	AHL715FO	4785C		2534MB
  20A 125V, NEMA L5-20R	White	99400038	70520ER	AHL520FO	2316	L520FO	2747MB
  20A 250V, NEMA L6-20R	White	99400040	70620ER	AHL620FO	2326	L620FO	2748MB
  20A 277V, NEMA L7-20R	White	99400043	70720ER	AHL720FO	2336	L720FO	2749MB



Flanged Receptacles | Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  20A 125/250V, NEMA L14-20R	White	99400037	71420ER	AHL1420FO	2416	L1420FO	2774MB
  20A 3Ø 250V, NEMA L15-20R	White	99400047	71520ER	AHL1520FO	2426	L1520FO	2775MB
  20A 3Ø 480V, NEMA L16-20R	White	99400049	71620ER	AHL1620FO	2436	L1620FO	2776MB
  20A 3ØY 120/208V, NEMA L18-20R	White	99400034	71820ER	AHL1820FO	2446	L1820FO	
  20A 3ØY 277/480V, NEMA L19-20R	White	99400041	71920ER	AHL1920FO	2456	L1920FO	
  20A 3ØY 120/208V, NEMA L21-20R	White	99400035	72120ER	AHL2120FO	2516	L2120FO	2781MB
  30A 125V, NEMA L5-30R	White	99400055	70530ER	AHL530FO	2616	L530FO	2947MB
  30A 250V, NEMA L6-30R	White	99400056	70630ER	AHL630FO	2626F	L630FO	2948MB
  30A 125/250V, NEMA L14-30R	White	99400054	71430ER	AHL1430FO	2716	L1430FO	2974MB
  30A 3Ø 250V, NEMA L15-30R	White	99400063	71530ER	AHL1530FO	2726	L1530FO	2975MB
  30A 3Ø 480V, NEMA L16-30R	White	99400065	71630ER	AHL1630FO	2736	L1630FO	2976MB
  30A 3Ø 600V, NEMA L17-30R	White	99400067	71730ER	AHL1730FO	2746	L1730FO	2977MB
  30A 3ØY 120/208V, NEMA L18-30R	White	99400051	71830ER	AHL1830FO	2756	L1830FO	
  30A 3ØY 277/480V, NEMA L19-30R	White	99400057	71930ER	AHL1930FO	2766	L1930FO	

BRYANT® LOCKING DEVICES | INDUSTRIAL GRADE

Vendor # 132611













Flanged Receptacles | Continued

Description	Color	Preferred Brand		Eaton-Cooper/ Arrow Hart	Competitor Part Numbers		
		Fastenal	Bryant		Leviton	Pass & Seymour	Woodhead
  30A 3ØY 120/208V, NEMA L21-30R	White	99400052	72130ER	AHL2130FO	2816	L2130FO	2981MB







BRYANT® GFCI DEVICES | COMMERCIAL GRADE

Vendor # 132611

CIRCUITPRO® Self-Test GFCI Receptacles | Heavy Duty


Description	Color	Preferred Brand		Eaton-Cooper/ Arrow Hart	Competitor Part Numbers		
		Fastenal	Bryant		Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15R, TAMPER- AND WEATHER RESISTANT	Black Brown Gray Ivory Red White	923667256 923667299 923667243 923667250 923667304 923713475	GFTW15BK GFTW15 GFTW15GY GFTW15I GFTW15R GFTW15W	TWRSGF15B/TWRS-GF15FB TWRSGF15FGY TWRSGF15FV TWRSGF15W	GFWT1E GFWT1 GFWT1GY GFWT1I GFWT1W	1597TRWRBK 1597TRWR 1597TRWRGRY 1597TRWRI 1597TRWRW	
  20A 125V, NEMA 5-20R, TAMPER- AND WEATHER RESISTANT	Black Brown Gray Ivory Red White	923667265 923667301 923667294 923667285 923667306 923713474	GFTW20BK GFTW20 GFTW20GY GFTW20I GFTW20R GFTW20W	TWRSGF20B TWRSGF20GY TWRSGF20V TWRSGF20W	GFWT2E GFWT2 GFWT2GY GFWT2I GFWT2W	2097TRWRBK 2097TRWR 2097TRWRGRY 2097TRWRI 2097TRWRW	
  15A 125V, NEMA 5-15R, TAMPER RESISTANT	Black Brown Gray Ivory Red White	923667307 923667268 923667297 923667255 923667240 923667248	GFT15BK GFT15 GFT15GY GFT15I GFT15R GFT15W	TRSGF15BK TRSGF15 TRSGF15GY TRSGF15V TRSGF15W	GFTR1E GFTR1 GFTR1GY GFTR1I GFTR1W	1597TRBK 1597TR 1597TRGRY 1597TRI 1597TRW	
  20A 125V, NEMA 5-20R, TAMPER RESISTANT	Black Brown Gray Ivory Red White	923667269 923667293 923667262 923667290 923667276 923667283	GFT20BK GFT20 GFT20GY GFT20I GFT20R GFT20W	TRSGF20BK TRSGF20 TRSGF20GY TRSGF20V TRSGF20W	GFTR2E GFTR2 GFTR2GY GFTR2I GFTR2W	2097TRBK 2097TR 2097TRGRY 2097TRI 2097TRW	
  15A 125V, NEMA 5-15R	Black Brown Gray Ivory Red White	923667274 923667261 923667289 923667308 923667300 923667305	GF15BK GF15 GF15GY GF15I GF15R GF15W	SGF15BK SGF15 SGF15GY SGF15V SGF15W	GFNT1E GFNT1 GFNT1GY GFNT1I GFNT1W	1597BK 1597 1597GRY 1597I 1597RED 1597W	5252GF
  20A 125V, NEMA 5-20R	Black Brown Gray Ivory Red White	923667263 923667258 923667241 923667238 923667257 923667251	GF20BK GF20 GF20GY GF20I GF20R GF20W	SGF20BK SGF20 SGF20GY SGF20I SGF20RD SGF20W	GFNT2E GFNT2 GFNT2GY GFNT2FI GFNT2R GFNT2W	2097BK 2097 2097GRY 2097I 2097RED 2097W	5352GF

CIRCUITPRO® Self-Test GFCI Receptacles | Hospital Grade

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
 <p>15A 125V, NEMA 5-15R, HEAVY DUTY, TAMPER- AND WEATHER RESISTANT</p>	Black	923667284	GFST82BKTR	TRSGFH15BK	GFTR1HGE/GFWT1HGE	1597HGTRBK	
	Brown	923667302	GFST82TR	TRSGFH15B	GFTR1HG/GFWT1HG	1597HGTR	
	Gray	923667288	GFST82GYTR	TRSGFH15GY	GFTR1HGGY/GFWT1HGGY	1597HGTRGRY	
	Ivory	923667242	GFST82ITR	TRSGFH15V	GFTR1HGI/GFWT1HGI	1597HGTRI	
	Red	923667260	GFST82RTR	TRSGFH15RD	GFTR1HGR/GFWT1HGR	1597HGTRRED	
White	923667291	GFST82WTR	TRSGFH15W	GFTR1HGW/GFWT1HGW	1597HGTRW		
 <p>20A 125V, NEMA 5-20R, HEAVY DUTY, TAMPER- AND WEATHER RESISTANT</p>	Black	923667254	GFST83BKTR	TRSGFH20BK	GFTR2HGE/GFWT2HGE	2097HGTRBK	
	Brown	923667303	GFST83TR	TRSGFH20B	GFTR2HG/GFWT2HG	2097HGTR	
	Gray	923667270	GFST83GYTR	TRSGFH20GY	GFTR2HGGY/GFWT2HGGY	2097HGTRGRY	
	Ivory	923667247	GFST83ITR	TRSGFH20V	GFTR2HGI/GFWT2HGI	2097HGTRI	
	Red	923667295	GFST83RTR	TRSGFH20RD	GFTR2HGR/GFWT2HGR	2097HGTRRED	
White	923667286	GFST83WTR	TRSGFH20W	GFTR2HGW/GFWT2HGW	2097HGTRW		
 <p>15A 125V, NEMA 5-15R, HEAVY DUTY, TAMPER RESISTANT WITH ALARM</p>	Black	923667253	GFST82BKTRB			1597HGTRBK	
	Brown	923667281	GFST82TRB			1597HGTR	
	Gray	923667271	GFST82GYTRB			1597HGTRGRY	
	Ivory	923667279	GFST82ITRB			1597HGTRI	
	Red	923667246	GFST82RTRB			1597HGTRRED	
White	923667298	GFST82WTRB			1597HGTRW		
 <p>20A 125V, NEMA 5-20R, HEAVY DUTY, TAMPER RESISTANT WITH ALARM</p>	Black	923667267	GFST83BKTRB			2097HGTRBK	
	Brown	923667239	GFST83TRB			2097HGTR	
	Gray	923667237	GFST83GYTRB			2097HGTRGRY	
	Ivory	923667264	GFST83ITRB			2097HGTRI	
	Red	923667236	GFST83RTRB			2097HGTRRED	
White	923667280	GFST83WTRB			2097HGTRW		
 <p>15A 125V, NEMA 5-15R, HEAVY DUTY</p>	Black	923667266	GFST82BK	SGFH15B	GFNT1HGE	1597HGBK	
	Brown	923667272	GFST82	SGFH15B	GFNT1HG	1597HG	
	Gray	923667287	GFST82GY	SGFH15GY	GFNT1HGGY	1597HGGRY	
	Ivory	923667292	GFST82I	SGFH15V	GFNT1HGI	1597HGI	
	Red	923667244	GFST82R	SGFH15RD	GFNT1HGR	1597HGRED	
White	923667277	GFST82W	SGFH15W	GFNT1HGW	1597HGW		
 <p>20A 125V, NEMA 5-20R, HEAVY DUTY</p>	Black	923667252	GFST83BK	SGFH20B	GFNT2HGE	2097HGBK	
	Brown	923667245	GFST83	SGFH20B	GFNT2HG	2097HG	
	Gray	923667259	GFST83GY	SGFH20GY	GFNT2HGGY	2097HGGRY	
	Ivory	923667275	GFST83I	SGFH20V	GFNT2HGI	2097HGI	
	Red	923667282	GFST83R	SGFH20RD	GFNT2HGR	2097HGRED	
White	923667296	GFST83W	SGFH20W	GFNT2HGW	2097HGW		

STRAIGHT BLADE DEVICES | HOSPITAL GRADE











Receptacles | Hospital Grade

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
 <p>15A 125V, NEMA 5-15R, EXTRA HEAVY DUTY, DUPLEX</p>	Brown	99399097	BRY8200	AH8200B/8200B	8200	8200/8200CN	85262/85262DW
	Gray	99399098	BRY8200GRY	AH8200GY/8200GY	8200GY	8200GRY	
	Ivory	0700573	BRY8200I	AH8200V/8200V	8200I	8200I/8200ICN	85262I/85262DWI
	Red	0702392	BRY8200RED	AH8200RD/8200RD	8200R	8200RED	85262R/85262DWR
	White	99399103	BRY8200W	AH8200W/8200W	8200W	8200W	85262W/85262DWW













BRYANT® STRAIGHT BLADE DEVICES | HOSPITAL GRADE

Vendor # 132611





Receptacles | Hospital Grade, Continued

Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  20A 125V, NEMA 5-20R, EXTRA HEAVY DUTY, DUPLEX	Brown	99399104	BRY8300	AH8300B/8300B	8300	8300	85362/85362DW
	Gray	99399105	BRY8300GRY	AH8300GY/8300GRY	8300GY	8300GRY	
	Ivory	0702393	BRY8300I	AH8300V/8300V	8300I	8300I	85362I/85362DWI
	Red	0702394	BRY8300RED	AH8300RD/8300RD	8300R	8300RED	85362R/85362DWR
	White	99399110	BRY8300W	AH8300W/8300W	8300W	8300W	85362W/85362DWW
  15A 125V, NEMA 5-15R, EXTRA HEAVY DUTY, DUPLEX, TAMPER-RESISTANT	Brown	99399180	BRY8200TR	AHTR8200B/TR8200B	5262SG/8200SG	TR62/TR62H	
	Gray	99399179	BRY8200GRY	AHTR8200GY/TR8200GY	5262SGG/8200SGG	TR62GRY/TR62HGRY	
	Ivory	0722783	BRY8200ITR	AHTR8200V/TR8200V	5262SGI/8200SGI	26262HGI/TR62I	
	Red	0722782	BRY8200TR	AHTR8200RD/TR8200RD	5262SGR/8200SGR	TR62HRED/TR62RED	
	White	0722784	BRY8200WTR	AHTR8200W/TR8200W	5262SGW/8200SGW	26262HW/TR62HW/ TR62W	
  20A 125V, NEMA 5-20R, EXTRA HEAVY DUTY, DUPLEX, TAMPER-RESISTANT	Brown	99399182	BRY8300TR	AHTR8300B/TR8300B	8300SG	TR63H	
	Gray	99399183	BRY8300GRY	AHTR8300GY/TR8300GY	8300SGG	TR63HGRY	
	Ivory	0722786	BRY8300ITR	AHTR8300V/TR8300V	8300SGI	TR63HI/TR63HLA	
	Red	0722785	BRY8300TR	AHTR8300RD/TR8300RD	8300SGR	TR63HRED	
	White	0722787	BRY8300WTR	AHTR8300W/TR8300W	8300SGW	TR63HW	
  15A 125V, NEMA 5-15R, EXTRA HEAVY DUTY, SINGLE	Brown	99402550	8210	8210/8210B	8210	8201	85261DW
	Gray	99402551	8210GRY	8210GY	8210GY	8201GRY	
	Ivory	99402552	8210I	8210V	8210I	8201I	
	Red	99402553	8210RED	8210RD	8210R	8201RED	
	White	99402554	8210W	8210W	8210W	8201E/8201W	
  20A 125V, NEMA 5-20R, EXTRA HEAVY DUTY, SINGLE	Brown	99402555	8310	8310/8310B	8310	8301	85361DW
	Gray	99402556	8310GRY	8310GY	8310GY	8301GRY	
	Ivory	99402557	8310I	8310V/8310V	8310I	8301I	
	Red	99402558	8310RED	8310RD	8310R	8301RED	
	White	99402559	8310W	8310W	8310W	8301W	

Plugs | Hospital Grade





Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
  15A 125V, NEMA 5-15P, TRIPLE GRIPPER®	White	0702395	BRY8266NP	5266NHG/6266HG	8215C	P55266XH/5266XH	85000/85266
  15A 125V, NEMA 5-15P, TRIPLE GRIPPER®	Transparent	0710686	8266T	8266/6266HGC	8215CT	P55266XH/5266XH	85447
  15A 125V, NEMA 5-15P, TRIPLE GRIPPER®, 90° ANGLE	Transparent	99401429	8295T	6265HGC	8215CAT	P55266HGAN/5266HGAN	85050
  20A 125V, NEMA 5-20P, TRIPLE GRIPPER®	White	0702397	BRY8366NP	5366NHG/6766HG	5366XH/8315C	P55366XH/5366XH	85366
  20A 125V, NEMA 5-20P, TRIPLE GRIPPER®	Transparent	99401467	8366T	5366NHGC/6765HGC	8315CT/8315PLC	P55366XH/5366XH	85433
  20A 125V, NEMA 5-20P, TRIPLE GRIPPER®, 90° ANGLE	Transparent	99401430	8395T	6765HG	8315CAT	P55366HGAN/5366HGAN	85053

Connectors | Hospital Grade





Description	Color	Preferred Brand		Competitor Part Numbers			
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15R, TRIPLE GRIPPER®	White	0702396	BRY8269NC	AH8219HG/5269NHG	8219C	PSS269XHG/5269XHG	85002/85269
 15A 125V, NEMA 5-15R, TRIPLE GRIPPER®	Transparent	0710687	8269T	8269/6269HGC	8219CT	PSS269XHG/5269XHG	85547
 20A 125V, NEMA 5-20R, TRIPLE GRIPPER®	White	0702398	BRY8369NC	AH8319HG	8319C	PSS369XHG/5369XHG	85369
 20A 125V, NEMA 5-20R, TRIPLE GRIPPER®	Transparent	0711643	8369T	5369NHGC/8369	8319CT/8319PLC	PSS369XHG/5369XHG	

WATERTIGHT DEVICES | STRAIGHT BLADE DEVICES

Plugs | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*

Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15P, PLUG	Yellow	99606772	BRY14W47	14W47	1510-PW6P	14W47	14W47	14W47
 20A 125V, NEMA 5-20P, PLUG	Yellow	99606771	BRY14W33	14W33	1512-PW6P	14W33	14W33	14W33
 15A 250V, NEMA 6-15P, PLUG	Yellow	99606775	BRY14W49	14W49	1514-PW6P	14W49	14W49	14W49
 20A 250V, NEMA 6-20P, PLUG	Yellow	99606774	BRY14W48	14W48	1516-PW6P	14W48	14W48	14W48

Connectors | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*









Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 15A 125V, NEMA 5-15R, CONNECTOR	Yellow	0709002	BRY15W47	15W47	1610-PW6P	15W47	15W47	15W47
 20A 125V, NEMA 5-20R, CONNECTOR	Yellow	99606776	BRY15W33	15W33	1612-PW6P	15W33	15W33	15W33
 15A 250V, NEMA 6-15R, CONNECTOR	Yellow	99606780	BRY15W49	15W49	1614-PW6P	15W49	15W49	15W49
 20A 250V, NEMA 6-20R, CONNECTOR	Yellow	99606779	BRY15W48	15W48	1616-PW6P	15W48	15W48	15W48

*Single and duplex receptacles while in use, not with cover closed.

BRYANT® WATERTIGHT DEVICES | STRAIGHT BLADE DEVICES

Vendor # 132611



















Receptacles | with Lift Cover, Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*

Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
  15A 125V, NEMA 5-15R, RECEPTACLE WITH LIFT COVER	Yellow	99606881	BRY60W47	60W47	2715-FS10	60W47	60W47	60W47	
  20A 125V, NEMA 5-20R, RECEPTACLE WITH LIFT COVER	Yellow	99606880	BRY60W33	60W33	2715-FS12	60W33	60W33	60W33	
  15A 250V, NEMA 6-15R, RECEPTACLE WITH LIFT COVER	Yellow	99606883	BRY60W49	60W49	2715-FS14	60W49	60W49	60W49	
  20A 250V, NEMA 6-20R, RECEPTACLE WITH LIFT COVER	Yellow	99606882	BRY60W48	60W48	2715-FS16	60W48	60W48	60W48	

BRYANT® WATERTIGHT DEVICES | LOCKING DEVICES























Vendor # 132611

Locking Plugs | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*











Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
  15A 125V, NEMA L5-15P	Yellow	99606782	BRY24W47	24W47	1520-PW6P	24W47	24W47	24W47	
  15A 250V, NEMA L6-15P	Yellow	99606784	BRY24W49	24W49	1522-PW6P	24W49	24W49	24W49	
  15A 277V, NEMA L7-15P	Yellow	99606781	BRY24W34	24W34	1524-PW6P	24W34	24W34	24W34	
  20A 125V, NEMA L5-20P	Yellow	99606790	BRY26W47	L520PW	2310-PW6P	26W47	26W47	26W47	
  20A 250V, NEMA L6-20P	Yellow	99606792	BRY26W48	L620PW	2312-PW6P	26W48	26W48	26W48	
  20A 277V, NEMA L7-20P	Yellow	99606793	BRY26W49	L720PW	2314-PW6P	26W49	26W49	26W49	
  20A 125/250V, NEMA L14-20P	Yellow	99606794	BRY26W74	L1420PW	2320-PW6P	26W74	26W74	26W74	
  20A 3Ø 250V AC, NEMA L15-20P	Yellow	99606795	BRY26W75	L1520PW	2322-PW6P	26W75	26W75	26W75	
  20A 3Ø 480V AC, NEMA L16-20P	Yellow	99606797	BRY26W76	L1620PW	2424-PW6P	26W76	26W76	26W76	

*Single and duplex receptacles while in use, not with cover closed.

Locking Plugs | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*, Continued

Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
  20A 125/250V, NON-NEMA	Yellow	99606788	BRY26W08	9965PW	2316-PW6P	26W08	26W08	26W08	
  30A 125V, NEMA L5-30P	Yellow	99606819	BRY28W47	L530PW	2510-PW6P	28W47	28W47	28W47	
  30A 250V, NEMA L6-30P	Yellow	99606821	BRY28W48	L630PW	2512-PW6P	28W48	28W48	28W48	
  30A 277V, NEMA L7-30P	Yellow	99606822	BRY28W49	L730PW	2514-PW6P	28W49	28W49	28W49	
  30A 125/250V, NEMA L14-30P	Yellow	99606823	BRY28W74	L1430PW	2520-PW6P	28W74	28W74	28W74	
  30A 3Ø 250V AC, NEMA L15-30P	Yellow	99606824	BRY28W75	L1530PW	2522-PW6P	28W75	28W75	28W75	
  30A 3Ø 480V AC, NEMA L16-30P	Yellow	99606825	BRY28W76	L1630PW	2524-PW6P	28W76	28W76	28W76	
  30A 3Ø 600V AC, NEMA L17-30P	Yellow	99606827	BRY28W77	L1730PW	2526-PW6P	28W77	28W77	28W77	
  30A 3ØY 120/208V AC, NEMA L18-30P	Yellow	99606828	BRY28W78	L1830PW	2530-PW6P			28W78	
  30A 125/250V, NON-NEMA	Yellow	99606817	BRY28W08	3331PW	2516-PW6P	28W08	28W08	28W08	
  30A 3Ø 120/208V AC, NON-NEMA	Yellow	99606818	BRY28W09	3431PW	2528-PW6P	28W09	28W09	28W09	

Locking Connectors | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*































Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
  15A 125V, NEMA L5-15R	Yellow	99606786	BRY25W47	25W47	1620-CW6P	25W47	25W47	25W47	
  15A 250V, NEMA L6-15R	Yellow	99606789	BRY25W49	25W49	1622-PW6P	25W49	25W49	25W49	
  15A 277V, NEMA L7-15R	Yellow	99606785	BRY25W34	25W34	1624-CW6P	25W34	25W34	25W34	
  20A 125V, NEMA L5-20R	Yellow	99606804	BRY27W47	L520CW	2410-CW6P	27W47	27W47	27W47	
  20A 250V, NEMA L6-20R	Yellow	99606806	BRY27W48	L620CW	2412-CW6P	27W48	27W48	27W48	

*Single and duplex receptacles while in use, not with cover closed.



BRYANT® WATERTIGHT DEVICES | LOCKING DEVICES

Vendor # 132611

Locking Connectors | Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*, Continued

















Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
  20A 277V, NEMA L7-20R	Yellow	99606807	BRY27W49	L720CW	2414-CW6P	27W49	27W49	27W49	
  20A 125/250V, NEMA L14-20R	Yellow	99606808	BRY27W74	L1420CW	2420-CW6P	27W74	27W74	27W74	
  20A 3Ø 250V, NEMA L15-20R	Yellow	99606809	BRY27W75	L1520CW	2422-CW6P	27W75	27W75	27W75	
  20A 3Ø 480V, NEMA L16-20R	Yellow	99606811	BRY27W76	L1620CW	2424-CW6P	27W76	27W76	27W76	
  20A 125/250V, NON-NEMA	Yellow	99606802	BRY27W08	7314CW	2416-CW6P	27W08	27W08	27W08	
  30A 125V, NEMA L5-30R	Yellow	99606835	BRY29W47	L530CW	2610-CW6P	29W47	29W47	29W47	
  30A 250V, NEMA L6-30R	Yellow	99606837	BRY29W48	L630CW	2612-CW6P	29W48	29W48	29W48	
  30A 277V, NEMA L7-30R	Yellow	99606838	BRY29W49	L730CW	2614-CW6P	29W49	29W49	29W49	
  30A 125/250V, NEMA L14-30R	Yellow	923667235	BRY29W74	L1430CW	2620-CW6P	29W74	29W74	29W74	
  30A 3Ø 250V, NEMA L15-30R	Yellow	99606839	BRY29W75	L1530CW	2622-PW6P	29W75	29W75	29W75	
  30A 3Ø 480V, NEMA L16-30R	Yellow	99606840	BRY29W76	L1630CW	2624-PW6P	29W76	29W76	29W76	
  30A 3Ø 600V, NEMA L17-30R	Yellow	99606842	BRY29W77	L1730CW	2626-CW6P	29W77	29W77	29W77	
  30A 3ØY 120/208V, NEMA L18-30R	Yellow	99606843	BRY29W78	L1830CW	2630CW6P			29W78	
  30A 125/250V, NON-NEMA	Yellow	99606833	BRY29W08	3333CW	2616-CW6P	29W08	29W08	29W08	
  30A 3Ø 120/208V, NON-NEMA	Yellow	99606834	BRY29W09	3433CW	2628-CW6P	29W09	29W09	29W09	

Locking Receptacles | with Lift Cover, Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*

Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
  15A 125V, NEMA L5-15R	Yellow	99606886	BRY65W47	65W47	2715FS20	65W47	65W47	65W47	

*Single and duplex receptacles while in use, not with cover closed.

Locking Receptacles | with Lift Cover, Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*, Continued


Description	Color	Preferred Brand		Competitor Part Numbers					
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead	
 15A 250V, NEMA L6-15R	Yellow	99606887	BRY65W49	65W49	2715-FS22	65W49	65W49	65W49	
 15A 277V, NEMA L7-15R	Yellow	99606885	BRY65W34	65W34	2715-FS24	65W34	65W34	65W34	
 20A 125V, NEMA L5-20R	Yellow	99606891	BRY67W47	67W47	2820-FS10	67W47	67W47	67W47	
 20A 250V, NEMA L6-20R	Yellow	99606892	BRY67W48	67W48	2820-FS12	67W48	67W48	67W48	
 20A 277V, NEMA L7-20R	Yellow	99606893	BRY67W49	67W49	2820-FS14	67W49	67W49	67W49	
 20A 125/250V, NEMA L14-20R	Yellow	99606894	BRY67W74	67W74	2920-FS20	67W74	67W74	67W74	
 20A 3Ø 250V AC, NEMA L15-20R	Yellow	99606895	BRY67W75	L1520RW	2920-FS22	67W75	67W75	67W75	
 20A 3Ø 480V AC, NEMA L16-20R	Yellow	99606896	BRY67W76	L1620RW	2820-FS24	67W76	67W76	67W76	
 20A, 125/250V, NON-NEMA	Yellow	99606889	BRY67W08		2820-FS16	67W08	67W08	67W08	
 30A 125V, NEMA L5-30R	Yellow	99606902	BRY69W47	L530RW	2830-FS10	69W47	69W47	69W47	
 30A 250V, NEMA L6-30R	Yellow	99606903	BRY69W48	L630RW	2830-FS12	69W48	69W48	69W48	
 30A, 277V, NEMA L7-30P	Yellow	99606904	BRY69W49	L730RW	2830-FS14	69W49	69W49	69W49	
 30A 125/250V, NEMA L14-30R	Yellow	99606905	BRY69W74	L1430RW	2930-FS20	69W74	69W74	69W74	
 30A 3Ø 250V AC, NEMA L15-30R	Yellow	99606906	BRY69W75	L1530RW	2930-FS22	69W75	69W75	69W75	
 30A 3Ø 480V AC, NEMA L16-30R	Yellow	99606907	BRY69W76	L1630RW	2930-FS24	69W76	69W76	69W76	
 30A 3Ø 600V AC, NEMA L17-30R	Yellow	99606908	BRY69W77	L1730RW	2930-FS26	69W77	69W77	69W77	

*Single and duplex receptacles while in use, not with cover closed.

BRYANT® WATERTIGHT DEVICES | LOCKING DEVICES

Vendor # 132611

Locking Receptacles | with Lift Cover, Thermoplastic Elastomer, UL Listed 4, 4X, 12, 6, 6P; IP65, 66, 67, 69K*, Continued



Description	Color	Preferred Brand		Competitor Part Numbers				
		Fastenal	Bryant	Eaton-Cooper/ Arrow Hart	Ericson	Leviton	Pass & Seymour	Woodhead
 30A, 125/250V, NON-NEMA	Yellow	99606901	BRY69W08	3333RW	2830-FS16	69W08	69W08	69W08

/Single and duplex receptacles while in use, not with cover closed.


BRYANT® WIRE MANAGEMENT

Vendor # 132611

Strain Relief | Deluxe & Dust-Tight Cord Grips


Description	NPT Size	Diameter Range	Preferred Brand		Competitor Part Numbers				
			Fastenal	Wiring De- vice-Kellems	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Remke	Woodhead
 DELUXE CORD GRIPS STRAIGHT MALE THREAD ALUMINUM FITTINGS, STAINLESS STEEL MESH, LIQUIDTIGHT, FOR INSULATED CABLES	1/2"	.187"- 250"	99403038	DC1812	DC100187	L7705		RSR105E/RSR106E	36250
	1/2"	.250"- 375"	99403041	DC2512	DC10250	L7706	CG405/CG406	RSR107E/RSR108E	36251
	1/2"	.375"- 500"	0703807	DC3712	DC100375	L7707	CG407	RSR109E/RSR110E	36254
	1/2"	.500"- 625"	0703808	DC5012	DC100500	L7708	CG409	RSR209E/RSR210E	36256
	3/4"	.500"- 625"	0704251	DC5034	DC200500	L7700	CG609/CG610	RSR212E	36261
	3/4"	.625"- 750"	0703809	DC6234	DCF200625	L7713	CG611/CG612	RSR312E	36263
	1"	.625"- 750"	99403047	DC621	DC300625	L7717	CG812/CG813	RSR314E	36265
	1"	.750"- 875"	0703810	DC751	DC300750	L7718	CG814/CG815	RSR316E	36267
	1"	.875"- 1.000"	0704252	DC871	DC300875	L7719	CG816	RSR45516E/RSR416E	36269
	1 1/4"	.875"- 1.000"	99403051	DC87114	DC400875	L7724	CG1016	RSR45518E/RSR418E	36271
	1 1/4"	1.00"- 1.250"	99403053	DC100114	DC4001000	L7725	CG1018	RSR45520E/RSR420E	36272
1 1/2"	1.125"- 1.250"	99403055	DC112114	DC4001125	L7726	CG1020	RSR516E	36273	
1 1/2"	.875"- 1.000"	99403050	DC87112	DC500875	L7729		RSR522E	36475	
1 1/2"	1.250"- 1.375"	99403056	DC125112	DC5001250	L7733	CG1222	RSR105E/RSR106E	36478	
 DUST-TIGHT STRAIN RELIEF GRIPS INSULATED, WIDE RANGE STRAIN RELIEF WITH INSULATING BUSHING ALUMINUM FITTINGS, GALVANIZED STEEL MESH, FOR INSULATED CABLES	1/2"	.24"- 32"	99398503	BDSR24	TC1124/TC124	L7501	BOX22	7303-008	36501
	1/2"	.32"- 43"	0703803	BDSR32	TC1132/TC132	L7502	BOX30	7303-009	36503
	1/2"	.43"- 54"	0703804	BDSR43	TC1143/TC143	L7503	BOX40	7303-010	36505
	3/4"	.54"- 73"	0703805	BDSR54	TC1254	L7504	BOX52	7303-011	36508
	1"	.73"- 97"	0703806	BDSR73	TC1373/TC373	L7505	BOX70	7303-012	36512
	1 1/4"	.97"- 1.25"	99398504	BDSR97	TC1497/TC497	L7506	BOX94	7303-013	36515
	1 1/2"	1.25"- 1.50"	99398505	BDSR125	TC15125	L7507	BOX120	7303-014	36516
	2"	1.50"- 1.70"	99398506	BDSR150	TC16150	L7508	BOX140	7303-015	36517
	2 1/2"	1.70"- 2.00"	99398507	BDSR170	TC17170	L7509		7303-016	36518
	2 1/2"	2.00"- 2.45"	99398508	BDSR200	TC17200	L7511		7303-017	36519

Support | Bus Drop Support Grips




Description	Diameter Range	Approx. Breaking Strength/Working Load lbs	Preferred Brand		Competitor Part Numbers				
			Fastenal	Wiring De- vice-Kellems	Eaton-Cooper/ Arrow Hart	Leviton	Pass & Seymour	Remke	Woodhead
 SINGLE EYE, WIDE RANGE, GALVANIZED STEEL	.24"- 32"	350/35	99402474	BDS24U	BDS22	L7981	FC22	7304-001	36560
	.32"- 43"	450/45	0703811	BDS32U	BDS30	L7982	FC30	7304-002	36562
	.43"- 54"	550/55	0703812	BDS43U	BDS41	L7983	FC40	7304-003	36564
	.54"- 73"	1000/100	0703813	BDS56U	BDS53	L7984	FC52	7304-004	36567
	.73"- 85"	1,400/140	0703814	BDS73U	BDS50	L7985	FC70	7304-005	36569
	.85"- 1.00"	1,400/140	99402493	BDS85U	BDS82	L7986	FC70	7304-006	36571
	1.00"- 1.25"	1,400/140	99402500	BDS100U	BDS96	L7987	FC94	7304-007	36574

*Single and duplex receptacles while in use, not with cover closed.

Support | Bus Drop Support Grips, Continued




Description	Diameter Range	Approx. Breaking Strength/Working Load lbs	Preferred Brand		Competitor Part Numbers				
			Fastenal	Bryant	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Remke	Woodhead
 UNIVERSAL EYE, WIDE RANGE, GALVANIZED STEEL	.32"- .43"	450/45	99403441	BDS32L	BDU30	L7991	FC30LB	7304-011R	36582
	.43"- .56"	550/55	99403442	BDS43L	BDU41	L7992	FC40LB	7304-012R	36584
	.56"- .73"	1000/100	99403446	BDS56L	BDU53	L7993	FC52LB	7304-013R	36587
	.73"- .85"	1,400/140	99403449	BDS73L	BDU70	L7994		7304-014R	36589
	.85"- 1.00"	1,400/140	99403452	BDS85L	BDU82	L7995	FC94LB	7304-015R	36591

Support | Standard Duty Support Grips

Description	Diameter Range	Approx. Breaking Strength/Working Load lbs	Preferred Brand		Competitor Part Numbers				
			Fastenal	Wiring De-vice-Kellems	Eaton-Cooper/Arrow Hart	Leviton	Pass & Seymour	Remke	Woodhead
 SINGLE EYE, CLOSED MESH, SINGLE WEAVE, TIN-COATED BRONZE	.50"- .62"	530/30	99402475	SPC050U	SGS50	L9501	FC050U	2201-013R	35030
	.63"- .74"	790/79	99402481	SPC062U	SGS63	L9502	FC062U	2201-014R	35031
	.75"- .99"	1,020/102	99402487	SPC075U	SGS75	L9503	FC075U	2201-015R	35032
	1.00"- 1.24"	1,610/161	99402498	SPC100U	SGS100	L9504	FC100U	2201-016R	35033
	1.25"- 1.49"	1,610/161	99402501	SPC125U	SGS125	L9505	FC125U	2201-017R	35034
	1.50"- 1.74"	1,610/161	99402507	SPC150U	SGS150	L9506	FC150U	2201-018R	35035
 SAFETY SPRING SUPPORT GRIPS, 8.25" LENGTH	.75"	500/50	0726030	S40	B2001	L7997	S40	203-02-001	36237
	1"	850/85	99402462	S80	B2002	L7998	S80	203-02-002	36238
 JUNIOR PULLING GRIPS	.25"- .37"	450/90	99399796	PJ025	LPJ25	L8500	PJ25	3305-002R	35970
	.38"- .49"	900/180	99399797	PJ037	LPJ37	L8501	PJ37	3305-003R	35971
	.50"- .62"	1,300/260	99399798	PJ050	LPJ50	L8502	PJ50	3305-004R	35972
	.63"- .74"	1,950/390	99399799	PJ062	LPJ62	L8503	PJ62	3305-005R	35973
	.75"- .99"	2,800/560	99399800	PJ075	LPJ75	L8504	PJ75	3305-006R	35974
1.00"- 1.24"	3,900/780	99399801	PJ100	LPJ100	L8505	PJ100	3305-007R	35975	

EMT FITTINGS



Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	RACO	Thomas & Betts	Appleton	Bridgeport	Eaton/Crouse-Hinds
 EMT STEEL SET SCREW CONNECTOR UNINSULATED	1/2"	0722535	2002	TC-121-SC	TW-50-S	230	450S
	3/4"	0722536	2003	TC-122	TW-75-S	231	451
	1"	99027854	2004	TC-123-SC	TW-100-S	232	452
	1-1/4"	0700148	2005	TC-124-SC	TW-125-S	233	453
	1-1/2"	0700149	2006	TC-125-SC	TW-150-S	234	454
	2"	0700150	2008	TC-126-SC	TW-200-S	235	455
 EMT STEEL SET SCREW CONNECTOR INSULATED	1/2"	0703584	2122	TC-721	TW-50SI	230-1	1450
	3/4"	0703585	2123	TC-722	TW-75SI	231-1	1451
	1"	0703586	2124	TC-723	TW-100SI	232-1	1452
	1-1/4"	0703587	2125	TC-724	TW-125SI	233-1	1453
	1-1/2"	0703588	2126	TC-725	TW-150SI	234-1	1454
	2"	0703589	2128	TC-726	TW-200SI	235-1	1455
 EMT ZINC DIE CAST SET SCREW CONNECTOR UNINSULATED	1/2"	0700100	2602	TC-221	TC-501	230-DC2	2450
	3/4"	0700101	2603	TC-222	TC-502	231-DC2	2451
	1"	0700102	2604	TC-223-SC	TC-503	232-DC2	2452
	1-1/4"	0700103	2605	TC-224-SC	TC-504	233-DC2	2453
	1-1/2"	0700104	2606	TC-225-SC	TC-505	234-DC2	2454
	2"	0700105	2608	TC-226-SC	TC-506	235-DC2	2455






Vendor # 131972

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers				
		Fastenal	RACO	Thomas & Betts	Appleton	Bridgeport	Eaton/ Crouse-Hinds	
 EMT ZINC DIE CAST SET SCREW CONNECTOR INSULATED	1/2"	0703608	2634	TC-821	TCI-501	230-DCI2	3450	
	3/4"	0703609	2635	TC-822	TCI-502	231-DCI2	3451	
	1"	0703610	2636	TC-823-SC	TCI-503	232-DCI2	3452	
	1-1/4"	0703611	2637	TC-824-SC	TCI-504	233-DCI2	3453	
	1-1/2"	0703612	2638	TC-825	TCI-505	234-DCI2	3454	
	2"	0703613	2639	TC-826-SC	TCI-506	235-DCI2	3455	
 EMT STEEL SET SCREW COUPLING	1/2"	0722537	2022	TK-121	TWC-50-S	240	460	
	3/4"	0722538	2023	TK-122	TWC-75-S	241	461	
	1"	99027855	2024	TK-123	TWC-100-S	242	462	
	1-1/4"	0700208	2025	TK-124	TWC-125-S	243	463	
	1-1/2"	0700209	2026	TK-125	TWC-150-S	244	464	
	2"	0700210	2028	TK-126	TWC-200-S	245	465	
 EMT - DIE-CAST SET SCREW COUPLING	1/2"	0700160	2622	TK-221	TC-511	240-DC	2460	
	3/4"	0700161	2623	TK-222	TC-512	241-DC	2461	
	1"	0700162	2624	TK-223	TC-513	242-DC	2462	
	1-1/4"	0700163	2625	TK-224	TC-514	243-DC	2463	
	1-1/2"	0700164	2626	TK-225	TC-515	244-DC	2464	
	2"	0700165	2628	TK-226	TC-516	245-DC	2465	
 EMT STEEL COMPRESSION CONNECTOR UNINSULATED	1/2"	0722550	2902	5121	TW-50CS	250	6505	
	3/4"	0703597	2903	5221	TW-75CS	251	6515	
	1"	99027947	2904	5321	TW-100CS	252	652	
	1-1/4"	0703599	2905	5421	TW-125CS	253	653	
	1-1/2"	0703600	2906	5521	TW-150CS	254	654	
	2"	0703601	2908	5621	TW-200CS	255	655	
 EMT STEEL COMPRESSION CONNECTOR INSULATED	1/2"	0722551	2912	5123	TW-50CSI/86T050	250-1	1650	
	3/4"	0722520	2913	5223	TW-75CSI/86T075	251-1	1651	
	1"	99027948	2914	5323	TW-100CSI/86T100	252-1	1652	
	1-1/4"	0703593	2915	5423	TW-125CSI/86T125	253-1	1653	
	1-1/2"	0703594	2916	5523	TW-150CSI/86T150	254-1	1654	
	2"	0703595	2918	5623	TW-200CSI/86T200	255-1	1655	
 EMT ZINC DIE CAST COMPRESSION CONNECTOR UNINSULATED	1/2"	0700220	2802	TC-211	96T050	250-DC2	2650	
	3/4"	0700221	2803	TC-212	96T075	251-DC2	2651	
	1"	0700222	2804	TC-213	96T100	525-DC2	2652	
	1-1/4"	0700223	2805	TC-214	96T125	253-DC2	2653	
	1-1/2"	0700224	2806	TC-215	96T150	254-DC2	2654	
	2"	0700225	2808	TC-216	96T200	255-DC2	2655	
 EMT DIE-CAST COMPRESSION CONNECTORS INSULATED	1/2"	0703616	2832	TC-811	TCI-601	250-DCI2	3650	
	3/4"	0703617	2833	TC-812-SC	TCI-602	251-DCI2	3651	
	1"	0703618	2834	TC-813	TCI-603	252-DCI2	3652	
	1-1/4"	0703619	2835	TC-814-SC	TCI-604	253-DCI2	3653	
	1-1/2"	0703620	2836	TC-815-SC	TCI-605	254-DCI2	3654	
	2"	0703621	2838	TC-816	TCI-606	255-DCI2	3655	
 EMT STEEL COMPRESSION COUPLINGS	1/2"	0722552	2922	5120	TWC-50CS	260	6605	
	3/4"	0722553	2923	5220	TWC-75CS	261	6615	
	1"	0722521	2924	5320	TWC-100CS	262	662	
	1-1/4"	0703605	2925	5420	TWC-125CS	263	663	
	1-1/2"	0703606	2926	5520	TWC-150CS	264	664	
	2"	0703607	2928	5620	TWC-200CS	265	665	
 EMT ZINC DIE CAST COMPRESSION COUPLINGS	1/2"	0700235	2822	TK-211	93T050/95T050	260-DC	2660	
	3/4"	0700236	2823	TK-212	93T075/95T075	261-DC	2661	
	1"	0700237	2824	TK-213	93T100/95T100	262-DC	2662	
	1-1/4"	0700238	2825	TK-214	93T125/95T125	263-DC	2663	
	1-1/2"	0700239	2826	TK-215	93T150/95T150	264-DC	2664	
	2"	0700240	2828	TK-216	93T200/95T200	265-DC	2665	
 EMT ZINC DIE CAST COMPRESSION OFFSET CONNECTORS	1/2"	0703622	1952	TO-211	OEG-50			
	3/4"	0703623	1953	TO-212	OEG-75			
 EMT 90° ZINC DIE CAST HANDY ELLS CONNECTOR	1/2"	0722548	2762	TL-211		51-DC2	810DC	
	3/4"	0722444	2763	TL-212		52-DC2	811DC	
 EMT 90° ZINC DIE CAST HANDY ELLS COUPLING	1/2"	0722546	2752	TL-201	THL-500/THL-500G	61-DC	820DC	
	3/4"	0722547	2753	TL-202	THL-750/THL-750G	62-DC	821DC	

EMT FITTINGS








Vendor # 131972

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	RACO	Thomas & Betts	Appleton	Bridgeport	Eaton/Crouse-Hinds
 EMT DIE-CAST/STEEL TWO-PIECE CONNECTORS	1/2"	0728571	2702	TC-201-SC	92T050	225-DC	460
	3/4"	0728570	2703		92T075	226-DC	461
 EMT ZINC DIE CAST EMT-RIGID COUPLINGS THREADED/COMPRESSION	1/2"	0728566	1352	530	TWR-50	290-MS	690S
	3/4"	0728564	1353	531	TWR-75	291-MS	691
	1"	0728568	1354	532	TWR-100	292-MS	692
 EMT MALLEABLE IRON ZINC PLATED ONE HOLE STRAP	2-1/2"	0726726	1310	HS-407	CL-250M	907	516
	3"	0728533	1312	HS-408	CL-300M	908	517
	3-1/2"	0728532	1314	HS-409	CL-350M	909	518
	4"	0728531	1316	HS-410	CL-400M	910	519
 EMT STEEL ONE HOLE PUSH-ON STRAP	1/2"	0704401	2082	4159	TWCL-50	920-S	200
	3/4"	0705708	2083	4160	TWCL-75	921-S	201
	1"	0705709	2084	4161	TWCL-100	922-S	202
	1-1/4"	0705710	2085	4162	TWCL-125	923-S	203
	1-1/2"	0705711	2086	4163	TWCL-150	924-S	204
	2"	0705712	2088	4164	TWCL-200	925-S	205
 EMT MALLEABLE IRON CLAMPBACKS	3/4"	0700416	1342	CB-201	CLB-50M	941	CB1
	1"	0700417	1343	CB-202	CLB-75M	942	CB2
	1-1/4"	0700418	1344	CB-203	CLB-100M	943	CB3
	1-1/2"	0703627	1345	CB-204	CLB-125M	944	CB4
	2"	0703628	1346	CB-205	CLB-150M	945	CB5

RIGID FITTINGS



Vendor # 131972

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	RACO	Thomas & Betts	Appleton	Bridgeport	Eaton/Crouse-Hinds
 RIGID STEEL SET SCREW CONNECTOR UNINSULATED	1/2"	0700130	3002	HC-101	SNTC-50	30-DC2	150P
	3/4"	0700131	3003	HC-102	SNTC-75	31-DC2	151P
	1"	0700132	3004	HC-103	SNTC-100	32-DC2	152P
	1-1/4"	0700133	3005	HC-104	SNTC-125	3503	153P
	1-1/2"	0700134	3006	HC-105	SNTC-150	3504	154P
	2"	0700135	3008	HC-106	SNTC-200	3505	155P
 RIGID STEEL SET SCREW COUPLING	1/2"	0700190	3022	8124	SNTCC-50	40-DC	160
	3/4"	0700191	3023	8224	SNTCC-75	41-DC	161
	1"	0700192	3024	8324	SNTCC-100	42-DC	162
	1-1/4"	0700193	3025	8424	SNTCC-125	3603	163
	1-1/2"	0700194	3026	8524	SNTCC-150	3604	164
	2"	0700195	3028	8624	SNTCC-200	3605	165
 RIGID STEEL/ MALLEABLE IRON COMPRESSION CONNECTOR UNINSULATED	1/2"	0722527	1802	8121	NTC-50	3000	CPR1
	3/4"	0722528	1803	8221	NTC-75	3001	CPR2
	1"	0728563	1804	8321	NTC-100	3002	CPR3
	1-1/4"	0728561	1805	8421	NTC-125	3003	CPR4
	1-1/2"	0728562	1806	8521	NTC-150	3004	CPR5
	2"	0728560	1808	8621	NTC-200	3005	CPR6
 RIGID STEEL/ MALLEABLE IRON COMPRESSION COUPLING	1/2"	0722529	1822	8120	NTCC-50	3100	CPR21
	3/4"	0722530	1823	8220	NTCC-75	3101	CPR22
	1"	0728559	1824	8320	NTCC-100	3102	CPR23
	1-1/4"	0728557	1825	8420	NTCC-125	3103	CPR24
	1-1/2"	0728558	1826	8520	NTCC-150	3104	CPR25
	2"	0728556	1828	8620	NTCC-200	3105	CPR26
 RIGID 90° ZINC DIE CAST HANDY ELLS THREADED CONNECTOR	1/2"	0726703	2662	HL-611	MFL-50	71-DC2	
	3/4"	0726704	2663	HL-612	MFL-75	72-DC2	
	1"	0728550	2664RAC		MFL-100	73-DC2	







Vendor # 131972

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	RACO	Thomas & Betts	Appleton	Bridgeport	Eaton/ Crouse-Hinds
 RIGID 90° ZINC DIE CAST HANDY ELLS THREADED COUPLING	1/2"	0703639	2652	HL-601	FFL-50	81-DC	
	3/4"	0703640	2653	HL-602	FFL-75	82-DC	
	1"	0703641	2654	HL-603	FFL-100	83-DC	
	1-1/4"	0728549	2655	HL-604	FFL-125	84-DC	
 RIGID ZINC DIE CAST THREADED HUB INSULATED	1/2"	0701943	1702	370AL	HUB-50	151-DC	HUB1/ST-1/STA-1
	3/4"	0701944	1703	371AL	HUB-75	152-DC	HUB2/ST-2/STA-2
	1"	0701945	1704	372AL	HUB-100	153-DC	HUB3/ST-3/STA-3
	1-1/4"	0728547	1705	373AL	HUB-125	154-DC	HUB4/ST-4/STA-4
	1-1/2"	0728545	1706	374AL	HUB-150	155-DC	HUB5/ST-5/STA-5
2"	0728546	1708	375AL	HUB-200	156-DC	HUB6/ST-6/STA-6	
 RIGID STEEL/ MALLEABLE IRON THREE-PIECE COUPLING	1/2"	0701304	1502	675	EC-50	1121	190M
	3/4"	0701305	1503	676	EC-75	1122	191
	1"	0701306	1504	677	EC-100	1123	192
	1-1/4"	0703642	1505	678	EC-125	1124	193
	1-1/2"	0703643	1506	679	EC-150	1125	194
2"	0703644	1508	680TS	EC-200	1126	195	
 RIGID-EMT STEEL COUPLING THREADED/ COMPRESSION	1/2"	0728566	1352	530	TWR-50	290-MS	690S
	3/4"	0728564	1353	531	TWR-75	291-MS	691
	1"	0728568	1354	532	TWR-100	292-MS	692
 RIGID STEEL MALLEABLE IRON GROUNDING BUSHINGS 150° LAY IN LUG	1/2"	0728480	1212	3870-TB	BLSG-400/GIB-50L	381	GLL-1
	3/4"	0728476	1213	3871-TB	GIB-75L	382	GLL-2
	1"	0728481	1214	3872	GIB-100L	383	GLL-3
	1-1/4"	0728478	1215	3873	GIB-125L	384-14	GLL-4
	1-1/2"	0728479	1216	3874	GIB-150L	385-14	GLL-5
2"	0728477	1218	3875	GIB-200L	386-14	GLL-6	
 RIGID DIE-CAST ZINC GROUNDING BUSHINGS 150° LAY IN LUG	1/2"	921825988	1262DC	3870-TB	IBC-50L-4AC	351-DC	HGLL-1
	3/4"	920284624	1263DC	3871-TB	IBC-75L-4AC	352-DC	HGLL-2
	1"	923712146	1264DC		IBC-100L-4AC	353-DC	HGLL-3
 RIGID MALLEABLE IRON ZINC PLATED ONE HOLE STRAP	1/2"	0701673	1302	1276	CL-50M	901	510
	3/4"	0701674	1303	1277	CL-75M	902	511
	1"	0701675	1304	1278	CL-100M	903	512
	1-1/4"	0726702	1305	1279	CL-125M	904	513
	1-1/2"	0726728	1306	1280	CL-150M	905	514
2"	0726727	1308	1281	CL-200M	906	515	
 RIGID STEEL ZINC PLATED ONE HOLE PUSH ON STRAP	1/2"	0728537	1332	1211	CL-50	901-5	410
	3/4"	0728536	1333	1212	CL-75	902-5	411
	1"	0728538	1334	1213	CL-100	903-5	412
	1-1/4"	0728534	1335	1214	CL-125	904-5	413
	1-1/2"	0728535	1336	1215	CL-150	905-5	414
2"	0728530	1338	1216	CL-200	906-5	415	
 RIGID MALLEABLE IRON ZINC PLATED CLAMP BACKS	1/2"	0700416	1342	CB-201	CLB-50M	941	CB1
	3/4"	0700417	1343	CB-202	CLB-75M	942	CB2
	1"	0700418	1344	CB-203	CLB-100M	943	CB3
	1-1/4"	0703627	1345	CB-204	CLB-125M	944	CB4
	1-1/2"	0703628	1346	CB-205	CLB-150M	945	CB5
2"	0703629	1348	CB-206	CLB-200M	946	CB6	
 RIGID POLYPROPYLENE INSULATING BUSHINGS	1/2"	0700608	1402	222	BBU-50/RNTC-50	321	931
	3/4"	0700609	1403	223	BBU-75/RNTC-75	322	932
	1"	0700610	1404	224	BBU-100/RNTC-100	323	933
	1-1/4"	0700611	1405	225	BBU-125/RNTC-125	324	934
	1-1/2"	0700612	1406	226	BBU-150/RNTC-150	325	935
2"	0700613	1408	227	BBU-200/RNTC-200	326	936	
 RIGID STEEL LOCKNUTS UL LISTED	3/8"	0722524	1001	140	BL-38	100	10
	1/2"	0700595	1002	141	BL-50	101	11
	3/4"	0700596	1003	142	BL-75	102	12
	1"	0700597	1004	143	BL-100	103	13
	1-1/4"	0700598	1005	144	BL-125	104	14
	1-1/2"	0700599	1006	145	BL-150	105	15
2"	0700600	1008	146	BL-200	106	16	
 RIGID STEEL LOCKNUTS NON-UL LISTED	1/2"	0728543	1192	141			11X
	3/4"	0728539	1193	142-TB		102-DC	12X
	1"	0728544	1194	143		103-DC	13X
	1-1/4"	0728541	1195	144		104-DC	14X
	1-1/2"	0728542	1196	145		105-DC	15X
2"	0728540	1198	146-TB		106-DC	16X	

RIGID FITTINGS




Vendor # 131972

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	RACO	Thomas & Betts	Appleton	Bridgeport	Eaton/ Crouse-Hinds
 RIGID STEEL SEALING LOCKNUTS	1/2"	0700636	1202	1415L	BLSG-50	141	SL1
	3/4"	0700637	1203	1425L	BLSG-75	142	SL2
	1"	0700638	1204	1435L	BLSG-100	143	SL3
	1-1/4"	0700639	1205	1445L	BLSG-125	144	SL4
	1-1/2"	0700640	1206	1455L	BLSG-150	145	SL5
	2"	0700641	1208	1465L	BLSG-200	146	SL6
 RIGID STEEL ZINC PLATED BONDING LOCKNUTS	1/2"	0728474	1242	106	GL-50	121-5	GL-11
	3/4"	0728470	1243	107	GL-75	122-5	GL-12
	1"	0728475	1244	108	GL-100	123-5	GL-13
	1-1/4"	0728472	1245	109	GL-125	124-5	GL-14
	1-1/2"	0728473	1246	110	GL-150	125-5	GL-15
	2"	0728471	1248	111	GL-200	126-5	GL-16
 RIGID STEEL REDUCING BUSHINGS NON-HAZARDOUS LOCATION	1/2" TO 3/8"	0728438	1141	600TB	RB-50-38	1160	
	3/4" TO 1/2"	0700667	1142	601TB	RB-75-50/RB-75-50A	1161	251
	1" TO 1/2"	0700668	1143	602TB	RB-100-50/RB-100-50A	1162	252
	1" TO 3/4"	0700669	1144	603TB	RB-100-75/RB-100-75A	1163	260
	1-1/4" TO 1/2"	0700670	1145	604TB	RB-125-50/RB-125-50A	1164	253
	1-1/4" TO 3/4"	0700671	1146	605	RB-125-75/RB-125-75A	1165	261
	1-1/4" TO 1"	0700672	1147	606	RB-125-100/RB-125-100A	1166	268
	1-1/2" TO 1/2"	0700673	1148	607	RB-150-50/RB-150-50A	1167	254
	1-1/2" TO 3/4"	0700674	1149	608	RB-150-75/RB-150-75A	1168	262
	1-1/2" TO 1"	0700675	1150	609	RB-150-100/RB-150-100A	1169	269
	1-1/2" TO 1-1/4"	0700676	1151	610	RB-150-125/RB-150-125A	1170	275
	2" TO 1/2"	0700677	1152	611	RB-200-50/RB-200-50A	1171	255
	2" TO 3/4"	0700678	1153	612	RB-200-75/RB-200-75A	1172	263
	2" TO 1"	0700679	1154	613	RB-200-100/RB-200-100A	1173	270S
	2" TO 1-1/4"	0700680	1155	614	RB-200-125/RB-200-125A	1174	276
2" TO 1-1/2"	0700681	1156	615	RB-200-150/RB-200-150A	1175	281	
 RIGID IRON REDUCING BUSHINGS NON-HAZARDOUS LOCATION	2-1/2" TO 1-1/4"	0728436	1160	600-TB		1141	283
	2-1/2" TO 1-1/2"	0728437	1161	RB-175	RB-250-150		
	2-1/2" TO 2"	0728435	1162	RB-176	RB-250-200/RB-250-200A	1143	285
	3" TO 2"	0728434	1168	RB-186	RB-300-200/RB-300-200A	1149	289
	3" TO 2-1/2"	0728433	1169	RB-187	RB-300-250/RB-300-250A		290M
	3-1/2" TO 2"	0728432	1175				291
	3-1/2" TO 2-1/2"	0728431	1176		RB-350-250		292
	3-1/2" TO 3"	0728430	1177		RB-350-300/RB-350-300A		293
	4" TO 3"	0728429	1185		RB-400-300/RB-400-300A		296
4" TO 3-1/2"	0728428	1186	1258	RB-400-350/RB-400-350A	1185	297	
 RIGID BUSHINGS STEEL/MALLEABLE IRON UNINSULATED	1/2"	0728572	1102RAC	122		201	1031NI
	3/4"	0728551	1103	123	BU-75	202	1032NI
	1"	0728555	1104	124	BU-100	203	1033NI
	1-1/4"	0728552	1105	125	BU-125	204	1034NI
	1-1/2"	0728553	1106	126	BU-150	205	1035NI
	2"	0728554	1108	127	BU-200	206	1036NI
 RIGID BUSHINGS STEEL/MALLEABLE IRON INSULATED	1/2"	0700643	1132	1222	BU-50I	361	1031
	3/4"	0726705	1133	1223	BU-75I	362	1032
	1"	0726706	1134	1224	BU-100I	363	1033
	1-1/4"	0726707	1135	1225	BU-125I	364	1034
	1-1/2"	0726708	1136	1226	BU-150I	365	1035
	2"	0726709	1138	1227	BU-200I	366	1036

LIQUIDTIGHT FITTINGS



Vendor # 131972

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	RACO	Thomas & Betts	Appleton	Bridgeport	Eaton/ Crouse-Hinds
 LIQUIDTIGHT CONDUIT MALLEABLE IRON STRAIGHT CONNECTOR INSULATED	3/8"	0703645	3511RAC	5331	STB-38	429-LTI2	LTB-38
	1/2"	0701308	3512-8	5332		430-LTI2	LTB50
	3/4"	0701309	3513-8	5333		431-LTI2	LTB75
	1"	0701310	3514-8	5334		432-LTI2	LTB100
	1-1/4"	0703646	3515RAC	5335	STB-125	433-LTI2	LTB-125
	1-1/2"	0703647	3516	5336	STB-150	434-LTI2	LTB-150
2"	0703648	3518	5337	STB-200	435-LTI2	LTB-200	

Vendor # 131972

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	RACO	Thomas & Betts	Appleton	Bridgeport	Eaton/Crouse-Hinds
	3/8"	0722556	3401	5231	ST-38	429-LT2	LT-38
	1/2"	0722557	3402	5232	ST-50	430-LT2	LT-50
	3/4"	0722558	3403	5233	ST-75	431-LT2	LT-75
	1"	0722522	3404	5234	ST-100	432-LT2	LT-100
	1-1/4"	0701275	3405	5235	ST-125	433-LT2	LT-125
	1-1/2"	0701276	3406	5236	ST-150	434-LT2	LT-150
2"	0703649	3408	5237	ST-200	435-LT2	LT-200	
	3/8"	0703653	3541RAC	5351	STB-9038	469-SLT1	LTB-3890
	1/2"	0722567	3542	5352	STB-9050	470-SLT1	LTB-5090
	3/4"	0722568	3543	5353	STB-9075	471-SLT1	LTB-7590
	1"	0728925	3544	5354	STB-90100	472-SLT1	LTB-10090
	1-1/4"	0712167	3545	5355	STB-90125	473-SLT1	LTB-12590
	1-1/2"	0703654	3546	5356	STB-90150	474-SLT1	LTB-15090
2"	0703655	3548	5357	STB-90200	475-SLT1	LTB-20090	
	3/8"	0722559	3421	5251	ST-9038	469-SLT	LT-3890
	1/2"	0722560	3422	5252	ST-9050	470-SLT	LT-5090
	3/4"	0722561	3423	5253	ST-9075	472-SLT	LT-7590
	1"	0722562	3424	5254	ST-90100	473-SLT	LT-10090
	1-1/4"	0701289	3425	5255	ST-90125	474-SLT	LT-12590
	1-1/2"	0701290	3426	5256	ST-90150	475-SLT	LT-15090
2"	0703662	3428	5257	ST-90200	475-LT2	LT-20090	
	3/8"	0703626	3561	5341	STB-4538	449-SLT1	LTB-3845
	1/2"	0701311	3562	5342	STB-4550	450-SLT1	LTB-5045
	3/4"	0701312	3563	5343	STB-4575	451-SLT1	LTB-7545
	1"	0701313	3564	5344	STB-45100	452-LT12	LTB-10045
	1-1/4"	0703650	3565	5345	STB-45125	453-LT12	LTB-12545
	1-1/2"	0703651	3566	5346	STB-45150	454-LT12	LTB-15045
2"	0703652	3568	5347	STB-45200	455-LT12	LTB-20045	
	3/8"	0701278	3441	5241	ST-4538	449-SLT	LT-3845
	1/2"	0701279	3442	5242	ST-4550	450-SLT	LT-5045
	3/4"	0701280	3443	5243	ST-4575	451-SLT	LT-7545
	1"	0701281	3444	5244	ST-45100	452-LT2	LT-10045
	1-1/4"	0701282	3445	5245	ST-45125	453-LT2	LT-12545
	1-1/2"	0701283	3446	5246	ST-45150	454-LT2	LT-15045
2"	0701284	3448	5247	ST-45200	455-LT2	LT-20045	
	3/8"	0728463	4721	LT35P	NMM-01	429-NMLT	
	1/2"	0728468	4722	LT50P	NMM-11	430-NMLT	
	3/4"	0728464	4723	LT75P	NMM-21	431-NMLT	
	1"	0728469	4724	LT100P	NMM-31	432-NMLT	
	1-1/4"	0728466	4725	LT125P		433-NMLT	
	1-1/2"	0728467	4726	LT150P		434-NMLT	
2"	0728465	4728	LT200P		435-NMLT		
	3/8"	0728439	4741	LT38P			
	1/2"	0708071	4742	LT50P			
	3/4"	0708062	4743	LT75P			
	1"	0708063	4744	LT100P			
	1-1/4"	0708069	4745	LT125P			
	1-1/2"	0728442	4746	LT150P			
2"	0708070	4748	LT200P				
	3/8"	0713970	4731	LT938P	NML-01	469-NM LT	
	1/2"	99027990	4732	LT450P	NML-11	470-NM LT	
	3/4"	99027991	4733	LT475P	NML-21	471-NM LT	
	1"	99027992	4734	LT4100P	NML-31	472-NMLT	
	3/8"	0728446	4751				
	1/2"	0728453	4752				
	3/4"	0728448	4753	LT975P			
	1"	0728455	4754	LT9100P			
	.187 TO .250	0726712	4801-2	2920AL	CG-1850		
	.250 TO .312	0726719	4801-3	2920AL	CG-3150		
	.312 TO .375	0726713	4801-4		CGA-50-375		
	.375 TO .437	0726722	4801-5		CGA-50-438		
	.062 TO .125	0728503	4801-0				
	.125 TO .187	0728502	4801-1		CG-1250		
	.375 TO .500	0726714	4802-4		CG-3750		
	.500 TO .625	0726715	4802-5		CG-5050		
	.625 TO .750	0726716	4802-8		CG-6250		
	.750 TO .875	0728501	4802-9				






LIQUIDTIGHT FITTINGS






Vendor # 131972

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	RACO	Thomas & Betts	Appleton	Bridgeport	Eaton/ Crouse-Hinds
 3/4" LIQUIDTIGHT STRAIGHT STRAIN RELIEF CONNECTOR	.187 TO .250	0728500	4803-2				
	.250 TO .375	0728499	4803-3		CG-2575		
	.75 TO .500	0728498	4803-4		CG-3775		
	.500 TO .625	0728497	4803-5		CG-5075		
	.625 TO .750	0726717	4803-8		CG-6275		
	.750 TO .875	0726718	4803-9		CG-7575		
 1" LIQUIDTIGHT STRAIGHT STRAIN RELIEF CONNECTOR	.375 TO .500	0728507	4804-0		CG-37100		
	.500 TO .625	0728506	4804-1		CG-50100		
	.625 TO .750	0728505	4804-2		CG-62100		
	.750 TO .875	0728504	4804-3		CG-75100		
	.875 TO 1.000	0726721	4804-4		CG-87100		
	1.000 TO 1.125	0726723	4804-5		CG-100100		
 LIQUIDTIGHT CONDUIT ZINC PLATED SEALING WASHER	1/2"	0722541	2452	5262	STG-50	SR-050	SG1
	3/4"	0722542	2453	5263	STG-75	SR-075	SG2
	1"	0722519	2454	5264	STG-100	SR-100	SG3
	1-1/4"	0703659	2455	5265	STG-125	SR-150	SG4
	1-1/2"	0703660	2456	5266	STG-150	SR-150	SG5
	2"	0703661	2458	5267	STG-200	SR-200	SG6
 LIQUIDTIGHT CONDUIT STRAIGHT CONNECTOR MALLEABLE IRON W/ GROUND LUG INSULATED	3/8"	99028127	3511-3	5231GR	ST-38L/STB-38L	429-SLTIG	LTB38G/LT38G
	1/2"	0728444	3512-3	5232GR	ST-50L/STB-50L	430-SLTIG	LTB50G/LT50G
	3/4"	99028128	3513-3	5233GR	ST-75L/STB-75L	431-SLTIG	LTB75G/LT75G
	1"	0728445	3514-3	5234GR	ST-100L/STB-100L	432-SLTIG	LTB100G/LT100G
	1-1/4"	0728441	3515-3	5235GR	ST-125L/STB-125L	433-SLTIG	LTB125G/LT125G
	1-1/2"	0728443	3516-3	5236GR	ST-150L/STB-150L	434-SLTIG	LTB150G/LT150G
	2"	0728440	3518-3	5237GR	ST-200L/STB-200L	435-SLTIG	LTB200G/LT200G
 LIQUIDTIGHT CONDUIT 90° CONNECTOR MALLEABLE IRON W/GROUND LUG INSULATED	3/8"	99028133	3541-3	5251GR	ST-9038L/STB-9038L	469-SLTIG	LTB3890G/LT3890G
	1/2"	0728452	3542-3	5252GR	ST-9050L/STB-9050L	470-SLTIG	LTB5090G/LT5090G
	3/4"	0728447	3543-3	5253GR	ST-9075L/STB-9075L	471-SLTIG	LTB7590G/LT7590G
	1"	0728454	3544-3	5254GR	ST-90100L/STB-90100L	472-SLTIG	LTB10090G/LT10090G
	1-1/4"	0728450	3545-3	5255GR	ST-90125L/STB-90125L	473-SLTIG	LTB12590G/LT12590G
	1-1/2"	0728451	3546-3	5256GR	ST-90150L/STB-90150L	474-SLTIG	LTB15090G/LT15090G
	2"	0728449	3548-3	5257GR	ST-90200L/STB-90200L	475-SLTIG	LTB20090G/LT20090G
 LIQUIDTIGHT CONDUIT 45° CONNECTOR MALLEABLE IRON W/GROUND LUG INSULATED	3/8"	0728456	3561-3	5241GR	ST-4538L/STB-4538L		LTB3845G/LT3845G
	1/2"	0728461	3562-3	5242GR	ST-4550L/STB-4550L		LTB5045G/LT5045G
	3/4"	0728457	3563-3	5243GR	ST-4575L/STB-4575L		LTB7545G/LT7545G
	1"	0728462	3564-3	5244GR	ST-45100L/STB-45100L		LTB10045G/LT10045G
	1-1/4"	0728459	3565-3	5245GR	ST-45125L/STB-45125L		LTB12545G/LT12545G
	1-1/2"	0728460	3566-3	5246GR	ST-45150L/STB-45150L		LTB15045G/LT15045G
	2"	0728458	3568-3	5247GR	ST-45200L/STB-45200L		LTB20045G/LT20045G
 1/2" LIQUIDTIGHT STRAIGHT STRAIN RELIEF CONNECTOR MALLEABLE IRON	.125" TO .250"	0701660	3702-1	2520	CG-12505	770-22	CG50-250
	.250" TO .375"	0722569	3702-2	2521	CG-18505	770-42	CG50-350
	.375" TO .425"	0701662	3702-3	2522	CG-31505		CG50-450
	.425" TO .500"	0701663	3702-4	2523			CG50-560
	.375" TO .500"	0722570	3702-5	2522	CG-37505	770-52	
	.500" TO .600"	0722571	3702-6	2524	CG-50505	770-62	CG50-650
 3/4" LIQUIDTIGHT STRAIGHT STRAIN RELIEF CONNECTOR MALLEABLE IRON	.250" TO .375"	0728521	3703-1	2531	CG-25755	771-32	CG75-350
	.375" TO .500"	0728520	3703-2	2532	CG-27755	771-42	CG75-450
	.500" TO .600"	0700062	3703-3	2534	CG-50755	771-52	CG75-560
	.600" TO .650"	0728519	3703-4	2535	SR-757	771-62	CG75-650
	.650" TO .700"	0728518	3703-6	2535	CG-62755	771-63	CG75-750
	.700" TO .850"	0728517	3703-5	2536	CG-75755	771-72	CG75-850
 1" LIQUIDTIGHT STRAIGHT STRAIN RELIEF CONNECTOR MALLEABLE IRON	.600" TO .700"	0728529	3704-1	2545	CG-621005	772-42	CG100-650
	.700" TO .850"	0728528	3704-2	2546	CG-751005	772-52	CG100-850/CG100-750
	.850" TO 1.000"	0728527	3704-3	2547	CG-871005	772-62	CG100-950
 1 1/4" LIQUIDTIGHT STRAIGHT STRAIN RELIEF CONNECTOR MALLEABLE IRON	.850" TO 1.000"	0728522	3705-1	2558	CG-10012		CG125-950/CG125-1050
	1.000" TO 1.250"	0728524	3705-2	2559	CG-1121255		CG125-1150
	1.250" TO 1.400"	0728523	3705-3	2556	CG-1251255		CG125-1375/CG125-1250
 1 1/2" LIQUIDTIGHT STRAIGHT STRAIN RELIEF CONNECTOR MALLEABLE IRON	1.000" TO 1.250"	0728526	3706-1	2563	CG-1151505		CG150-1250/CG150-1050/CG150-1150
	1.250" TO 1.400"	0728525	3706-2	2564	CG-1281505		CG150-1375

Vendor # 131972

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	RACO	Thomas & Betts	Appleton	Bridgeport	Eaton/ Crouse-Hinds
 1/2" LIQUIDTIGHT 90° CORD CONNECTOR MALLEABLE IRON	.125" TO .250"	0728516	3792-1	2267	CG90-1250S	780-22	CG5090-250
	.250" TO .375"	0726711	3792-2	2268	CG90-2550S	780-42	CG5090-350
	.375" TO .425"	0728515	3792-3	2269	SR9-504		CG5090-450
	.425" TO .500"	0726720	3792-4	2270	SR-950-500		CG5090-560
	.375" TO .500"	0726731	3792-5	2269	CG90-3750S	780-52	
	.500" TO .600"	0728514	3792-6	2250	CG90-5050S	780-62	CG5090-650
 3/4" LIQUIDTIGHT 90° CORD CONNECTOR MALLEABLE IRON	.250" TO .375"	0728513	3793-1	2271	CG90-2575S	781-32	CG7590-350
	.375" TO .500"	0728512	3793-2	2272	CG90-3775S	781-42	CG7590-450
	.500" TO .600"	0728511	3793-3	2273	CG90-5075S	781-52	CG7590-560
	.600" TO .650"	0728510	3793-4	2274	SR9-757	781-62	CG7590-650
	.650" TO .700"	0728509	3793-6		SR-975-750	781-63	CG7590-750
	.700" TO .850"	0728508	3793-5	2253	CG90-7575S	781-72	CG7590-850
 1/2" LIQUIDTIGHT STRAIGHT CORD CONNECTOR NYLON	.375" TO .437"	0728482	4700-6				
	.062" TO .125"	0728493	4702-1				
	.187" TO .250"	0728492	4702-3			NCG-11	
	.250" TO .375"	0728491	4702-4	2672		NCG-11	
	.375" TO .500"	0728490	4702-5	2673			
	.500" TO .625"	0728489	4702-6				
 3/4" LIQUIDTIGHT STRAIGHT CORD CONNECTOR NYLON	.375" TO .500"	0728487	4703-1	2694		NCG-21	
	.500" TO .625"	0728486	4703-2	2674		NCG-21	
	.625" TO .750"	0728485	4703-3	2675			
	.750" TO .875"	0728484	4703-4	2696			
 1" LIQUIDTIGHT STRAIGHT CORD CONNECTOR NYLON	.625" TO .750"	0728495	4704-3	2676		NCG-32	
	.875" TO 1.000"	0728494	4704-5	2678		NCG-32	
	1.000" TO 1.125"	0728496	4704-6	2699			



Vendor # 131972

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	RACO	Thomas & Betts	Appleton	Bridgeport	Eaton/ Crouse-Hinds
 REDUCING WASHERS STEEL	3/4" TO 1/2"	0700646	1365	3701	RW-75-50	1061	342
	1" TO 1/2"	0700647	1366	3703	RW-100-50	1062	343
	1" TO 3/4"	0700648	1367	3704	RW-100-75	1063	344
	1-1/4" TO 1/2"	0700649	1368	3706	RW-125-50	1064	345
	1-1/4" TO 3/4"	0700650	1369	3707	RW-125-75	1065	346
	1-1/4" TO 1"	0700651	1370	3708	RW-125-100	1066	347
	1-1/2" TO 1/2"	0700652	1371	3710	RW-150-50	1067	348
	1-1/2" TO 3/4"	0700653	1372	3711	RW-150-75	1068	349
	1-1/2" TO 1"	0700654	1373	3712	RW-150-100	1069	350S
	1-1/2" TO 1-1/4"	0700655	1374	3713	RW-150-125	1070	351
	2" TO 1/2"	0700656	1375	3714	RW-200-50	1071	352
	2" TO 3/4"	0700657	1376	3715	RW-200-75	1072	353
	2" TO 1"	0700658	1377	3716	RW-200-100	1073	354
	2" TO 1-1/4"	0700659	1378	3717	RW-200-125	1074	355
	2" TO 1-1/2"	0700660	1379	3718	RW-200-150	1075	356
 SEALING COMPOUND		0709882	SC-4 OZ				
		0709883	SC-8 OZ				
		0692619	SC-1LB		AC1A		CHICO-A3
		0608981	SC-5LB		ACSA		CHICO-A05
 PACKING FIBER		0728628	PF-2		F01		CHICO-X4
		0709884	PF-4		F04		CHICO-X4
		0728629	PF-16		F1		CHICO-X7



CONNECTORS- MALE END

COUPLINGS-CONDUIT OPENING



TRADE SIZES
1/2"





3/4"





1"





1 1/4"



1 1/2"



2"















RACO













South Bend, Indiana

USE THIS 2" DIA CIRCLE
TO VERIFY PRINTING SCALE

KILLARK® HAZARDOUS LOCATION FITTINGS & CONDUIT BODIES












Vendor # 131972










Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	Killark	Thomas & Betts	Appleton	Bridgeport	Eaton/ Crouse-Hinds
 CONDUIT BODY C-TYPE ALUMINUM	1/2"	0700081	OC-1	AC-1	C50-A	C41	C19
	3/4"	0700088	OC-2	AC-2	C75-A	C42	C29
	1"	0700095	OC-3	AC-3	C100-A	C43	C39
	1-1/4"	0703818	OC-4	AC-4	C125-A	C44	C49
	1-1/2"	0709743	OC-5	AC-5	C150-A	C45	C59
	2"	0709744	OC-6	AC-6	C200-A	C46	C69
 CONDUIT BODY C-TYPE IRON	1/2"	0708440	OC-1M		C50-M	C61	C50M
	3/4"	0708441	OC-2M		C75-M	C62	C75M
	1"	0708442	OC-3M		C100-M	C63	C100M
	1-1/4"	0708443	OC-4M		C125-M	C64	C125M
	1-1/2"	0709745	OC-5M		C150-M	C65	C150M
	2"	0709746	OC-6M		C200-M	C66	C200M
 CONDUIT BODY E-TYPE ALUMINUM	1/2"	0700079	OE-1		E50-A	C41	C19
	3/4"	0700086	OE-2		E75-A	C42	C29
	1"	0700093	OE-3		E100-A	C43	C39
 CONDUIT BODY E-TYPE IRON	1/2"	0708444	OE-1M		E50-M	C44	C49
	3/4"	0708445	OE-2M		E75-M	C45	C59
	1"	0708446	OE-3M		E100-M	C46	C69
 CONDUIT BODY LB-TYPE ALUMINUM	1/2"	0700082	OLB-1	ALB-1	LB-50-D	LB-41	LB19
	3/4"	0700089	OLB-2	ALB-2	LB-75-D	LB-42	LB29
	1"	0700096	OLB-3	ALB-3	LB-100-D	LB-43	LB39
	1-1/4"	0703826	OLB-4	ALB-4	LB-125-D	LB-44	LB49
	1-1/2"	0700310	OLB-5	ALB-5	LB-150-D	LB-45	LB59
	2"	0709748	OLB-6	ALB-6	LB-200-D	LB-46	LB69
 CONDUIT BODY LB-TYPE IRON	1/2"	0708447	OLB-1M		LB50-M	LB-61	LB50M
	3/4"	0708448	OLB-2M		LB75-M	LB-62	LB75M
	1"	0708449	OLB-3M		LB100-M	LB-63	LB100M
	1-1/4"	0708450	OLB-4M		LB125-M	LB-64	LB125M
	1-1/2"	0709749	OLB-5M		LB150-M	LB-65	LB150M
	2"	0709750	OLB-6M		LB200-M	LB-66	LB200M
 CONDUIT BODY LL-TYPE ALUMINUM	1/2"	0700080	OLL-1	ALL-1	LL-50-D	LL-41	LL19
	3/4"	0700087	OLL-2	ALL-2	LL-75-D	LL-42	LL29
	1"	0700094	OLL-3	ALL-3	LL-100-D	LL-43	LL39
	1-1/4"	0703830	OLL-4	ALL-4	LL-125-D	LL-44	LL49
	1-1/2"	0709751	OLL-5	ALL-5	LL-150-D	LL-45	LL59
	2"	0709752	OLL-6	ALL-6	LL-200-D	LL-46	LL69
 CONDUIT BODY LL-TYPE IRON	1/2"	0708455	OLL-1M		LL50-M	LL-61	LL50M
	3/4"	0708456	OLL-2M		LL75-M	LL-62	LL75M
	1"	0708457	OLL-3M		LL100-M	LL-63	LL100M
	1-1/4"	0708458	OLL-4M		LL125-M	LL-64	LL125M
	1-1/2"	0709753	OLL-5M		LL150-M	LL-65	LL150M
	2"	0709754	OLL-6M		LL200-M	LL-66	LL200M
 CONDUIT BODY LR-TYPE ALUMINUM	1/2"	0700083	OLR-1	ALR-1	LR-50-D	LR-41	LR19
	3/4"	0700090	OLR-2	ALR-2	LR-75-D	LR-42	LR29
	1"	0700097	OLR-3	ALR-3	LR-100-D	LR-43	LR39
	1-1/4"	0703834	OLR-4	ALR-4	LR-125-D	LR-44	LR49
	1-1/2"	0709755	OLR-5	ALR-5	LR-150-D	LR-45	LR59
	2"	0709756	OLR-6	ALR-6	LR-200-D	LR46	LR69
 CONDUIT BODY LR-TYPE IRON	1/2"	0708459	OLR-1M		LRL50-M	LR-61	LR50M
	3/4"	0708460	OLR-2M		LRL75-M	LR-62	LR75M
	1"	0708461	OLR-3M		LRL100-M	LR-63	LR100M
	1-1/4"	0708462	OLR-4M		LRL125-M	LR-64	LR125M
	1-1/2"	0709757	OLR-5M		LRL150-M	LR-65	LR150M
	2"	0709758	OLR-6M		LRL200-M	LR-66	LR200M
 CONDUIT BODY T-TYPE ALUMINUM	1/2"	0700084	OT-1	AT-10	TC-50	T-41	T19
	3/4"	0700091	OT-2	AT-2	TC-75	T-42	T29
	1"	0700098	OT-3	AT-3	TC-100	T-43	T39
	1-1/4"	0703838	OT-4	AT-4	TC-125	T-44	T49
	1-1/2"	0709759	OT-5	AT-5	TC-150	T-45	T59
	2"	0709760	OT-6	AT-6	TC-200	T-46	T69
 CONDUIT BODY T-TYPE IRON	1/2"	0708463	OT-1M		T50-M	T-61	T50M
	3/4"	0708464	OT-2M		T75-M	T-62	T75M
	1"	0708465	OT-3M		T100-M	T-63	T100M
	1-1/4"	0708466	OT-4M		T125-M	T-64	T125M
	1-1/2"	0709761	OT-5M		T150-M	T-65	T150M
	2"	0709762	OT-6M		T200-M	T-66	T200M

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	Killark	Thomas & Betts	Appleton	Bridgeport	Eaton/Crouse-Hinds
 CONDUIT BODY TA-TYPE ALUMINUM	1/2"	0728582	OTA-1		TA50-A		
	3/4"	0728583	OTA-2		TA75-A		
 CONDUIT BODY TA-TYPE IRON	1/2"	0728584	OTA-1M		TA50-M		
	3/4"	0728585	OTA-2M		TA75-M		
	1"	0728586	OTA-3M		TA100-M		
 CONDUIT BODY TB-TYPE ALUMINUM	1/2"	0722494	OTB-1			TB50-A	TB19
	3/4"	0722495	OTB-2			TB75-A	TB29
	1"	0722497	OTB-3			TB100-A	TB39
	1-1/4"	0728587	OTB-4			TB125-A	TB49
	1-1/2"	0722499	OTB-5			TB150-A	
	2"	0722500	OTB-6			TB200-A	
 CONDUIT BODY TB-TYPE IRON	1/2"	0728588	OTB-1M			TB50-M	TB50M
	3/4"	0722496	OTB-2M			TB75-M	TB75M
	1"	0722498	OTB-3M			TB100-M	TB100M
	1-1/4"	0728589	OTB-4M			TB125-M	TB125M
	1-1/2"	0728590	OTB-5M			TB150-M	TB150M
	2"	0728591	OTB-6M			TB200-M	TB200M
 CONDUIT BODY X-TYPE ALUMINUM	1/2"	0728592	OX-1		X50-A		X19
	3/4"	0728593	OX-2		X75-A		X29
	1"	0728594	OX-3		X100-A		X39
	1-1/4"	0728595	OX-4		X125-A		
	1-1/2"	0728596	OX-5		X150-A		
	2"	0728597	OX-6		X200-A		
 CONDUIT BODY X-TYPE IRON	1/2"	0728598	OX-1M		X50-M		
	3/4"	0728599	OX-2M		X75-M		
	1"	0728600	OX-3M		X100-M		
	1-1/4"	0728601	OX-4M		X125-M		
	1-1/2"	0728602	OX-5M		X150-M		
	2"	0728603	OX-6M		X200-M		
 CONDUIT BODY COVER ALUMINUM	1/2"	0703839	OL-10		CC-50		190
	3/4"	0703840	OL-20		CC-75		290
	1"	0703841	OL-30		CC-100		390
	1-1/4"	0700312	OL-450		CC-125		490
	1-1/2"	0700312	OL-450		CC-125		490
	2"	0709767	OL-60		CC-200		690
 CONDUIT BODY COVER STAMPED STEEL	1/2"	0708451	OL-10M		K50		K50S
	3/4"	0708452	OL-20M		K75		K75S
	1"	0708453	OL-30M		K100		K100S
	1-1/4"	0708454	OL-45M		K125 & 150		K125S
	1-1/2"	0708454	OL-45M		K125 & 150		K125S
	2"	0709768	OL-60M		K200		K200S
 CONDUIT BODY GASKET NEOPRENE	1/2"	0703843	OLK-1RG		GASK851N	SGN-61	GK50N
	3/4"	0703844	OLK-2RG		GASK852N	SGN-62	GK75N
	1"	0703845	OLK-3RG		GASK853N	SGN-63	GK100N
	1-1/4"	0709774	OL-45-RG				
	1-1/2"	0709774	OL-45-RG				
	2"	0709775	OL-6-RG				
 CONDUIT BODY GASKET FIBER	1/2"	0728607	OLK-1VG	GKV-1	FG-50	SG-61	
	3/4"	0728608	OLK-2VG	GKV-2	FG-75	SG-62	
	1"	0728609	OLK-3VG	GKV-3	FG-100	SB-63	
	1-1/4"	0728610	OL-45-VG	GKV-4	FG-125	SG-64	
	1-1/2"	0728610	OL-45-VG	GKV-4	FG-125	SG-64	
	2"	0728612	OL-6-VG	GKV-5	FG-200	SG66	
 CONDUIT BODY C-TYPE WITH ALUMINUM COVER & NEOPRENE GASKET	1/2"	0722471	OC-1CG				
	3/4"	0722472	OC-2CG				
	1"	0722473	OC-3CG				
	1-1/4"	0758288	OC-4CG				
	1-1/2"	0758289	OC-5CG				
	2"	0758290	OC-6CG				
 CONDUIT BODY LB-TYPE WITH ALUMINUM COVER & NEOPRENE GASKET	1/2"	0722476	OLB-1CG		LB50ACGA	LB-41CG	LB19
	3/4"	0722477	OLB-2CG		LB75ACGA	LB-42CG	LB29
	1"	0722478	OLB-3CG		LB100ACGA	LB-43CG	LB39
	1-1/4"	0722479	OLB-4CG		LB125ACGA	LB-44CG	LB49
	1-1/2"	0722480	OLB-5CG		LB150ACGA	LB-45CG	LB59
	2"	0722481	OLB-6CG		LB200ACGA	LB-46CG	LB69

KILLARK® HAZARDOUS LOCATION FITTINGS & CONDUIT BODIES















Vendor # 131972











Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	Killark	Thomas & Betts	Appleton	Bridgeport	Eaton/ Crouse-Hinds
 CONDUIT BODY LL-TYPE WITH ALUMINUM COVER & NEOPRENE GASKET	1/2"	0722483	OLL-1CG		LL50ACGA	LL-41CG	LB50M
	3/4"	0722484	OLL-2CG		LL75ACGA	LL-42CG	LB75M
	1"	0722485	OLL-3CG		LL100ACGA	LL-43CG	LB100M
	1-1/4"	0728619	OLL-4CG		LL125ACGA	LL-44CG	LB125M
	1-1/2"	0728620	OLL-5CG		LL150ACGA	LL-45CG	LB150M
	2"	0728621	OLL-6CG		LL200ACGA	LL-46CG	LB200M
 CONDUIT BODY LR-TYPE WITH ALUMINUM COVER & NEOPRENE GASKET	1/2"	0722486	OLR-1CG		LR50ACGA	LR-41CG	LL19
	3/4"	0722487	OLR-2CG		LR75ACGA	LR-42CG	LL29
	1"	0722488	OLR-3CG		LR100ACGA	LR-43CG	LL39
	1-1/4"	0728622	OLR-4CG		LR125ACGA	LR-44CG	LL49
	1-1/2"	0728623	OLR-5CG		LR150ACGA	LR-45CG	LL59
	2"	0728624	OLR-6CG		LR200ACGA	LR-46CG	LL69
 CONDUIT BODY T-TYPE WITH ALUMINUM COVER & NEOPRENE GASKET	1/2"	0722489	OT-1CG		T50ACGA	T-41CG	LL50M
	3/4"	0722490	OT-2CG		T75ACGA	T-42CG	LL75M
	1"	0722491	OT-3CG		T100ACGA	T-43CG	LL100M
	1-1/4"	0722492	OT-4CG		T125ACGA	T-44CG	LL125M
	1-1/2"	0728625	OT-5CG		T150ACGA	T-45CG	LL150M
	2"	0722493	OT-6CG		T200ACGA	T-46CG	LL200M
 SEALING FITTING EY-TYPE HAZARDOUS LOCATION ALUMINUM	1/2"	0709870	EY-1		EYS-50AL		EYS1-SA
	3/4"	0709871	EY-2		EYSF-75AL		EYS2-SA
	1"	0709872	EY-3		EYSF-100AL		EYS3-SA
	1-1/4"	0709873	EY-4		EYSF-125AL		
	1-1/2"	0709874	EY-5		EYSF-150AL		
	2"	0709875	EY-6		EYSF-200AL		
 SEALING FITTING EY-TYPE HAZARDOUS LOCATION IRON	1/2"	0709876	EY-1M		EYSF-50		EYS1
	3/4"	0709877	EY-2M		EYSF75		EYS2
	1"	0709878	EY-3M		EYSF-100		EYS3
	1-1/4"	0709879	EY-4M		EYSF-125		
	1-1/2"	0709880	EY-5M		EYSF-150		
	2"	0709881	EY-6M		EYSF-200		
 SEALING FITTING ENY-TYPE HAZARDOUS LOCATION ALUMINUM	1/2"	0709858	ENY-1		EYF-50AL		EYS11-SA
	3/4"	0709859	ENY-2		EYF-75AL		EYS21-SA
	1"	0709860	ENY-3		EYF-100-AL		EYS31-SA
	1-1/4"	0709861	ENY-4		EYF125-AL		EYS4-SA
	1-1/2"	0709862	ENY-5		EYF-150AL		EYS5-SA
	2"	0709863	ENY-6		EYF-200AL		EYS6-SA
 SEALING FITTING ENY-TYPE HAZARDOUS LOCATION IRON	1/2"	0709864	ENY-1M		EYF-50		EYS11
	3/4"	0709865	ENY-2M		EYF-75		EYS21
	1"	0709866	ENY-3M		EYF-100		EYS31
	1-1/4"	0709867	ENY-4M		EYF-125		EYS4
	1-1/2"	0709868	ENY-5M		EYF-150		EYS5
	2"	0709869	ENY-6M		EYF-200		EYS6
 RECESSED PLUG HAZARDOUS LOCATION ALUMINUM	3/8"	0728630	CUP-375				
	1/2"	0728631	CUP-1		PLG-50RA		PLG1-SA
	3/4"	0728632	CUP-2		PLG-75RA		PLG2-SA
	1"	0728633	CUP-3		PLG-100RA		PLG3-SA
	1-1/4"	0728634	CUP-4		PLG-125A		PLG4-SA
	1-1/2"	0728635	CUP-5		PLG-150A		PLG5-SA
2"	0728636	CUP-6		PLG-200A		PLG6-SA	
 RECESSED PLUG HAZARDOUS LOCATION IRON/STEEL	3/8"	0728637	PLUG375				
	1/2"	0728638	PLUG1		PLG-50R		PLG1
	3/4"	0728639	PLUG2		PLG-75R		PLG2
	1"	0728640	PLUG3		PLG-100R		PLG3
	1-1/4"	0728641	PLUG4		PLG-125S		PLG4
	1-1/2"	0728642	PLUG5		PLG-150S		PLG5
2"	0728643	PLUG6		PLG-200S		PLG6	
 SQUARE HEAD PLUG HAZARDOUS LOCATION ALUMINUM	1/4"	0728644	CUPX-250				
	1/2"	0728645	CUPX-1				PLG15-SA
	3/4"	0728646	CUPX-2				PLG25-SA
	1"	0728647	CUPX-3				PLG35-SA
	1-1/4"	0728648	CUPX-4				PLG45-SA
	1-1/2"	0728649	CUPX-5				PLG55-SA
2"	0728650	CUPX-6				PLG65-SA	
 SQUARE HEAD PLUG HAZARDOUS LOCATION IRON/STEEL	1/2"	0728651	PLUG1-SQ		PLG-50S		PLG15
	3/4"	0728652	PLUG2-SQ		PLG-75S		PLG25
	1"	0728653	PLUG3-SQ		PLG-100S		PLG35
	1-1/4"	0728654	PLUG4-SQ		PLG-125S		PLG45
	1-1/2"	0728655	PLUG5-SQ		PLG-150S		PLG55-SA
	2"	0728656	PLUG6-SQ		PLG-200S		PLG65

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			Eaton/ Crouse-Hinds
		Fastenal	Killark	Thomas & Betts	Appleton	Bridgeport	
 REDUCING BUSHINGS HAZARDOUS LOCATION STEEL	3/4" TO 1/2"	0709933	RE21S		RB-2		RE21
	1" TO 1/2"	0709935	RE31S		RB-3		RE31
	1" TO 3/4"	0709936	RE32S		RB-4		RE32
	1-1/4" TO 1/2"	0709937	RE41S		RB-5		RE41
	1-1/4" TO 3/4"	0709938	RE42S		RB-6		RE42
	1-1/4" TO 1"	0709939	RE43S		RB-7		RE43
	1-1/2" TO 1/2"	0709940	RE51S		RB-8		RE51
	1-1/2" TO 3/4"	0709941	RE52S		RB-9		RE52
	1-1/2" TO 1"	0709942	RE53S		RB-10		RE53
	1-1/2" TO 1-1/4"	0709943	RE54S		RB-11		RE54
	2" TO 1/2"	0709944	RE61S		RB-12		RE61
	2" TO 3/4"	0709945	RE62S		RB-13		RE62
	2" TO 1"	0709946	RE63S		RB-14		RE63
	2" TO 1-1/4"	0709947	RE64S		RB-15		RE64
2" TO 1-1/2"	0709948	RE65S		RB-16		RE65	
 REDUCING BUSHINGS HAZARDOUS LOCATIONS ALUMINUM	1/2" TO 3/8"	0709913	R-10		RB50-38A		
	3/4" TO 3/8"	0709914	R-20				
	3/4" TO 1/2"	0709915	R-21		RB75-50A		RE21-SA
	1" TO 3/8"	0709916	R-30				
	1" TO 1/2"	0709917	R-31		RB100-50A		RE31-SA
	1" TO 3/4"	0709918	R-32		RB100-75A		RE32-SA
	1-1/4" TO 1/2"	0709919	R-41		RB125-50A		RE41-SA
	1-1/4" TO 3/4"	0709920	R-42		RB125-75A		RE42-SA
	1-1/4" TO 1"	0709921	R-43		RB125-100A		RE43-SA
	1-1/2" TO 1/2"	0709922	R-51		RB150-50A		RE51-SA
	1-1/2" TO 3/4"	0709923	R-52		RB150-75A		RE52-SA
	1-1/2" TO 1"	0709924	R-53		RB150-100A		RE53-SA
	1-1/2" TO 1-1/4"	0709925	R-54		RB150-125A		RE54-SA
	2" TO 1/2"	0709926	R-61		RB200-50A		RE61-SA
2" TO 3/4"	0709927	R-62		RB200-75A		RE62-SA	
2" TO 1"	0709928	R-63		RB200-100A		RE63-SA	
2" TO 1-1/4"	0709929	R-64		RB200-125A		RE64-SA	
2" TO 1-1/2"	0709930	R-65		RB200-150A		RE65-SA	
 FF TYPE 90° ELBOW HAZARDOUS LOCATION ALUMINUM	1/2"	0709949	FF-90-1		ELF90-50AL		EL19-SA
	3/4"	0709950	FF-90-2		ELF90-75AL		EL29-SA
	1"	0709951	FF-90-3		ELF90-100AL		EL39-SA
 FF TYPE 90° ELBOW HAZARDOUS LOCATION IRON	1/2"	0709952	FF-90-1M		ELF90-50		EL19
	3/4"	0709953	FF-90-2M		ELF90-75		EL29
	1"	0709954	FF-90-3M		ELF90-100		EL39
 FF TYPE 45° ELBOW HAZARDOUS LOCATION ALUMINUM	1/2"	0709955	FF-45-1		ELF45-50AL		EL1-SA
	3/4"	0709956	FF-45-2		ELF45-75AL		EL2-SA
	1"	0709957	FF-45-3		ELF45-100AL		EL3-SA
	2"	0728657	FF-45-6		ELF45-200AL		
 FF TYPE 45° ELBOW HAZARDOUS LOCATION IRON	1/2"	0709958	FF-45-1M		ELF45-50		EL1
	3/4"	0709959	FF-45-2M		ELF45-75		EL2
	1"	0709960	FF-45-3M		ELF45-100		EL3
	2"		FF-45-6M				
 MF TYPE 90° ELBOW HAZARDOUS LOCATION ALUMINUM	1/2"	0709961	MF-90-1		ELMF90-50AL		EL196-SA
	3/4"	0709962	MF-90-2		ELMF90-75AL		EL296-SA
 MF TYPE 90° ELBOW HAZARDOUS LOCATION IRON	1/2"	0709963	MF-90-1M		ELMF90-50		EL196
	3/4"	0709964	MF-90-2M		ELMF90-75		EL296
 MF TYPE 45° ELBOW HAZARDOUS LOCATION ALUMINUM	1/2"	0709965	MF-45-1				
	3/4"	0709966	MF-45-2				

KILLARK® HAZARDOUS LOCATION FITTINGS & CONDUIT BODIES













Vendor # 131972






Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	Killark	Thomas & Betts	Appleton	Bridgeport	Eaton/ Crouse-Hinds
 MF TYPE 45° ELBOW HAZARDOUS LOCATION IRON	1/2" 3/4"	0709967 0709968	MF-45-1M MF-45-2M				
 LB TYPE MOGUL CONDUIT BODY HAZ LOCATION ALUMINUM	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"	0728659 0728660 0728661 0728662 0728663 0728664	MOLBD-1 MOLBD-2 MOLBD-3 MOLBD-4 MOLBD-5 MOLBD-6		BLB100-A BLB125-A BLB150-A BLB200-A	MLB-44 MLB-45 MLB-46	LBD1100-SA LBD2200-SA LBD3300-SA LBD4400-SA LBD5500-SA LBD6600-SA
 LB TYPE MOGUL CONDUIT BODY HAZ LOCATION IRON	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"	0728665 0728666 0728667 0728668 0728669 0728670	MOLBD-1M MOLBD-2M MOLBD-3M MOLBD-4M MOLBD-5M MOLBD-6M		LBD50-M LBD75-M LBD100-M BLB125-M BLB150-M BLB200-M		LBD1100 LBD2200 LBD3300 LBD4400 LBD5500 LBD6600
 C TYPE MOGUL CONDUIT BODY HAZ LOCATION ALUMINUM	1" 1-1/4" 1-1/2" 2"	0728673 0728674 0758241 0758243	MOC-3 MOC-4 MOC-5 MOC-6		BC50-A BC75-A BC100-A BC125-A		BC1-SA BC2-SA BC3-SA BC4-SA
 C TYPE MOGUL CONDUIT BODY HAZ LOCATION IRON	1" 1-1/4" 1-1/2" 2"	0728677 0728678 0758242 0758244	MOC-3M MOC-4M MOC-5M MOC-6M		BC50-M BC75-M BC100-M BC125-M		BC1 BC2 BC3 BC4
 T TYPE MOGUL CONDUIT BODY HAZ LOCATION ALUMINUM	1" 1-1/4" 1-1/2" 2"	0728679 0728680 0728681 0728682	MOT-3 MOT-4 MOT-5 MOT-6		BT100-A BT125-A BT150-A BT200-A		BT3-SA BT4-SA BT5-SA BT6-SA
 T TYPE MOGUL CONDUIT BODY HAZ LOCATION IRON	1" 1-1/4" 1-1/2" 2"	0728683 0728684 0728685 0728686	MOT-3M MOT-4M MOT-5M MOT-6M		BT100-M BT125-M BT150-M BT200-M		BT3 BT4 BT5 BT6
 UB TYPE MOGUL CONDUIT BODY HAZ LOCATION ALUMINUM	1" 1-1/4" 1-1/2" 2"	0728687 0728688 0728689 0728690	MOUB-3 MOUB-4 MOUB-5 MOUB-6		BUB100-A BUB125-A BUB150-A BUB200-A		BUB3-SA BUB4-SA BUB5-SA BUB6-SA
 UB TYPE MOGUL CONDUIT BODY HAZ LOCATION IRON	1" 1-1/4" 1-1/2" 2"	0728691 0728692 0728693 0728694	MOUB-3M MOUB-4M MOUB-5M MOUB-6M		BUB100-M BUB125-M BUB150-M BUB200-M		BUB3 BUB4 BUB5 BUB6
 FS TYPE CAST DEVICE BOX - SHALLOW - DEAD END ALUMINUM	1/2" 3/4" 1"	0709826 0709827 0728695	FS-1 FS-2 FS-3		FS-1-50AL FS-1-75AL FS-1-100AL		FS1-SA FS2-SA FS3-SA
 FS TYPE CAST DEVICE BOX - SHALLOW - DEAD END IRON	1/2" 3/4" 1"	0709828 0709829 0728696	FS-1M FS-2M FS-3M		FS-1-50 FS-1-75 FS-1-100		FS1 FS2 FS3
 FD TYPE CAST DEVICE BOX - SHALLOW - DEAD END ALUMINUM	1/2" 3/4" 1"	0709830 0709831 0728697	FD-1 FD-2 FD-3		FD-1-50AL FD-1-75AL FD-1-100AL		FD1-SA FD2-SA FD3-SA
 FD TYPE CAST DEVICE BOX - SHALLOW - DEAD END IRON	1/2" 3/4" 1"	0709832 0709833 0728698	FD-1M FD-2M FD-3M		FD-1-50 FD-1-75 FD-1-100		FD1 FD2 FD3
 C TYPE OUTLET BODY HAZARDOUS LOCATION ALUMINUM	3/4" 1" 1-1/4" 1-1/2"	0728699 0728700 0728701 0728702	GEBC-2 GEBC-3 GEBC-4 GEBC-5				EAJC26 EAJC36

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			Eaton/ Crouse-Hinds
		Fastenal	Killark	Thomas & Betts	Appleton	Bridgeport	
 L TYPE OUTLET BODY HAZARDOUS LOCATION ALUMINUM	3/4"	0728703	GEBL-2				EAJL26
	1"	0728704	GEBL-3				EAJL36
	1-1/4"	0728705	GEBL-4				
	1-1/2"	0728706	GEBL-5				
 T TYPE OUTLET BODY HAZARDOUS LOCATION ALUMINUM	3/4"	0728707	GEBT-2				EAJT26
	1"	0728708	GEBT-3				EAJT36
	1-1/4"	0728709	GEBT-4				EAJT49
	1-1/2"	0728710	GEBT-5				EAJT59
 X TYPE OUTLET BODY HAZARDOUS LOCATION ALUMINUM	3/4"	0728711	GEBX-2				EAJX26
	1"	0728712	GEBX-3				EAJX36
	1-1/4"	0728713	GEBX-4				
	1-1/2"	0728714	GEBX-5				
 C TYPE OUTLET BODY HAZARDOUS LOCATION ALUMINUM	1/2"	0728715	GEMC-1		GRJ50AL		GUAC14
	3/4"	0728716	GEMC-2		SEHC-75AL		GUAC24
	1/2"	0728717	GECCT-1		GRC50AL		GUAT16-SA
	3/4"	0728718	GECCT-2		GRC75AL		GUAT26-SA
	1"	0728719	GECCT-3		GRC100AL		GUAT36-SA
	1"	0728720	GESCT-3				
	1-1/4"	0728721	GESCT-4		GRC125AL		GUAC47-SA
1-1/2"	0728722	GEJCT-5		GRC150AL		GUAC59-SA	
2"	0728723	GEJCT-6		GRC200AL		GUAC69-SA	
 C TYPE OUTLET BODY HAZARDOUS LOCATION IRON	1/2"	0728724	GECCT-1M		GRC50		GUAC16
	3/4"	0728725	GECCT-2M		GRC75		GUAC26
	1"	0728726	GECCT-3M		GRC100		GUAC36
	1"	0728727	GESCT-3M				
	1-1/4"	0728728	GESCT-4M		GRC125		GUAC47
	1-1/2"	0728729	GEJCT-5M		GRC150		GUAC59
	2"	0728730	GEJCT-6M		GRC200		GUAC69
 L TYPE OUTLET BODY HAZARDOUS LOCATION ALUMINUM	1/2"	0728731	GEML-1		GRJL50AL		GUAL14
	3/4"	0728732	GEML-2		GRJL75AL		GUAL24
	1/2"	0728733	GECLT-1		GRHL50AL		GUAL16-SA
	3/4"	0728734	GECLT-2		GRHL75AL		GUAL26-SA
	1"	0728735	GECLT-3		GRHL100AL		GUAL36-SA
	1"	0728736	GESLT-3				
	1-1/4"	0728737	GESLT-4		GRL125AL		GUAL47-SA
1-1/2"	0728738	GEJLT-5		GRL150AL		GUAL59-SA	
2"	0728739	GEJLT-6		GRL200AL		GUAL69-SA	
 L TYPE OUTLET BODY HAZARDOUS LOCATION IRON	1/2"	0728740	GECLT-1M		GRHL50		GUAL16
	3/4"	0728741	GECLT-2M		GRHL75		GUAL26
	1"	0728742	GECLT-3M		GRHL100		GUAL36
	1"	0728743	GESLT-3M				
	1-1/4"	0728744	GESLT-4M		GRL125		GUAL47
	1-1/2"	0728745	GEJLT-5M		GRL150		GUAL59
	2"	0728746	GEJLT-6M		GRL200		GUAL69
 T TYPE OUTLET BODY HAZARDOUS LOCATION ALUMINUM	1/2"	0728747	GEMT-1		GRJT50AL		GUAT-14
	3/4"	0728748	GEMT-2		GRJT75AL		GUAT-24
	1/2"	0728749	GECTT-1		GRHT50AL		GUAT16-SA
	3/4"	0728750	GECTT-2		GRHT75AL		GUAT26-SA
	1"	0728751	GECTT-3		GRHT100AL		GUAT36-SA
	1"	0728752	GESTT-3				GUAT37-SA
	1-1/4"	0728753	GESTT-4				GUAT47-SA
1-1/2"	0728754	GEJTT-5		GRT150AL		GUAT59-SA	
2"	0728755	GEJTT-6		GRT200AL		GUAT69-SA	
 T TYPE OUTLET BODY HAZARDOUS LOCATION IRON	1/2"	0728756	GECTT-1M		GRHT50		GUAT16
	3/4"	0728757	GECTT-2M		GRHT75		GUAT26
	1"	0728758	GECTT-3M		GRHT100		GUAT36
	1"	0728759	GESTT-3M				GUAT37
	1-1/4"	0728760	GESTT-4M		GRT125		GUAT47
	1-1/2"	0728761	GEJTT-5M		GRT150		GUAT59
	2"	0728762	GEJTT-6M		GRT200		GUAT69
 X TYPE OUTLET BODY HAZARDOUS LOCATION ALUMINUM	1/2"	0728763	GEMX-1		GRJX50AL		GUAX14
	3/4"	0728764	GEMX-2		GRJX75AL		GUAX24
	1/2"	0728765	GECXT-1		GRHX50AL		GUAX16-SA
	3/4"	0728766	GECXT-2		GRHX75AL		GUAX26-SA
	1"	0728767	GECXT-3		GRHX100AL		GUAX36-SA
	1"	0728768	GESXT-3				GUAX37-SA
	1-1/4"	0728769	GESXT-4		GRX125AL		GUAX47-SA
1-1/2"	0728770	GEJXT-5		GRX150AL		GUAX59-SA	
2"	0728771	GEJXT-6		GRX200AL		GUAX69-SA	

KILLARK® HAZARDOUS LOCATION FITTINGS & CONDUIT BODIES






Vendor # 131972

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			Eaton/ Crouse-Hinds
		Fastenal	Killark	Thomas & Betts	Appleton	Bridgeport	
 X TYPE OUTLET BODY HAZARDOUS LOCATION IRON	1/2"	0728772	GECXT-1M		GRHX50		GUAX16
	3/4"	0728773	GECXT-2M		GRHX75		GUAX26
	1"	0728774	GECXT-3M		GRHX100		GUAX36
	1"	0728775	GESXT-3M				GUAX37
	1-1/4"	0728776	GESXT-4M		GRX125		GUAX47
	1-1/2"	0728777	GEJXT-5M		GRX150		GUAX59
2"	0728778	GEJXT-6M		GRX200		GUAX69	
 LB TYPE OUTLET BODY HAZARDOUS LOCATION ALUMINUM	1/2"	0728779	GEMLB-1				GUAB14
	3/4"	0728780	GEMLB-2				GUAB24
	1/2"	0728781	GECLBT-1		GRHLB50AL		GUAB16-SA
	3/4"	0728782	GECLBT-2		GRHLB75AL		GUAB36-SA
	1"	0728783	GECLBT-3		GRHLB100AL		GUAB36-SA
	1"	0728784	GESLBT-3				
1-1/4"	0728785	GESLBT-4		GRLB125AL		GUAB47-SA	
1-1/2"	0728786	GEJLBT-5		GRLB150AL		GUAB59-SA	
2"	0728787	GEJLBT-6		GRLB200AL		GUAB69-SA	
 LB TYPE OUTLET BODY HAZARDOUS LOCATION IRON	1/2"	0728788	GECLBT-1M		GRHLB50		GUAB16
	3/4"	0728789	GECLBT-2M		GRHLB75		GUAB26
	1"	0728790	GECLBT-3M		GRHLB100		GUAB36
	1"	0728791	GESLBT-3M				
	1-1/4"	0728792	GESLBT-4M		GRLB125		GUAB47
	1-1/2"	0728793	GEJLBT-5M		GRLB150		GUAB59
2"	0728794	GEJLBT-6M		GRLB200		GUAB69	
 LA TYPE OUTLET BODY ALUMINUM	1/2"	0728795	GEMLA-1		GRLA50AL		GUAM14
	3/4"	0728796	GEMLA-2		GRLA75AL		GUAM24
 TAT TYPE OUTLET BODY ALUMINUM	1/2"	0728797	GEMTA-1		GRJTA50AL		GUAW14
	3/4"	0728798	GEMTA-2		GRJTA75AL		GUAW24
	3/4"	0728799	GECTAT-2		GRTA75AL		GUAW26-SA
 TAT TYPE OUTLET BODY IRON	3/4"	0728800	GECTAT-2M		GRTA75		GUAW26
 XAT TYPE OUTLET BODY HAZ LOCATION ALUMINUM	1/2"	0728801	GECCAT-1				
	3/4"	0722458	GECCAT-2				
	1"	0728802	GECCAT-3				
	1-1/4"		GESXAT-4				
 XAT TYPE OUTLET BODY HAZ LOCATION IRON	1/2"	0728804	GECCAT-1M				
	3/4"	0728805	GECCAT-2M				
	1"	0728806	GECCAT-3M				
	1-1/4"		GESXAT-4M				
 CAT TYPE OUTLET BODY HAZ LOCATION ALUMINUM	1/2"	0728808	GEMCA-1		GRJCA50AL		GUAD14
	3/4"	0728809	GEMCA-2		GRC A75AL		GUAD24
	1/2"	0728810	GECCAT-1		GRC A50AL		GUAD16-SA
	1-1/4"	0728811	GECCAT-4				
 CAT TYPE OUTLET BODY IRON	1/2"	0728812	GECCAT-1M		GRC A50		GUAD16
	1-1/4"	0728813	GECCAT-4M				
 MALE TO FEMALE UNIONS ALUMINUM	1/2"	0709897	GUM-1		UNY50NR-A		UNY105-SA
	3/4"	0709898	GUM-2		UNY75NR-A		UNY205-SA
	1"	0709899	GUM-3		UNY100NR-A		UNY305-SA
	1-1/4"	0709900	GUM-4		UNY125NR-A		UNY405-SA
	1-1/2"	0709901	GUM-5		UNY150NR-A		UNY505-SA
	2"	0709902	GUM-6		UNY200NR-A		UNY605-SA
 MALE TO FEMALE UNIONS IRON	1/2"	0709903	UNY1		UNY50NR		UNY105
	3/4"	0709904	UNY2		UNY75NR		UNY205
	1"	0709905	UNY3		UNY100NR		UNY305
	1-1/4"	0709906	UNY4		UNY125NR		UNY405
	1-1/2"	0709907	UNY5		UNY150NR		UNY505
	2"	0709908	UNY6		UNY200NR		UNY605

Description	Trade Size or Cable Range	Preferred Brand		Competitor Part Numbers			Eaton/ Crouse-Hinds
		Fastenal	Killark	Thomas & Betts	Appleton	Bridgeport	
	1/2"	0709885	GUF-1		UNF50NR-A		UNF105-SA
	3/4"	0709886	GUF-2		UNF75NR-A		UNF205-SA
	1"	0709887	GUF-3		UNF100NR-A		UNF305-SA
	1-1/4"	0728814	GUF-4		UNF125NR-A		UNF405-SA
	1-1/2"	0709889	GUF-5		UNF150NR-A		UNF505-SA
	2"	0709890	GUF-6		UNF200NR-A		UNF605-SA
	1/2"	0709891	UNF1		UNF50NR		UNF105
	3/4"	0709892	UNF2		UNF75NR		UNF205
	1"	0709893	UNF3		UNF100NR		UNF305
	1-1/4"	0709894	UNF4		UNF125NR		UNF405
	1-1/2"	0709895	UNF5		UNF150NR		UNF505
	2"	0709896	UNF6		UNF200NR		UNF605
	1/2"	0728815	Y-1		ELBY50A		
	3/4"	0728816	Y-2		ELBY75A		
	1"	0728817	Y-3		ELBY100A		
	1-1/4"	0728818	Y-4		ELBY125A		
	1-1/2"	0728819	Y-5				
	1/2"	0728821	Y-1M		ELBY50		
	3/4"	0728822	Y-2M		ELBY75		
	1"	0728823	Y-3M		ELBY100		
	1-1/4"	0728824	Y-4M		ELBY125		
	1-1/2"	0728825	Y-5M		ELBY150		
	1/2"	0728827	KDB-1		ECDB50B		

NEMA 1, 3R ENCLOSURES






Description	Preferred Brand		Competitor Part Numbers		
	Fastenal	Wiegmann	Rittal	Hoffman	Saginaw
	0703701	SC060604	RC-664-SC1	ASE6X6X4	
	0703702	SC080804	RC-884-SC1	ASE8X8X4	
	0703705	SC080806	RC-886-SC1	ASE8X8X6	
	0703703	SC101004	RC-10104-SC1	ASE10X10X4	
	0703704	SC121204	RC-12124-SC1	ASE12X12X4	
	0703707	SC121206	RC-12126-SC1	ASE12X12X6	
	0703723	RSC060804	RC-684-SC3R	A8R64	SCE-8R64
	0703724	RSC080804	RC-884-SC3R	A8R84	
	0703726	RSC101204	RC-10124-SC3R	A12R104	SCE-12R104
	0703730	RSC101206	RC-10126-SC3R	A12R106	SCE-12R106
	0717346	RSC121206	RC-12126-SC3R	A12R126	SCE-12R126
	0703708	N1C060804	RC-684-LC1	A8N64	SCE-8N604LP
	0717329	N1C080804		A8N84	SCE-8N804LP
	0758783	N1C101204	RC-10124-LC1	A12N104	SCE-12N1004LP
	0703711	N1C101206	RC-10126-LC1	A12N106	SCE-12N1006LP
	0717333	N1C121206	RC-12126-LC1	A12N126	SCE-12N1206LP
	0703687	RHC060804		A8R64HCR	
	0717340	RHC121206		A12R126HCR	SCE-12R1206LP
	0717335	RHC161606		A16R166HCR	
	0703737	RHC242408		A24R248HCR	SCE-24R2408LP
	0703788	WAS050		AS050	SCE-HPSERIES1
	0703789	WAS075		AS075	SCE-HPSERIES2
	0703791	WAS100		AS100	SCE-HPSERIES3
	0703792	WAS125		AS125	SCE-HPSERIES3
	0703793	WAS150		AS150	SCE-HPSERIES4
	0703794	WAS200		AS200	

More sizes available. | ¹For galvanized, add "G" suffix. For without knockouts, add "NK" suffix. | ²Internal, back panels sold separately for all sizes. | ³For stainless steel version, add "SS" suffix.





BURNDY COMPRESSION CONNECTORS & TERMINALS

Vendor # 139497



Compression Terminals

Description	Wire Size	Stud Size	Preferred Brand			Competitor Part Numbers		
			Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 <p>1-HOLE COMPRESSION TERMINAL FOR COPPER - BARREL LENGTH LONG</p>	#8 AWG	1/4	0779181	YA8CTC14	LCB814L	L814	CLNS814	54930BE
	#6 AWG	1/4	0779141	YA6C	LCB614L	L614	CLNS614	54905BE
	#4 AWG	1/4	0779139	YA4C	LCB414L	L414	CLNS414	54906BE
	#2 AWG	5/16	0779134	YA2C	LCB256Q	L256	CLNS2516	54942BE
	#1 AWG	5/16	923713555	YA1C	LCB156E		CLNS1516	54947BE
	1/0 AWG	5/16	923713575	YA25	LCB1/056X	L1056	CLNS1/0516	54949BE
	2/0 AWG	3/8	0779158	YA26	LCB2/038X	L2038	CLNS2/038	54910BE
	2/0 AWG	1/2	923713604	YA26N	LCB2/012X	L2048	CLNS2/012	54951BE
	3/0 AWG	1/2	0779169	YA27	LCB3/012X	L3048	CLNS3/012	54965BE
	4/0 AWG	1/2	0779173	YA28	LCB4/012X	L4048	CLNS4/012	54970BE
	250 kcmil	1/2	0779192	YA29	CLNS25011	L25048	CLNS25012	54913BE
	300 kcmil	1/2	923713580	YA30	LCB30012X	L30048	CLNS30012	54914BE
	500 kcmil	1/2	0779136	YA34N	LCB500126	L50048	CLNS50012	54918BE
	500 kcmil	5/8	0779206	YA34	LCB500586	L50058	CLNS50058	5491913E
 <p>1-HOLE COMPRESSION TERMINAL FOR COPPER - BARREL LENGTH STANDARD</p>	#8 AWG	5/16	923713479	YA8CL2BOX	LCAS856L	GL856	CSWS8516	54131
	#8 AWG	3/8	0779167	YA8CL3BOX	LCAS838L	GL838	CSWS838	54132
	#8 AWG	1/2	923713527	YA8CL4BOX	CSWS811		CSWS812	256-30695-1361
	#8 AWG	#8-#10	0779165	YA8CLBOX	LCAS810L	GL810	CSWS810	5410402
	#6 AWG	#8-#10	0779221	YA6CL1BOX	LCAS610L		CSWS610	54134
	#6 AWG	1/4	0779220	YA6CLBOX	LCAS614L	GL614	CSWS614	54105
	#6 AWG	5/16	0779222	YA6CL3BOX	LCAS656L	GL656	CSWS6516	54135
	#6 AWG	3/8	0779223	YA6CL4BOX	LCAS638L	GL638	CSWS638	54136
	#6 AWG	1/2	923713590	YA6CL6	LCAG612L		CSWS612	25630695422
	#4 AWG	1/4	0779216	YA4CLBOX	LCAS414L	GL414	CSWS414	54106
	#4 AWG	3/8	0779219	YA4CL4BOX	LCAS438	GL438	CSWS438	54140
	#2 AWG	3/8	0779215	YA2CL4BOX	LCAS238Q	GL238	CSWS238	54443
	#2 AWG	5/16	0779213	YA2CLBOX	LCAS256Q	GL256	CSWS2516	54142
	#2 AWG	1/2	0779217	YA2CL6BOX	LCAS212Q	GL248	CSWS212	54145TB
	#1 AWG	3/8	923713541	YA1CL4BOX	LCAS138Q	GL138	CSWS138	54148
	1/0 AWG	5/16	923713516	YA251BOX	LCAS1/056X	GL1056	CSWS1/0516	54153
	1/0 AWG	3/8	0779224	YA2514BOX	LCAS1/038X	GL1038	CSWS1/038	54109
	1/0 AWG	1/2	923713512	YA2516BOX	LCAS1/012X	GL1048	CSWS1/012	54155
	2/0 AWG	3/8	0779225	YA261BOX	LCA2/038X	GL2038	CLC2/038	54110
	2/0 AWG	1/2	0779218	YA2616BOX	LCAS2012X	GL2048	CSWS2/012	54180
	3/0 AWG	3/8	0779227	YA2714BOX	LCAS3/038X	GL3038	CSWS3/038	54111
	3/0 AWG	1/2	0779226	YA271BOX	LCAS3/012X	GL3048	CSWS3/012	54165
	4/0 AWG	3/8	0779229	YA2814BOX	LCAS4038X	GL4038	CSWS4/038	54112
	4/0 AWG	1/2	0779228	YA281BOX	LCAS4/012	GL4048	CSWS4/012	54170
	250 kcmil	1/2	0779230	YA291BOX	LCAS25012X	GL25048	CSWS25012	54113
	350 kcmil	3/8	923713601	YA31L11	LCA35038X	GL35038	CSWS35038	25630695112
	350 kcmil	1/2	99540833	YA31L	LCA35012X	GL35048	CSWS35012	54115
500 kcmil	1/2	0779207	YA34L6	LCAS500126	GL50048	CSWS50012	54118	
500 kcmil	5/8	923713486	YA34L	LCAS500586	GL50058	CSWS50058	54187	
 <p>2-HOLE COMPRESSION TERMINAL FOR COPPER - BARREL LENGTH LONG</p>	#8 AWG	1/4	0779185	YA8C2TC14	LCC814AL	L8N141	CLND81458	54850BE
	#8 AWG	3/8	0779186	YA8C2TC38	LCC838DL	L8N38	CLND8381	256306951157
	#6 AWG	1/4	0779178	YA6C2TC14	LCC614DL	L6N14	CLND61458	54852BE
	#6 AWG	1/4	922402890	YA6C2TC14E1	LCC614DL	L6N-143	CLND6141	256306951014
	#6 AWG	1/4	0779187	YA6C2TC14E2	LCC614BL	L6N142	CLND61434	256306951225
	#6 AWG	3/8	0779176	YA6C2TC38	LCC638DL	L6N38	CLND6381	256306951158
	#6 AWG	1/2	923713557	YA6C2N	LCC612L	L6N	CLND612134	25630695868
	#4 AWG	1/4	0779180	YA4C2TC14	LCC414AL	L4N14	CLND41458	54854BE
	#4 AWG	1/2	0779175	YA4C2N	LCC412L	L4N	CLND412134	25630695733
	#2 AWG	1/4	0779179	YA2C2TC14	LCC214AQ	L2N141	CLND21458	54855BE
	#2 AWG	3/8	0779174	YA2C2TC38	LCC238DQ	L2N38	CLND2381	256306951160
	#2 AWG	1/2	0779135	YA2C2N	LCC212Q	L2N	CLND212134	54811BE
	#1 AWG	1/2	923713477	YA1C2N	LCC112E	L1N	CLND112134	54857BE
	1/0 AWG	1/2	0779149	YA252N	LCC1/012X	L10N	CLND1/012134	25630695593
	2/0 AWG	1/2	0779164	YA262N	LCC2012X	L20N	CLND2/012134	54862BE
	3/0 AWG	1/2	922403050	YA272N	LCC3/012X	L30N	CLND3/012134	54478
	4/0 AWG	1/2	0779177	YA282N	LCC4/012DX	L40N	CLND4/012134	54866BE
	250 kcmil	1/2	0779193	YA292N	LCC25012X	L250N	CLND25012134	54480
	300 kcmil	1/2	0779197	YA302N	LCC30012X	L300N	CLND30012134	54870BE
	350 kcmil	1/2	0779202	YA312N	LCC35012X	L350N	CLND35012134	54872
	400 kcmil	1/2	922402817	YA322N	LCC40012X	L400N	CLND40012134	54483
	500 kcmil	1/2	0779208	YA342N	LCC500126	L500N	CLND50012134	54876BE
	600 kcmil	1/2	0779209	YA362N	LCC60012X	L600N	CLND60012134	54485
750 kcmil	1/2	0779210	YA392N	LCC750126	L750N	CLND75012134	54880BE	
1000 kcmil	1/2	0779211	YA442N	LCC1000123	L1000N	CLND100012134	54882BE	

Compression Terminals | Continued













Description	Wire Size	Stud Size	Preferred Brand		Competitor Part Numbers			
			Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 <p>2-HOLE COMPRESSION TERMINAL FOR COPPER - BARREL LENGTH STANDARD</p>	#6 AWG	#10	0779159	YA6CL2TC10	LCD610AL		CSWD61058	542050310
	#6 AWG	1/4	0779155	YA6CL2TC14	LCD614AL	GL6N141	CSWD61458	54205
	#2 AWG	1/4	0779143	YA2CL2TC14	LCD214AQ	GL2N141	CSWD21458	54207
	#2 AWG	3/8	0779147	YA2CL2TC38	LCD238D	GL2N38	CSWD2381	25630695257
	#2 AWG	1/2	923713599	YA2C2LN	LCD212Q		CSWD212134	256306951049
 <p>1-HOLE COMPRESSION TERMINAL CU/AL - BARREL LENGTH LONG</p>	#4 AWG	3/8	0779232	YA4CA6	LAA438X	AL438		ATL438
	#2 AWG	3/8	922402846	YA2CA3	LAA238XY	AL238	ALNS-2-38	ATL238
	1/0 AWG	3/8	922403053	YA25A3	LAA1/038X	AL1/038	ALNS1038	61130
	2/0 AWG	1/2	0779234	YA26A1	LAA2/0125	AL2/048	ALNS2/012	ATL2012
	2/0 AWG	3/8	922402903	YA26A6	LAA2/0385	AL2/038	ALNS2/038	ATL2038
	4/0 AWG	3/8	922403118	YA28A1	LAA4/0385	AL4/038	ALNS4/038	ATL4038
	4/0 AWG	1/2	922403075	YA28A3	LAA4/0125	AL4/048	ALNS4/012	ATL4012
	250 kcmil	1/2	922402847	YA29A1	LAA250125	AL25048	ALNS25012	ATL25012
	350 kcmil/250 kcmil CCA DLO	1/2	0779235	YA31A1	LAA350122	AL35048	ALNS35012	ATL35012
	500 kcmil/350 kcmil CCA DLO	5/8	922403038	YA34A1	LAA500582	AL50058	ALNS50058	ATL50058
	700-750 kcmil/600 kcmil CCA DLO	1/2	0779236	YA39A1	AL75048TN3	AL75048	ALNS700/75012	ATL75012
 <p>2-HOLE COMPRESSION TERMINAL CU/AL - BARREL LENGTH LONG</p>	1/0 AWG	1/2	0779233	YA25A7	LAB1/0125	AL1/0N	ALND1/012134	ATL102
	2/0 AWG	1/2	922403011	YA26A3	LAB2/0125	AL2/0N	ALND2012134	ATL202
	3/0 AWG	1/2	922402981	YA27A5	LAB3/0125	AL3/0N	ALND3/012134	ATL302
	4/0 AWG	1/2	922403080	YA28A5	LAB4/0125	AL4/0N	ALND4/012134	ATL402
	250 kcmil	1/2	922402816	YA29A3	LAB250125	AL250N	ALND25012134	ATL2502
	350 kcmil/250 kcmil CCA DLO	1/2	922402975	YA31A3	LAB350122	AL350N	ALND35012134	ATL3502
	400 kcmil	1/2	922403065	YA32A3	LAB400122	AL400N	ALND40012134	ATL4002
	500 kcmil/350 kcmil CCA DLO	1/2	922403093	YA34A3	LAB500122R	AL500N	ALND50012134	60273
	600 kcmil/500 kcmil CCA DLO	1/2	922403046	YA36A3	LAB600122	AL600N	ALND60012134	ATL6002
	700-750 kcmil/600 kcmil CCA DLO	1/2	0779237	YA39A5	LAB750121R	AL750N	ALND700/75012134	60277
	1000 kcmil/750 kcmil CCA DLO/800 kcmil CCA DLO	1/2	923713488	YA44A3	LAB1000121	AL1000N	ALND100012134	60284
 <p>COMPRESSION RING TERMINAL; VINYL INSULATION; FOR COPPER</p>	#22 - #16 AWG	#8-#10	99831314	BA16E10	PV1810RM	R2210VBULK	45114P100	RA877
	#22 - #16 AWG	#6-#8	99831313	BA16E8	PV188RM	R228VBULK	44202B10	RA867
	#22 - #16 AWG	#4-#6	923713598	BA16E6	PV186RMY	R226VBULK	44201B10	RA857
	#22 - #16 AWG	#3-#4	923713493	BA16E4	PV184RM		44200B10	RA77
	#22 - #16 AWG	1/4	923713519	BA16E14	PV1814RM	R2214VBULK	44204B10	RA717
	#22 - #16 AWG	3/8	923713593	BA16E38	PV1838RM	R2238VBULK	44206B10	RA737
	#16 - 14 AWG	#8-#10	99831317	BA14E10	PV1410RM	R1610V	45314P100	RB877
	#16 - 14 AWG	#6-#8	99831316	BA14E8	PV148RXM	R168V	44212-B10	RB867
	#16 - 14 AWG	#4-#6	99831315	BA14E6	PV146RM	R166VBULK	44211B10	RB857
	#16 - 14 AWG	#3-#4	923713508	BA14E4	PV144RM		44210B10	RB1327
	#16 - 14 AWG	1/4	923713482	BA14E14	PV1414RM	R1614V	45315P100	RB714
	#16 - 14 AWG	5/16	923713480	BA14E516	PV1456RM	R1656VBULK	45316P100	RB727
	#16 - 14 AWG	3/8	923713565	BA14E38	PV1438RM	R1638VBULK	45317P100	RB737
	#12 - 10 AWG	#8-#10	99831318	BA10E10	PV1010RD	R1210V	45414P50	RC367
	#12 - 10 AWG	#6-#8	923713561	BA10E8	PV108RD	R128VBULK	44221B10	RC777
	#12 - 10 AWG	#4-#6	923713577	BA10E6	PV106RD	R126VBULK	44220B10	RC337
#12 - 10 AWG	1/4	923713547	BA10E14	PV1014RD	R1214V	45415-P50	RC717	
#12 - 10 AWG	5/16	923713572	BA10E516	PV1056RD	R1256VBULK	45416P50	RC707250	
#12 - 10 AWG	3/8	923713546	BA10E38	PV1038RD	R1238VBULK	45417P50	RC737	

Uninsulated Ring Terminals



Description	Stud Size	Preferred Brand		Competitor Part Numbers			
		Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 <p>NON-INSULATED BRAZED BARREL COPPER TERMINALS -#1 CODE/FLEX (35-50MM)</p>	3/8	922403016	YAD1CM10E38				
	1/2	922403010	YAD1CM12E12				
	5/8	922402911	YAD1CM16E58				
 <p>COMPRESSION BRAZED SEAM TERMINAL-#8 AWG CODE/FLEX (6-10MM)</p>	#10	922403043	YAD8CM5E10	P810RQ	R8-10	44130B10	D36
	#8	922403042	YAD8CM4E8	P88RQ			
	1/4	922403098	YAD8CM6E14	P814RT	R814	44131B10	D814
	5/16	922402884	YAD8CM8E516	P856RT	R8-56		D8516
	3/8	922402973	YAD8CM10E38	P838RT	R8-38		D838
	1/2	922402984	YAD8CM12E12	P812RQ			D75
	5/8	922403034	YAD8CM16E58				

Vendor # 139497


Uninsulated Ring Terminals | Continued

Description	Stud Size	Preferred Brand		Competitor Part Numbers			
		Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 COMPRESSION BRAZED SEAM TERMINAL-#6 AWG CODE/ FLEX (10-16MM)	#10	922403077	YAD6CM5E10	P6-10R-E	R610	44140B10	E610
	1/4	922402813	YAD6CM6E14	P614RE	R614	44141B10	E71
	5/16	922402926	YAD6CM8E516	P656RE	R8-56	44142B10	E72
	3/8	922402872	YAD6CM10E38	P638RE	R638	44143B10	K638RD
	1/2	922403036	YAD6CM12E12	P612RE	R650		E75
 COMPRESSION BRAZED SEAM TERMINAL-#4 AWG CODE/ FLEX (16-25MM)	#10	922403110	YAD4CM5E10	P410RT		44150B10	F410
	1/4	922402820	YAD4CM6E14	P414RT	R4-14	44151B10	F414
	5/16	922403063	YAD4CM8E516	P456RE	R4-56	44152B10	F72
	3/8	922402834	YAD4CM10E38	P438RE	R438	44153B10	F438
	1/2	922403127	YAD4CM12E12	P412RE	R4-50	44155B10	F75
	5/8	922402882	YAD4CM16E58				
	3/4	922402828	YAD4CM20E34				
 COMPRESSION BRAZED SEAM TERMINAL-#2 AWG CODE/ FLEX (25-35MM)	1/4	922403106	YAD2CM6E14	P214RT	R2-14	44161B10	K214RCC
	5/16	922402873	YAD2CM8E516	P256RT	R2-56	44162B10	K2516RCC
	3/8	922402876	YAD2CM10E38	P238RX	R2-38	44163B10	K238RCC
	1/2	922402998	YAD2CM12E12	P212RX	R2-50	44165B10	K212RCC
	5/8	922403044	YAD2CM16E58				
	3/4	922403082	YAD2CM20E34				
 COMPRESSION BRAZED SEAM TERMINAL-#1 CODE/FLEX (35-50MM)	1/4	922403129	YAD1CM6E14				
	5/16	922403068	YAD1CM8E516				
	3/4	922403104	YAD1CM20E34				
 COMPRESSION BRAZED SEAM TERMINAL-1/0 AWG CODE/ FLEX (35-50MM)	1/4	922403085	YAD25M6E14			44170B2	
	5/16	922402921	YAD25M8E516			44171B2	K1/0516RC
	3/8	922403017	YAD25M10E38			44172B2	K1/038RC
	1/2	922403000	YAD25M12E12			44174B2	
	5/8	922402818	YAD25M16E58				
	3/4	922402862	YAD25M20E34				
 COMPRESSION BRAZED SEAM TERMINAL-2/0 AWG CODE/ FLEX (50-70MM)	1/4	922402952	YAD26M6E14			44180B2	
	5/16	922402992	YAD26M8E516			44181B2	
	3/8	922402888	YAD26M10E38			44182B2	
	1/2	922403014	YAD26M12E12			44184B2	
	5/8	922403109	YAD26M16E58				
	3/4	922402899	YAD26M20E34				
 COMPRESSION BRAZED SEAM TERMINAL-3/0 AWG CODE/ FLEX (70-95MM)	5/16	922402889	YAD27M8E516			44191B2	
	3/8	922402989	YAD27M10E38			44192B2	
	1/2	922403064	YAD27M12E12			44194-B2	
	5/8	922403117	YAD27M16E58			44194B2	
	3/4	922403079	YAD27M20E34				
 COMPRESSION BRAZED SEAM TERMINAL-4/0 AWG CODE/ FLEX (95-120MM)	1/4	922403084	YAD28M6E14				
	5/16	922403052	YAD28M8E516			44195B2	
	3/8	922402932	YAD28M10E38			44196B2	
	1/2	922402826	YAD28M12E12			44198B2	
	5/8	922403088	YAD28M16E58				
3/4	922402930	YAD28M20E34					
 COMPRESSION BRAZED SEAM TERMINAL-250 - 300 KCMIL (120-150MM)	3/8	922403025	YAD30M10E38				
	1/2	922403037	YAD30M12E12				
	5/8	922403115	YAD30M16E58				
	3/4	922403123	YAD30M20E34				
 COMPRESSION BRAZED SEAM TERMINAL-300 - 350 KCMIL (150-185MM)	3/8	922402923	YAD31M10E38				
	1/2	922402859	YAD31M12E12				
	5/8	922402853	YAD31M16E58				
	3/4	922402986	YAD31M20E34				
 COMPRESSION BRAZED SEAM TERMINAL-400 - 450 KCMIL (185-240MM)	3/8	922403126	YAD33M10E38				
	1/2	922402897	YAD33M12E12				
	5/8	922403007	YAD33M16E58				
	3/4	922403105	YAD33M20E34				
 COMPRESSION BRAZED SEAM TERMINAL-500 - 600 KCMIL (240-300MM)	3/8	922403002	YAD36M10E38				
	1/2	922403099	YAD36M12E12				
	5/8	922403081	YAD36M16E58				
	3/4	922402841	YAD36M20E34				

Compression Pin Terminals




Description	Conductor Size	Pin Size	Preferred Brand		Competitor Part Numbers			
			Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 COMPRESSION PIN TERMINAL; OFFSET PIN	2/0 AWG	#1 AWG	0779127	AYPO2/0	BPC2/0X	PTS2/0	ACO2/0	OAPA-2/0
	3/0 AWG	1/0 AWG	0779128	AYPO3/0	BPC3/0X	PTO3/0	ACO3/0	OAPA-3/0
	4/0 AWG	2/0 AWG	0779129	AYPO4/0	BPC4/0X	PTO4/0	ACO4/0	OAPA4/0
	250 kcmil	3/0 AWG	922403026	AYPO250		PTO250	ACO250	OAPA-250
	300 kcmil	4/0 AWG	922402821	AYPO300	BPC300X	PTO300	ACO300	OAPA300
	350 kcmil	250 kcmil	922403051	AYPO350	BPC350X	PTO350	ACO350	OAPA350
	400 kcmil	300 kcmil	0779130	AYPO400	BPC400X	PTO400	ACM400	PA40
	500 kcmil	350 kcmil	922403030	AYPO500	BPC500-X	PTO500	ACO500	OAPA500
	600 kcmil	400 kcmil	0779131	AYPO600	BPC6006	PTO600	ACO600	PA60
	750 kcmil	500 kcmil	922403114	AYPO750	BPC750-6	PTO750	ACO750	OAPA750
900 kcmil	650 kcmil	923713592	AYPO900			ACO-1000		
1000 kcmil	500 kcmil	923713521	AYPO1000			ACO-1000	OAPA-1000	
 COMPRESSION PIN TERMINAL	#6 AWG	#4 AWG	922402869	AYP6	BPC6L	PTS6	ACM6	PA06
	#4 AWG	#4 AWG	922402824	AYP4	BPC4L	PTS4	ACM4	PA04
	#2 AWG	#4 AWG	0779132	AYP2	BPC2L	PTS2	ACM2	PA02
	#1 AWG	#3 AWG	922402871	AYP1	BPC1X	PTS1	ACM1	PA01
	1/0 AWG	#2 AWG	922402995	AYP1/0	BPC1/0X	PTS1/0	ACM1/0	PA11
	250 kcmil	3/0 AWG	922402927	AYP250	BPC250X	PTS250	ACM250	PA25
	350 kcmil	250 kcmil	922402918	AYP350	BPC350X	PTS350	ACM350	PA35
	500 kcmil	350 kcmil	922402901	AYP500	BPC500X	PTS500	ACM500	PA50
750 kcmil	500 kcmil	922403021	AYP750	BPC7506	PTS750	ACM750	PA75	

Compression Thin Wall C-Tap

Description	Conductor Size	Conductor Tap	Preferred Brand		Competitor Part Numbers			
			Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 COMPRESSION THIN WALL C-TAP	#10/#8	#10/#12	0778104	YC8L12	CTAPF812C	CT102	TWCTR8T12	54710
	#8/#6	#10-#8/#12-#10	0778103	YC6L12	CTAPF612C	CT103	TWCTR6T12	54715
	#6/#5-#6	#8-#6/#12-#8	0778102	YC4L12	CTAPF412C	CT104	TWCTR4T12	54720
	#5-#4/#3	#6-#5/#12-#6	0778101	YC3L12	CTAPF312C	CT105	TWCTR3T12	54725
	#4/#3/#2	#4/#5/#12-#6	0778100	YC2L12	CTAPF212C	CT106	TWCTR2T12	54730
	#2/#1/1/0	#3-#2/#4-#3/#12-#5	923713542	YC25L12	CTAPF1/012L	CT108	TWCTR1/0T12	54740







MECHANICAL

Above Grade Splicing Kits




Description	Conductor Size	Preferred Brand		Competitor Part Numbers			
		Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 ABOVE GRADE SPLICING KIT	#8 - #2 AWG #1 AWG - 250 kcmil	0779257 0779256	AGSKIT2 AGSKIT250		SKCB2R SKAB250	ASK2 ASK250	
 INTERSYSTEM BONDING CONNECTORS	#8 - #2 AWG	922402823	BDT1				
 INTERSYSTEM BONDING CONNECTOR	#6 - #2 AWG Lay-in*#14 - #4 AWG Conductor Ports	923713550	BDTIBB			GBT1/0	

Vendor # 139497










Above Grade Splicing Kit | Continued

Description	Conductor Size	Preferred Brand		Competitor Part Numbers			
		Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 DIRECT BURIAL MECHANICAL TERMINAL	#10 - #8 AWG	0779457	GKA4C	ML4TCY		XT4DB	L70
 GROUND CONNECTOR; COPPER CABLE TO BAR	#4 - 2/0 AWG 2/0 AWG - 250 kcmil	91135819 0779477	GB26 GB29	GM2Q GM3Q		GM2 GM-3	GTC23 2709125
 GROUND CONNECTOR; 2 COPPER CABLES TO BAR	#4 - 2/0 AWG 2/0 AWG - 250 kcmil	922402812 922402985	GC2626 GC2929	GBC225012X		GH-2 GH3	270922/0 2709225
 FLEXIBLE BRAID/JUMPERS 12"		0779482 0779481	BD12 BD12N	B2S12E0168 B2S12N0168	FS1198N	FXBD12 FXBD12N	FBD12 FBE12
 FLEXIBLE BRAID/JUMPERS 18"		922403009 922402883	BD18 BD18N	B1S18N0084	FS1198N18	FXBD18 FXBD18N	FBD18 FBE18
 FLEXIBLE BRAID/JUMPERS 24"		922402933 922402832	BD24 BD24N	B1S24E0084 B1S24N0084	FS1198N24	FXBD24 FXBD24N	FBD24 FBE24

VERSIPOLE™ Power Distribution Blocks




Description	Conductor		Range		Preferred Brand		Competitor Part Numbers			
	Run	Tap	Run	Tap	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 VERSIPOLE™ CONFIGURABLE DISTRIBUTION BLOCKS	1	6	#14 - 2/0	#14 - #2	922402947	BDBMCS1F1		AS-K1-H6		
	2	6	#14 - 2/0	#14 - #2	922403070	BDBMCS2F1		AM-K2-H6		
	1	1	#14 - 2/0	#14 - 2/0	922402939	BDBSCS1PA		AS-K1-K1		
	1	1	#6 - 350	#6 - 350	922402833	BDBMCS3U1		AM-P1-P1		
	2	4	#4 - 500 kcmil	#6 - 4/0	922403092	BDBLCS6R1		AL-R2-M4	LDBU-24-500	
	2	4	#4 - 500 kcmil	#6 - 4/0	922402960	BDBLCS6RA		AL-R2-M4	LDAU-24-500	
	2	2	#4 - 500 kcmil	#4 - 500 kcmil	922403055	BDBLCS6V1		AL-R2-R2	LDB-22-500	
	2	2	#4 - 500 kcmil	#4 - 500 kcmil	922403113	BDBLCS6VA		AL-R2-R2	LDA-22-500	
 DISTRIBUTION BLOCK COVERS-LARGE SIZE VERSIPOLE™					922402908	BDBLCSCOVER		CL		
 DISTRIBUTION BLOCK COVERS-MEDIUM SIZE VERSIPOLE™					923713553	BDBMCSCOVER				

Mechanical Splices & Terminals







Description	Stud Size	Pad Holes	Conductor Size	Preferred Brand		Competitor Part Numbers			
				Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 MECHANICAL SPLICE/REDUCER; DUAL RATED			#14 - #2 AWG	0779319	AMS2	SR2XY	2SR	SPA2	ASR0214
			#14 - 1/0 AWG	0779320	AMS0	SRA1/OX	1/OSR	SPA0	ASR1114
			#6 - 4/0 AWG	0779321	AMS4/0	SR4/OXY	4/OSR	SPA4/0	ASR2506
			#6 AWG - 250 kcmil	922402863	AMS250	SR250XY	250SR	SPA250	ASR2506
			#6 AWG - 350 kcmil	922403031	AMS350	SR350XY	350SR	SPA350	ASR3506
			3/0 AWG - 500 kcmil	0779322	AMS500	SR5003Y	500SR	SPA500	
			500 - 1000 kcmil	923713545	AMS1000	SR10001Y		SPA1000	
 MECHANICAL TERMINAL FOR COPPER; OFFSET TONGUE	#6	1	14 - 10 Sol Cu	922402880	KLU25	CB2518CY	DE703	SLU25	BTC1014
	#10	1	14 Sol - 6 Str Cu	0779277	KLU35	CB3536CY	DE711	SLU35	35301
	#10	1	14 Sol - 6 Str Cu	0779438	KLU35TP	CB3536CY		SLU35	BTC0614
	1/4	1	8 Sol - 2 Str Cu	0779278	KLU70	CBA7014CY	DE705	SAU70	BTC0208
	3/8	1	4 - 3/0 Str Cu	922403060	KLU175	CB17538QY	DE713	SLU175	31009
	1/4	1	2 - 1/0 Str Cu	922402879	KLU125	CB12514QY	DE706	SLUH125	BTC1102
	5/16	1	2 - 4/0 Str Cu	922403111	KLU225	SLU225	DE707	SLU225	BTC4102
	3/8	1	1/0 Str - 350 kcmil Cu	922403122	KLU300	CSA30038Q	DE710	SLU300	BTC3511
3/8	1	1/0 Str - 500 kcmil	922402815	KLU400	CB400383Y	DE708	SLU400	BTC5011	
 DUAL RATED MECHANICAL UNIVERSAL TERMINAL; 2 CONDUCTOR	5/16	1	6 AWG - 300 kcmil Cu/Al	0779306	K11A30U	LAM2SA300563	300T-2	PB2300	ASL30-21
	3/8	2	2 AWG - 600 kcmil Cu/Al	0779308	K11A36U2	LAM2SB600381Y	600T2	PB2600	ASL6022
 DUAL RATED MECHANICAL UNIVERSAL TERMINAL; 2 CONDUCTOR	1/4	1	14 - 1/0 AWG Cu/Al	0779309	K2A25U	LAM2A1/0146Y	20T	AU0	ADR1121
	1/4	1	14 - 2/0 AWG Cu/Al	0779289	K2A26U	LAM2A2/014	20T	AU2/0	ADR2121
	3/8	1	6 AWG - 250 kcmil Cu/Al	0779290	K2A29U	LAM2A250386Y	2350T	AU250	ADR2521
	1/2	1	6 AWG - 350 kcmil Cu/Al	0779293	K2A31U	LAM2A350126Y	2600T	AU350	ADR3521
	1/2	2	6 AWG - 350 kcmil Cu/Al	922402968	K2A31U2N	LAM2B350123Y	2350L2	AU3502N	ADR35-22
	1/2	1	6 AWG - 600 kcmil Cu/Al	0779294	K2A36U	LAM2A600126	2600T	AU600	ADR6021
1/2	2	2 AWG - 600 kcmil Cu/Al	0779295	K2A36U2N	LAM2B600123Y	2600L2	AU6002NS	ADR6022D	
 DUAL RATED MECHANICAL UNIVERSAL TERMINAL; 3 CONDUCTOR	5/16	2	14 - 2 AWG Cu/Al	0779313	K3A2U2	LAM3B2146Y		T3A22	ADR02-32
	3/8	2	14 - 1/0 AWG Cu/Al	0779318	K3A25U2	LAM3B1/0386Y		T3A20	ADR1132
	1/2	2	14 - 2/0 AWG Cu/Al	922403023	K3A26U2N	LAM3B350121Y		T3A2-3/0N	ADR31-32
	1/2	2	6 AWG - 250 kcmil Cu/Al	0779296	K3A29U2N	LAM3B250121Y	3250L2/L4	T3A2250N	ADR2532
	1/2	2	6 AWG - 350 kcmil Cu/Al	923713609	K3A31U2N	LAM3B350121Y	3350L2	T3A2350N	ADR3532
	3/8	2	2 AWG - 600 kcmil Cu/Al	922402810	K21A36U2	LAM3SB600381Y	600T3	PB3600	ASL60-32
	1/2	2	2 AWG - 600 kcmil Cu/Al	0779297	K3A36U2N	LAM3B600121Y		T3A2350N	AT3A2600N
1/2	4	2 AWG - 600 kcmil Cu/Al	922402874	KK3A36U4N	LAM3LD600121	3600L4	T3A4600N	ADR60-34D	
 DUAL RATED MECHANICAL UNIVERSAL TERMINAL; 4 CONDUCTOR	1/2	4	6 AWG - 250 kcmil Cu/Al	0779316	K4A29U4N	LAM4D250121Y	4250L4	T4A4250N	ADR2544
	3/8	2	2 AWG - 600 kcmil Cu/Al	0779312	K22A36U2	LAM4SB600381Y	600T4	D1281	ASL6042
	1/2	4	2 AWG - 600 kcmil Cu/Al	922402980	KK4A36U4N	LAM4D600121Y	4600L4	T4A4600N	ADR60-44D
	3/8	2	1/0 - 750 kcmil Cu/Al	922402941	K22A39U2	LAM4SB750381Y	800T4	PB4750	
 DUAL RATED MECHANICAL UNIVERSAL TERMINAL; 1 CONDUCTOR	1/4	1	14 - 6 AWG Cu/Al	0779301	KA6U	LAMA614Q	6T	TA66	ADR6
	1/4	1	14 - 2 AWG Cu/Al	0779298	KA2U	LAMA214QY	2T	TA65	ADR2
	1/4	1	14 - 1/0 AWG Cu/Al	0779302	KA25U	LAMA1014QY	2/0T	TA-0	ADR11
	1/4	1	14 - 2/0 AWG Cu/Al	0779299	KA26U	LAMA2/014Q	3/0T	TA2/0	ADR21
	5/16	1	6 AWG - 250 kcmil Cu/Al	99540827	KA29U	LAMA25056Q	250T	TA250	ADR25
	5/16	1	6 AWG - 300 kcmil Cu/Al	0779304	KA30U	LAMA30056QY	300T	TSG350	ADR30
	3/8	1	6 AWG - 350 kcmil Cu/Al	99540823	KA31U	LAMA35038QY	350T	TA350	ADR35
	1/2	2	6 AWG - 350 kcmil Cu/Al	922402979	KKKA31U2N	LAMB350126Y	350LL2	TA3502N	ADR3512
	3/8	1	4 AWG - 500 kcmil Cu/Al	0779305	KA34U	LAMA50038Q	500T	TA500	ADR50
	3/8	1	2 AWG - 600 kcmil Cu/Al	0779307	KA36U	LAMA600386Y	600T	TA600	ADR60
	1/2	2	2 AWG - 600 kcmil Cu/Al	0779315	KA36U2N	LAMB600123Y	600L2	TA6002NS	ADR6012D
	1/2	1	300 - 800 kcmil Cu/Al	0779310	KA40U	LAMA800386	800T	TA800	RL1B800
1/2	2	300 - 800 kcmil Cu/Al	922402951	KA40U2N	LAMLB600123Y	800L2	TA8002N	ADR80-12D	
1/2	1	500 - 1000 kcmil Cu/Al	0779314	KA44U	LAMA1000586Y	1000T	TA1000	RL1B1000	
1/2	2	500 - 1000 kcmil Cu/Al	0779317	KA44U2N	LAMLB1000123Y	1000L2	TA10002N	ADR99-12D	
 MECHANICAL TERMINAL; 1-HOLE FOR COPPER	#10		#14 Sol - #8 Str	0779285	KA8C	CS3536SLCY	TL8	CP8	71003
	1/4		#14 Sol - #4 Str	99540829	KA4C	ML4C	2TC	CP4	L70
	3/8	1	4 - 1/0 Str Cu	0779286	KA25	CX12514SLQY	TL1/0	CP0	L125
	3/8	2	4 - 1/0 Str Cu	922402857	KA252TC38	PNL1/02L			
	3/8		1 - 4/0 Str AWG Cu	0779287	KA28	CS17538HKQY	4/0TC	SLS175	31009
	1/2		4/0 Str - 500 kcmil Cu	0779288	KA34	PNLS0023	TL500	CP500	L400BB
 MECHANICAL LAY-IN TERMINAL; DUAL RATED	1/4		#14 - #4 Cu/Al	0779460	BGBL4	LIAC422C	GLA4	GBL4	GRLLUG1032
	1/4		#14 - #4 Cu/Al	923713560	BGBL45S	LIAC422C	GLA4	GBL45S	
	3/8		#14 - 1/0 Cu/Al	0779459	BGBL1/0	LIAS1/014L	GLA0	GBL1/0	LL1014
	7/16		#6 - 250 kcmil Cu/Al	0779458	BGBL250	LI2525Q	GLA250	GBL250	LL2506

Vendor # 139497




Mechanical Splices & Terminals | Continued

Description	Stud Size	Pad Holes	Conductor Size	Preferred Brand		Competitor Part Numbers			
				Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 MECHANICAL LAY-IN TERMINAL FOR COPPER	#10		#14 - #4 AWG	0779473	CL501	LICC422C	GLC4	GBL4DB	CULL414
	#10		#14 - #4 AWG	922402894	CL501TN	LICC422TPC	GLC4DBP	GBL4DBT	CULL414TP
	1/4		#14 - 1/0 Copper	923713487	CL1/014TN	GBL4DB14		GBL-4DBT-14	CULL414TP
	5/16		#6 - 3/0 AWG Copper	923713540	CL3/0516TN				
	5/16		#6 AWG - 250 kcmil Copper	923713518	CL250516TN				
 1-HOLE MECHANICAL TERMINAL FOR COPPER	#10		#14 Sol - #6 Str Copper	91214562	KPA8C	CX3536DY		SLS35	STC0614
	#10		#14 Sol - #6 Str Copper	0779279	KPA8CTP	CXS3536TC		SLS35	STC0614
	#10		#14 Sol - #6 Str Copper	922402858	KPA8CUP	CXS3536C	6TC1	SLS35	STC0614
	1/4		#14 Sol - #4 Str Copper	0779280	KPA4C	ML4CY		SAS70	STC0414
	1/4		#14 Sol - #4 Str Copper	922402972	KPA4CTP	CX57014TC		SAS70	STC0414
	1/4		#14 Sol - #4 Str Copper	0779276	KPA4CUNPL	CX7014CY	4TC1	XT6	STC0414
	1/4		#14 Sol - #4 Str Copper	922402925	KPA4CUP	CX57014C	4TC1	XT4	STC0414
	#10		#4 Str - 1/0 Str Copper	0779281	KPA25	CX12556TQY		SLS125	STC1102
	3/8		1/0 Str - 4/0 Str Copper	922403128	KPA28	CX22538TQY		SLS400	STC4102
	1/2		4/0 Str - 500 kcmil Copper	922402806	KPA34	CX40012T3Y		SLS400	STC5011
 MECHANICAL CONNECTOR FOR CONTINUOUS RUN GROUNDING/BONDING; FOR COPPER	#10 Stud			0779456	KPB4CG1				




Ground Clamp for Water Pipe

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 1/2 - 1 WATER PIPE; #10 - #2 STR GROUND	922402835	C11B	GPC2-1D-C	G1SBS	BGC1	JD
	922402900	C11N	GPC21Q	G1	BGC1	JAB58HP
	0779464	C5	GPCJ21C	G1S	BGC1	JJR
	0779470	C6	GPCA21C	G20	BGC1A	
	922403019	C211	GPCZ21C	GZ1	DCC1	BJ1
 1/2 - 1 WATER PIPE; #4 - #8 REBAR; #10 - #2 STR GROUND	0779468	C11D	GPC21DC	G1SDBRSB	BGC4/OSDB	JDLI
 1/2 - 1 WATER PIPE; #4 - #6 REBAR; 3/8 - 1 GROUND ROD	0779461	C11HD4/ODB	GPCH4/01L	G3		HG3BS
	0779462	C11K16D	GPLAC21C	GLC12DB	BGC4/OPDB	
	923721516	C11K17D	GPLBC21C	GLC12RDB	BGC2TDB	JDLI
 1-1/4 - 2 WATER PIPE; #10 - #2 STR GROUND	0779465	C22	GPCH22	G2S	BGC2	J2BB
	0779469	C22D	GPC22DL	G2SDB	BGC2DB	J2D
 1-1/4 - 2 WATER PIPE; #8 - 4/0 AWG GROUND	922402870	C22HD4/ODB	GPCH4/02Q	G4		HG4
 2-1/2 - 4 WATER PIPE; #10 - #2 STR GROUND	0779466	C4	GPC24X	G4S	J2124	J2124





Mechanical Ground Rod Clamp | For Cable to Rod, High Strength

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 10 AWG (SOL) - 2 AWG (STR), 1/2" DRIVE ROD, 3/8" STUD	0779471	GRC12	GRCH212T	GRC50	GRC48	JAB12
 8 AWG (SOL.) - 1/0 AWG (STR.), 3/4" GROUND ROD, 3/8" STUD	922402943	GRC34	GRCH1/034E	GRC34	BGRC68	JAB34H
 10 AWG (SOL) - 1 AWG (STR), 5/8" DRIVE ROD, 3/8" STUD	0779472	GRC58	GRCH1/058T	GRC58	GRC58	JAB58H



Cu/Al Ground Connector | For Conduit, Pipe or Tube

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 1/2, 3/4, 1 CONDUIT, PIPE OR WATER TUBE; 1/0 - #14 WIRE	922402936	GC15A	GC15AQ	GCA1	AGC1	AJ
 1-1/4, 1-1/2, 2 CONDUIT, PIPE OR WATER TUBE; 250 KCMIL - #6 AWG	0779476	GC18A	GC18AX	GCA2	AGC2	AJ2
 2-1/2, 3, 3-1/2, 4 CONDUIT, PIPE OR WATER TUBE; 250 KCMIL - #6 AWG	922402809	GC22A	GC22A4	GCA4	AGC4	AJ2124



Parallel or 90° Copper Cable Connection | To Rod or Pipe

Description	Wire Size	Preferred Brand		Competitor Part Numbers			
		Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 1/2 - 3/4 TUBE IPS; 7/8 - 1 ROD SIZE; 7 - 8 REBAR	#4 Sol - 2/0 Str 2/0 Sol - 250 kcmil	922402840 922402827	GAR1426 GAR1429	GPL9Q GPL10Q	UC108 UC109	GUB5 GUB6	GUV7821 GUV7825
 1-1/4 TUBE IPS; 1-3/8 - 1-1/2 ROD; 11 REBAR	#4 Sol - 2/0 Str 2/0 Sol - 250 kcmil	0779474 922403069	GAR1626 GAR1629	GPL21X GPL22X	UC120 UC131	GPL21 GUB11	GUV13821 GUV13825
 2 TUBE IPS; 2 - 2-3/8 ROD	#4 Sol - 2/0 Str 2/0 Sol - 250 kcmil	922402967 922402931	GAR1826 GAR1829	GPL333 GPL343	UC132 UC133	GUB16 GUB17	GUV2021 GUV2025
 2-1/2 TUBE IPS; 2-1/2 - 2-7/8 ROD	#4 Sol - 2/0 Str 2/0 Sol - 250 kcmil	922402988 922402982	GAR1926 GAR1929	GPL393 GPL403	UC137 UC138	GUB18 GPL40	GUV21221 GUV21225


Parallel or 90° Copper Cable Connection | To Rod or Pipe, Continued

Description	Wire Size	Preferred Brand		Competitor Part Numbers			
		Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 3 TUBE IPS; 3 - 3-1/2 ROD	#4 Sol - 2/0 Str 2/0 Sol - 250 kcmil	922402949	GAR2026	GPL451	UC142	GUB20	GUV3021
		922402962	GAR2029	GPL461	UC143	GUB21	GUV3025
 3/8 IPS; 5/8 - 3/4 ROD; 5 - 6 REBAR	#4 Sol - 2/0 Str 2/0 Sol - 250 kcmil	922402891	GAR6426	GPL5Q	UC104	GPL5	GUV5821
		922402885	GAR6429	GPL6Q	UC105	GPL6	GUV5825



SERVIT POST™ Connectors

Description	Range Stranded	Range Solid	Preferred Brand		Competitor Part Numbers				
			Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts	
 1 OR 2 CONDUCTORS; COPPER CABLE TO FLAT; SERVIT POST™ CONNECTOR	#12 - #9 AWG	#12 - #8 AWG	922402877	K2C20	SP24C	SPM23L	SPDS2	SP2DS	
	#10 - #3 AWG	#10 - #4 AWG	922402829	K2C22B1	GSP2102C		SPDL3	SP3DL	
	#8 - #2 AWG	#10 - #1 AWG	922402917	K2C23	SP22C	SPM25L	SCS4	SP4DS	
	#8 - #2 AWG	#10 - #1 AWG	922403072	K2C23B1	SP22LC	SPM25L	SPDL4	SP4DL	
	#2 - 1/0 AWG	#2 - 2/0 AWG	922402990	K2C25	SP21/OL	SPM26L	SPDS5	SP5DS	
	#2 - 2/0 AWG	#2 - 3/0 AWG	99540807	K2C26	SP22/OQ	SPM27L	SPDS6	SP6DS	
	#2 - 2/0 AWG	#2 - 3/0 AWG	922402961	K2C26B1	SP22/OLQ		SPDL6	SP6DL	
	#1 - 4/0 AWG	#1 - 4/0 AWG	922402912	K2C28B1	SP24/OLQ	SPM29L	SPDL8	SP8DL	
	 1 CONDUCTOR; COPPER CABLE TO FLAT; SERVIT POST™ CONNECTOR	#10 - #7 AWG	#10 - #6 AWG	922403054	KC17	SP17C	SPM2L	SPSS1	SP1DS
		#10 - #5 AWG	#10 - #4 AWG	922402928	KC20	SP14C	SPM3L	SPSS2	SP2SS
#8 - #2 AWG		#10 - #1 AWG	0779480	KC23	SP12C	SPM5L	SPSS4	SP4SS	
#8 - #2 AWG		#10 - #1 AWG	922403120	KC23B1	GSP142/OL	SPM5L	SPSL4	SP4SL	
#2 - 1/0 AWG		#2 - 2/0 AWG	922402895	KC25	SP11/OL	SPM7L	SPSS5	SP5SS	
#2 - 2/0 AWG		#2 - 3/0 AWG	922403020	KC26	SP12/OQ	SPM7L	SPSS6	SP6SS	
#2 - 2/0 AWG		#2 - 3/0 AWG	922403039	KC26B1	SP12/OLQ	SPM7L	SPSL6	SP6SL	
#1 - 4/0 AWG		#1 - 4/0 AWG	922403076	KC28	SP14/OQ	SPM9L	SPSS8	SP8SS	
#1 - 4/0 AWG		#1 - 4/0 AWG	922402976	KC28B1	SP14/OLQ	SPM9L	SPSL8	SP8SL	


SERVIT® Split Bolt Connectors

Description	Conductor Range	Preferred Brand		Competitor Part Numbers			
		Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 SERVIT® SPLIT BOLT CONNECTOR FOR COPPER	#12 - 10 Str	0779498	KS90	SBC110C	N10	IK10	9H
	#10 - 8 Str	0779485	KS15	SBC8C	N4L	IK8	8H
	#8 Str - 6 Sol	0779486	KS17	SBC65C	N-6	IK6	6H
	#8 Str - 6 Sol	0779499	KS173	SBC4SLC	N8R	IK36	6H3
	#8 Str - 4 Sol	0779487	KS20	SBC3C	N4	IK4	4H
	#8 Str - 4 Sol	0779500	KS203	SBC4SLC	N8L	IK34	4H3
	#6 Str - #2 Sol	0779488	KS22	SBC2C	N3	IK3	3H
	#6 Str - #2 Sol	0779501	KS223	SBC2LC	N6R	IK32	3H3
	#6 - #2 Str	0779489	KS23	SBC2C	N2L	IK2	2H
	#4 - 1/0 Str	0779490	KS25	SBC1/OL	N1/0	IK1/0	10H
	#2 - 2/0 Str	0779491	KS26	SBC2/OQ	N2/0	IK2/0	20H
	#1 - 3/0 Str	0779492	KS27	SBC3/OSQ	N3/0	IK3/0	30H
	#1 Str - 250 kcmil	0779493	KS29	SBC250Q	N250	IK250	40H
	1/0 Str - 350 kcmil	0779494	KS31	SBC3501	N350	IK350	350M
	2/0 Str - 500 kcmil	0779495	KS34	SBC5001	N500	IK500	500M
	4/0 Str - 750 kcmil	0779496	KS39	SBC7501	N750	IK750	750M
300 - 1000 kcmil	0779497	KS44	SBC10001	N1000SP	IK1000	1000M	




SERVIT® Split Bolt Connectors | Continued

Description	Conductor Range	Preferred Brand			Competitor Part Numbers		
		Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 SERVIT® SPLIT BOLT CONNECTOR FOR COPPER / ALUMINUM	#12 - 6 Sol	0779502	KSU17	SBCT6C	N6SP	SK6	6HPS
	#10 - 4 Sol	0779503	KSU20	SBCT6C	N6SP	SK4	4HPS
	#10 - 2 Sol	0779504	KSU22	SBCT3C	N4SP	SK3	2HPS
	#8 - 2 Str	99540802	KSU23	SBCT2C	N2SP	SK2	1HPS
	#2 - 1/0 Str	0779506	KSU25	SBCT1/0L	N1/0SP	SK1/0	10HPS
	#2 - 2/0 Str	0779507	KSU26	SBCT2/0Q	N2/0SP	SK2/0	20HPS
	#1 - 3/0 Str	922402865	KSU27	SBCT3/0Q	N3/0SP	SK3/0	40HPS
	#1 Str - 250 kcmil	920262444	KSU29	SBCT250Q	N250SP	SK250	40HPS
	1/0 Str - 350 kcmil	0779509	KSU31	SBCT3501	N350SP	SK350	350HPS
 TERMINAL STACKING ADAPTOR FOR CU/AL	250 kcmil Max	0779326	ASA250U		SA10400	ASL250	
	800 kcmil Max	0779327	ASA800U		SA10400	ASL750	
	1000 kcmil Max	922402909	ASA1000U		SA5001000	ASL750	









TRI-TAP™ SERVIT® Connectors

Description	Max Run/Max Tap	Max Run/Min Tap	Preferred Brand			Competitor Part Numbers		
			Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 TRI-TAP™ SERVIT® CONNECTOR FOR CU/AL	#6 - #6 Str	#6 Str - #10 Sol	922402905	KSA6	SBA6C	APS06	AK6	APS06
	#4 - #4 Str	#4 Str - #10 Sol	922402864	KSA4	SBA4C	APS04	AK4	6CA
	#2 - #2 Str	#2 Str - #8 Sol	922402830	KSA2	SBA2C	APS02	AK2	4CA
	1/0 - 1/0 Str	1/0 Str - #8 Sol	0779282	KSA1/0	SBA1/0Q	APS11	AK1/0	1CA
	2/0 - 2/0 Str	2/0 Str - #8 Str	0779283	KSA2/0	SBA2/0Q	APS21	AK2/0	10CA
	4/0 - 4/0 Str	4/0 - #6 Str	922402983	KSA4/0	SBA4/0Q	APS41	AK4/0	40CA
	350 - 350 kcmil	350 kcmil - #4 Str	922402866	KSA350	SBA3501	APS350	AK350	
	500 - 500 kcmil	500 kcmil - #2 Compact	922403015	KSA500	SBA5001	APS500	AK500	






UNITAP™ Multi-Tap Connectors

Description	Wire Size	Ports	Preferred Brand			Competitor Part Numbers		
			Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 UNITAP™ CLEAR MULTI-TAP CONNECTORS; DOUBLE-SIDED ENTRY	#14 AWG - #4 Str	2	BIBD42	BIBD42	923713497	PCSB4212Y		PCT24
	#14 AWG - #4 Str	3	BIBD43	BIBD43	0779259	PCSB4312Y		ECTD-3-4
	#14 AWG - #4 Str	4	BIBD44	BIBD44	923713538	PCSB446Y		PCT44
	#14 AWG - #4 Str	5	BIBD45	BIBD45	923713579	PCSB456Y		ECTD-5-4
	#14 AWG - #4 Str	6	BIBD46	BIBD46	923713551	PCSB466Y		PCT64
	#14 AWG - #4 Str	8	BIBD48	BIBD48	923713606	PCSB484Y		PCT84
 UNITAP™ CLEAR MULTI-TAP CONNECTORS; DOUBLE-SIDED ENTRY	#14 AWG - 2/0 Str	2	0779261	BIBD2/02	PCSB2/0212		PCT2/0	CSB2/02
	#14 AWG - 2/0 Str	3	0779262	BIBD2/03	PCSB2/036	IPLD3/03C	ECTD-3-1/0	CSB2/03
	#14 AWG - 2/0 Str	4	923713608	BIBD2/04	PCSB2/046	IPLD3/04C	PCT4/0	CSB2/0-4
	#14 AWG - 2/0 Str	5	923713576	BIBD2/05	PCSB2/056		ECTD-5-1/0	CSB2/05
	#14 AWG - 2/0 Str	6	923713600	BIBD2/06	PCSB2/066		PCT6/0	CSB2/06
	#14 AWG - 2/0 Str	8	923713523	BIBD2/08	PCSB2/084		PCT8/0	CSB2/08
	#14 AWG - 2/0 Str	10	923713520	BIBD2/10	PCSB2/0102Y		ECTD-10-1/0	
	#14 AWG - 2/0 Str	12	923713496	BIBD2/12	PCSB2/0122Y		ECTD-12-1/0	
	#14 AWG - 2/0 Str	14	923713529	BIBD2/14	PCSB2/0141Y		ECTD-14-1/0	
 UNITAP™ CLEAR MULTI-TAP CONNECTORS; DOUBLE-SIDED ENTRY	#10 AWG - 250 kcmil	2	0779264	BIBD2502	PCSB25026Y		PCT24/0	CSB2502
	#10 AWG - 250 kcmil	3	922402842	BIBD2503	PCSB25036Y	IPLD2503C	PBTD3250	CSB2503
	#10 AWG - 250 kcmil	4	920262445	BIBD2504	PCSB25046Y	IPLD2504C	PCT44/0	CSB2504
	#10 AWG - 250 kcmil	5	923713478	BIBD2505	PCSB25054Y	IPLD2505C	ECTD-5-250	CSB2505
	#10 AWG - 250 kcmil	6	923713535	BIBD2506	PCSB25064Y	IPLD2506C	PCT64/0	CSB2506
	#10 AWG - 250 kcmil	8	923713536	BIBD2508	PCSB25083Y		PCT84/0	CSB2508
	#10 AWG - 250 kcmil	10	923713564	BIBD25010	PCSB250102Y		ECTD-10-250	
	#10 AWG - 250 kcmil	12	923713587	BIBD25012	PCSB250122Y		ECTD-12-250	
	#10 AWG - 250 kcmil	14	923713481	BIBD25014	PCSB250141Y		ECTD-14-250	

UNITAP™ Multi-Tap Connectors | Continued



Description	Wire Size	Ports	Preferred Brand		Competitor Part Numbers			
			Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
	#10 AWG - 350 kcmil	2	923713539	BIBD3502	PCSB35024		PCT2350	CSB3502
	#10 AWG - 350 kcmil	3	923713574	BIBD3503	PCSB35034	IPLD3503C	ECTD-3-350	CSB3503
	#10 AWG - 350 kcmil	4	923713589	BIBD3504	PCSB35043	IPLD3504C	PCT4350	CSB3504
	#10 AWG - 350 kcmil	5	923713530	BIBD3505	PCSB35053	IPLD3505C	ECTD-5-350	CSB3505
	#10 AWG - 350 kcmil	6	923713543	BIBD3506	PCSB35062	IPLD3506C	PCT6350	CSB3506
	#10 AWG - 350 kcmil	8	923713533	BIBD3508	PCSB35082	IPLD3508C	PCT8350	CSB3506
	#10 AWG - 350 kcmil	10	923713586	BIBD35010	PCSB350102Y		ECTD-10-350	
	#10 AWG - 350 kcmil	12	923713501	BIBD35012	PCSB350121Y		ECTD-12-350	
	#10 AWG - 350 kcmil	14	923713505	BIBD35014	PCSB350141Y		ECTD-14-350	
	#4 AWG - 600 kcmil	2	921059760	BIBD6002	PCSB60024Y		PCT2600	CSB5002
	#4 AWG - 600 kcmil	3	923713552	BIBD6003	PCSB60033Y	IPLD6003C	PBTD3500	CSB5003
	#4 AWG - 600 kcmil	4	923713588	BIBD6004	PCSB50042Y	IPLD6004C	PCT4600	CSB5004
	#4 AWG - 600 kcmil	5	923713506	BIBD6005	PCSB50052Y		ECTD-5-600	CSB5005
	#4 AWG - 600 kcmil	6	923713515	BIBD6006	PCSB60062Y	IPLD6006C	PCT6600	CSB5006
	#4 AWG - 600 kcmil	8	923713503	BIBD6008	PCSB50082Y		PCT8600	CSB5008
	#4 AWG - 600 kcmil	10	923713613	BIBD60010	PCSB600101Y		ECTD-10-600	
	#4 AWG - 600 kcmil	12	923713611	BIBD60012	PCSB600121Y		ECTD-12-600	
	#4 AWG - 600 kcmil	14	923713616	BIBD60014	PCSB600141Y		ECTD-14-600	
	#2 AWG - 750 kcmil	2	923713489	BIBD7502	PCSB75022Y		PTC2600	CSB7502
	#2 AWG - 750 kcmil	3	923713526	BIBD7503	PCSB75032Y	IPLD7503C	PCT2800	CSB7503
	#2 AWG - 750 kcmil	4	923713562	BIBD7504	PCSB75042Y	IPLD7504C	PCT4800	CSB7504
	#2 AWG - 750 kcmil	6	923713531	BIBD7506	PCSB75061Y	IPLD7506C	PCT6800	CSB7506
	#2 AWG - 750 kcmil	8	923713507	BIBD7508	PCSB75081Y	IPLD7508C	PTC8600	CSB7508
	#2 AWG - 750 kcmil	10	923713610	BIBD75010	PCSB750101Y		ECTD-10-750	CSB75010
	#2 AWG - 750 kcmil	12	923713554	BIBD75012			ECTD-12-750	
	#2 AWG - 750 kcmil	14	923713603	BIBD75014			ILSPBTD13750	
		#14 - #4 AWG	3	0779258	BIBS43	PCSB43S12Y		PBTS34
#14 - #4 AWG		4	0779254	BIBS44	PCSB44S6Y	IPL44C	ECTS-4-4	CSB44S
#14 - #4 AWG		5	923713490	BIBS45	PCSB45S6Y	IPL45C	ECTS-5-4	CSB45S
#14 - #4 AWG		6	923713558	BIBS46	PCSB46S6Y	IPL46C	ECTS-6-4	CSB46S
#14 - #4 AWG		8	923713524	BIBS48	PCSB484Y		ECTS-8-4	CSB48S
	#14 AWG - 2/0 Str	3	0779260	BIBS2/03	PCSB2/03S6Y	IPL1/03C		CSB2/03S
	#14 AWG - 2/0 Str	4	923713595	BIBS2/04	PCSB2/04S6Y	IPL1/04C	ECTS-4-1/0	CSB204S
	#14 AWG - 2/0 Str	5	923713573	BIBS2/05	PCSB2/05S4Y		ECTS-5-1/0	CSB2/05S
	#14 AWG - 2/0 Str	6	923713494	BIBS2/06	PCSB2/06S4Y		ECTS-6-1/0	CSB2/06S
	#14 AWG - 2/0 Str	8	923713548	BIBS2/08	PCSB2/08S3Y		ECTS-8-1/0	CSB208S
	#14 AWG - 2/0 Str	10	923713568	BIBS2/010	PCSB2/010S2Y		ECTS-10-1/0	
	#14 AWG - 2/0 Str	12	923713556	BIBS2/012	PCSB412S3Y		ECTS-12-1/0	
	#14 AWG - 2/0 Str	14	923713563	BIBS2/014	PCSB2/014S1Y		ECTS-14-1/0	
	#10 AWG - 250 kcmil	3	0779263	BIBS2503	PCSB2503S6Y	IPL2503C	PBTS33/0	CSB250-3S
	#10 AWG - 250 kcmil	4	923713510	BIBS2504	PCSB2504S6Y	IPL2504C	ECTS-4-250	CSB2504S
	#10 AWG - 250 kcmil	5	923713483	BIBS2505	PCSB2505S4Y		ECTS-5-250	CSB2505S
	#10 AWG - 250 kcmil	6	923713612	BIBS2506	PCSB2506S4Y		ECTS-6-250	CSB2506S
	#10 AWG - 250 kcmil	8	923713528	BIBS2508	PCSB2508S3Y		ECTS-8-250	CSB2508S
	#10 AWG - 250 kcmil	10	923713566	BIBS25010	PCSB25010S2Y		ECTS-10-250	
	#10 AWG - 250 kcmil	12	923713602	BIBS25012	PCSB25012S2Y		ECTS-12-250	
	#10 AWG - 250 kcmil	14	923713534	BIBS25014	PCSB25014S1Y		ECTS-14-250	
	#10 AWG - 350 kcmil	3	923713532	BIBS3503	PCSB3503S4Y	IPL3503C	3350CPZ	CSB350-3S
	#10 AWG - 350 kcmil	4	923713578	BIBS3504	PCSB3504S3Y		PED4350CPZ	CSB3504S
	#10 AWG - 350 kcmil	5	923713549	BIBS3505	PCSB3505S3Y		PED5350CPZ	CSB3505S
	#10 AWG - 350 kcmil	6	923713615	BIBS3506	PCSB3506S2Y		PED6350CP	CSB3506S
	#10 AWG - 350 kcmil	8	923713492	BIBS3508	PCSB3508S2Y		PED8350C	CSB3507S
	#10 AWG - 350 kcmil	10	923713559	BIBS35010	PCSB35010S2Y		ECTS-10-350	
	#10 AWG - 350 kcmil	12	923713605	BIBS35012	PCSB35012S1Y		PBTS12350	
	#10 AWG - 350 kcmil	14	923713491	BIBS35014	PCSB35014S1Y		PBTS14350	
	#4 AWG - 600 kcmil	3	923713511	BIBS6003	PCSB6003S3Y		PED3500C	CSB5003S
	#4 AWG - 600 kcmil	4	923713567	BIBS6004	PCSB6004S2Y		PED4500C	CSB5004S
	#4 AWG - 600 kcmil	5	923713504	BIBS6005	PCSB6005S2Y		PED5500C	CSB5005S
	#4 AWG - 600 kcmil	6	923713499	BIBS6006	PCSB6006S2Y		PED6500CP	CSB5006S
	#4 AWG - 600 kcmil	8	923713517	BIBS6008	PCSB6008S2Y		PED8500C	CSB5008S
	#4 AWG - 600 kcmil	10	923713582	BIBS60010	PCSB60010S1Y		ECTS-10-600	
	#4 AWG - 600 kcmil	12	923713525	BIBS60012	PCSB60012S1Y		PBTS12500	
	#4 AWG - 600 kcmil	14	923713583	BIBS60014	PCSB60014S1Y		PBTS14500	

UNITAP™ Multi-Tap Connectors | Continued

Description	Wire Size	Ports	Preferred Brand		Competitor Part Numbers			
			Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 UNITAP™ CLEAR MULTI-TAP CONNECTORS; SINGLE-SIDED ENTRY	#2 AWG - 750 kcmil	3	923713522	BIBS7503				
	#2 AWG - 750 kcmil	4	923713594	BIBS7504			ECTS-4-750	
	#2 AWG - 750 kcmil	6	923713509	BIBS7506			ECTS-6-750	
	#2 AWG - 750 kcmil	8	923713584	BIBS7508			ECTS-8-750	
	#2 AWG - 750 kcmil	10	923713513	BIBS75010			ECTS-10-750	
	#2 AWG - 750 kcmil	12	923713614	BIBS75012			ECTS-12-750	
	#2 AWG - 750 kcmil	14	923713596	BIBS75014			ECTS-14-750	
 UNITAP™ CLEAR IN-LINE SPLICE	#14 - #2 AWG	2	0779265	BISR2	PISR21	ISR1/OC	SPAR2	
	#14 AWG - 1/0 Str	2	0779253	BISR1/0	PISR1/01	SR1/OC	SPAR1/0	CSR2/0
	#10 AWG - 250 kcmil	2	0779252	BISR250	PISR2501	ISR250C	SPAR250	CSR250
	#10 AWG - 350 kcmil	2	923713495	BISR350	PISR3501	ISR350C	SPAR350	CSR350
	#6 - #4 AWG	2	0779273	BISR4DB	PISR3501	ISRW4		
	#6 AWG - 500 kcmil	2	0779251	BISR500	PISR5001	ISR500C	SPAR500	
	#2 - #1 AWG	2	99894646	BISR1DB	PISR1/01	ISRW1		
	1/0 - 3/0 AWG	2	0779272	BISR3/0DB		ISRW3/0		
4/0 AWG - 250 kcmil	2	0779274	BISR250DB		ISRW250			
 UNITAP™ CLEAR MULTI-TAP CONNECTORS; SAME SIDE ENTRY	#14 - #4 AWG	2	99540816	BIT4	PCSB42S12Y	IT4C	ECTS-2-4	AMTC40
	#14 - 2/0 AWG	2	99540828	BIT2/0	PCSB2/02S6	IT1/OC	ECTS-2-1/0	CSB2/02S
	#10 AWG - 250 kcmil	2	0779247	BIT250	PCSB2502S6Y	IT250C	ECTS-2-250	CSB2502S
	#10 AWG - 350 kcmil	2	0779248	BIT350	PCSB3502S4Y	IT350C	ECTS-2-350	CSB3502S
	#4 AWG - 600 kcmil	2	0779266	BIT600	PCSB6002S4Y	IT600C	ECTS-2-600	CSB5002S
	#2 AWG - 750 kcmil	2	923713569	BIT750	PCSB7502S1	IT750C	ECTS-2-750	
 UNITAP™ CLEAR MULTI-TAP CONNECTORS; OPPOSITE SIDE ENTRY	#14 - #4 AWG	2	923713514	BIT04		IT04C	ECT0-4	
	#14 - 2/0 AWG	2	0779249	BIT02/0		IT01/OC	ECT0-1/0	
	#10 AWG - 250 kcmil	2	923713537	BIT0250		IT03/OC	ECT0-3/0	
	#10 AWG - 350 kcmil	2	923713607	BIT0350				
	#4 AWG - 600 kcmil	2	923713544	BIT0600				
	#2 AWG - 750 kcmil	2	923713581	BIT0750				
 VEHICLE STATIC DISCHARGE CLAMP	Accommodates Flexible Rubber Sheath Cable #6 to #2		779455	GIE2CG3				
	Made of Beryllium Copper Made of Stainless Steel		0779479 922403022	GIE4CG3 GIE4CG4				GC10





TOOLING & ACCESSORIES

Battery Crimp Tools





Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 15 TON LATCH HEAD; 3 AH BATTERIES	0779431	PAT46LWLI	CT2940/L			BPLT15BSCR
 12 TON COVERED C-HEAD; 3 AH BATTERIES	923713571	PAT750CLI				

Vendor # 139497



Battery Crimp Tools | Continued

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 12 TON C-HEAD; 3 AH BATTERIES	0779357	PAT750LI	CT2930L		TB-12U1000-P	TBM12PCR-LI
 11 TON C-HEAD DIELESS BATTERY OPERATED CRIMPER; 3.0 AH BATTERIES	921189953	PAT444SLI				
 6 TON 4-POINT* DIELESS C-HEAD; 3 AH BATTERIES	922402904	PAT4PC834LI			TB-6DFC350-P	
 6 TON LATCH HEAD DIELESS BATTERY OPERATED CRIMPER; 3.0 AH BATTERIES	0779360	PAT81KFTLI	CT2980/L		ILCB-12-LIO	BPLT62BSCR



Battery Cutting Tools

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 10 TON LATCH HEAD BATTERY OPERATED CUTTER; 3.0 AH BATTERIES	922389726	PATCUT2156LI				
 7 TON LATCH HEAD BATTERY OPERATED CUTTER; 3.0 AH BATTERIES	922402955	PATCUT129LI			TB-CUT45-PX	TBM58PCTS-L
 6 TON LATCH HEAD BATTERY OPERATED CUTTER; 3.0 AH BATTERIES	0779430	PATCUT245LI			TB-CUT85CU-P	
 COPPER/ALUMINUM BATTERY OPERATED CUTTER	923713500	PATCUT1500L5				






Die Holder/Die Case | Dies Sold Separately

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 DIE CASE FOR U-STYLE DIES (HOLDS 15 SETS)	923713502	CASEUDIES15				
 DIE CASE FOR U-STYLE DIES (HOLDS 8 SETS)	923713570	CASEUDIES8				




Die Holder/Die Case | Dies Sold Separately, Continued

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 DIE CASE FOR W- OR X-STYLE DIES (HOLDS 12 SETS)	923713591	CASEWDIES				
 DIE HOLDER FOR W-STYLE DIES (HOLDS 6 SETS)	0779328	WDIETREE				

Die Kit | Includes Case



Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 15 SETS OF U DIES WITH DIE CASE (ALUMINUM)	0779349	UDIEKITAL			ILD17	
 15 SETS OF U DIES WITH DIE CASE (COPPER)	0779346	UDIEKITCU			ILD17	
 12 SETS OF W DIES WITH DIE CASE (COPPER)	923713498	WDIEKITCU				
 11 SETS OF W DIES WITH DIE CASE (ALUMINUM)	923713617	WDIEKITAL				
 8 SETS OF DIES USED WITH HYGROUND® COMPRESSION GROUNDING WITH DIE CASE	0779348	UDIEKITHYGRD				

Hydraulic Pumps




Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 10,000 PSI ELECTRIC HYDRAULIC PUMP; 1/2 HP	922402996	EPP10	CT8250HP		5ACR	13610A
 10,000 PSI HYDRAULIC PUMP; 5/8 HP	922402934	Y10AC9	CT901HP			13600
 PUMP ACCESSORY - 1/4" NON-CONDUCTIVE HYDRAULIC HOSE; 25 FOOT	922403045	PT2990125				

Vendor # 139497





Manual Cable Cutters

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 CU & AL UP TO 600 KCMIL; 1.31" MAX. INSULATION	0779453	MCC600	CCT320	CCM350	CTR350	364RF
 CU & AL UP TO 1000 KCMIL; 1.90" MAX. INSULATION	0779428	MCC1000	CCT500	CCM1000	CTR-500	366RF



Mechanical Crimp Tools

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 #14 AWG - 500 KCMIL; BG & D3 PERMANENT GROOVES; ACCEPTS W AND X STYLE DIES	923713597	MD6		OD59	ND58	OD583
 #14 AWG - 500 KCMIL; O & D3 PERMANENT GROOVES; ACCEPTS W AND X STYLE DIES	0779417	MD68	CT730	OD59	ND60	ODB
 #8 STR - 250 KCMIL CU; #8 STR - 4/0 STR AL; DIELESS	0779418	MY293		M250	MT25	HM250 TOOL



Mechanical Ratchet Crimp Tools

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 #22 - #10 AWG NYLON/VINYL INSULATED TERMINALS/SPLICES	923713585	MRE1022NV	CT1550			ERG4001
 #10 - 1/0 STR	923713485	OH25				UT3
 #8 - 4/0 AWG COPPER UNINSULATED TERMINALS/SPLICES	0779351	MRC840			94285	TBM840
 #8 - 4/0 AWG ALUMINUM TERMINALS/SPLICES	0779436	MRC840AL			94285	




Ratchet Cable Cutters

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 CU 350 KCMIL; AL 500 KCMIL; 336 ACSR; 0.74" MAX. INSULATION	0779333	RCC336	CCT-320			CSR750
 CU 500 KCMIL; AL 500 KCMIL; 556.5 ACSR; 1.25" MAX. INSULATION	0779350	RCC556	CCT-320	CCR-556	CTR500	CSR750



Ratchet Cable Cutters | Continued

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 CU 600 KCMIL; AL 600 KCMIL; 1.05" MAX. INSULATION	0779435	RCC600E	CCT-320	CCR-600		
 CU 750 KCMIL; AL 750 KCMIL; 1.62" MAX INSULATION	0779419	RCC750HD	CCT-500	CCR-750	CTR750	CSR750



Ratchet Crimp Tools

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 USED ON #12-#2 AWG; STRANDED, SOLID, FLEX	923713484	Y122CMR				TBM45S
 USED ON #8-#1 AWG CU TERMINALS/SPLICES; #14-#4 THIN WALL C-TAPS	0779353	Y1MRTC	CT1700		ILC10N	TBM41E
 USED ON #8-#1 AWG CU TERMINALS/SPLICES; #14-#4 THIN WALL C-TAPS INCLUDE CASE AND SELECT CONNECTOR	0779354 0779355	Y1MRKIT Y1MRTCKIT				

Remote Power Operated Tool Heads



Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 12T REMOTE C-HEAD CRIMPER, 10,000 PSI, USES U DIES, #8 AWG - 750 KCMIL CU/AL, UP TO 3/4" GROUND ROD.	922403057	Y35BH	CT930CH		ILC12H	TBM12
 REMOTE HYDRAULIC CUTTER, 10000 PSI, CUTS UP TO 1.29" CU/AL, 1113 KCMIL ACSR	922403112	RHCC129ACSR			TR-CUT45	

Self-Contained Hydraulic Crimp Tools





Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 6 TON LATCH HEAD	0779352	Y500CTHS	CT980			TBM40HC
 DIELESS HEAD	0779332	Y644HSXT		D1000	IDT12N	TBM8759M1

Vendor # 139497





Self-Contained Hydraulic Crimp Tools | Continued

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 12 TON C-HEAD	0779331	Y750HSXT	CT930		ILC12N	29731858
 DIELESS 4-POINT® HEAD	99540806	Y81KFT	CT980		IDT6H	EP750


Shrink Tubing

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 CLEAR COLD SHRINK 0.39" - 0.80"	921583364 921583368	CCSC110600 CCSC110800				
 CLEAR COLD SHRINK 0.56" - 0.90"	921583370 921583369	CCSC126600 CCSC126900				
 CLEAR COLD SHRINK 0.70" - 1.05"	921583365 921583363	CCSC146600 CCSC146900				
 CLEAR COLD SHRINK 0.90" - 1.28"	921583366 921583367 921583371	CCSC200600 CCSC200900 CCSC2001200				

PENETROX™ Oxide Inhibitor








Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 8 OZ. SQUEEZE BOTTLE; PENETROX™ OXIDE INHIBITOR; AL-AL, AL-CU (PETROLEUM BASE)	91091384	P8A		OX8	DEOX8OZ	AP8
 GALLON CONTAINER; PENETROX™ OXIDE INHIBITOR; AL-AL; AL-CU (PETROLEUM BASE)	0779484	PENAGAL			DEOX1GAL	
 8 OZ. SQUEEZE BOTTLE; PENETROX™ OXIDE INHIBITOR; CU-CU (NON-PETROLEUM BASE)	921702119	PENE8		OX-8	DE-OX-C-8OZ	CP16
 QUART TUB; PENETROX™ OXIDE INHIBITOR; AL-AL; AL-CU (NON-PETROLEUM BASE)	922189439	PENA13QT			DE-OX-Z-1GAL	CTQ

Miscellaneous

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 WIRE MICROMETER	922389717 0779483	RK1942 WIREMIKE				

*RK1942 Convenience packaging of WIREMIKE™

Wiley

Description	Preferred Brand		Competitor Part Numbers			
	Fastenal	Burndy	Panduit	NSI	ILSCO	Thomas & Betts
 1 TO 2 PV WIRES 1.0-3.0MM	920379797	ACC-FPV			I1307	
 1 TO 2 USE-2 WIRES OR 1 PV WIRE 1.3-2.5MM	0778369	ACC	PSC2A		I1306	
 1 TO 2 PV WIRES 1.3-2.5MM	0777626	ACC-FLD			I1306	
 BOTTOM MOUNT WEEB® WASHER	0778373	WEEB-9.5				
 TIN PLATED BONDING JUMPER 9" WITH WEEB® WASHER	0778375	WEEB-BND-JMP6.7				
 WILEY GROUNDING LUG; WITH WEEB® WASHER	0778370	WEEB-LUG-6.7				
 TOP CLAMP WEEB® WASHER	0778371 0778374 0778372	WEEB-PMC WEEB-UMC WEEB-WMC				

JOBSITE INVENTORY SOLUTIONS

PRODUCT WHERE YOU NEED IT, WHEN YOU NEED IT

Fastenal's jobsite inventory solutions bring an automated, secure supply chain to the most remote outdoor locations. Your POD (products-on-demand jobsite trailer) can be customized with a variety of vending and bin stock devices to provide easy access and full traceability to PPE, tools, hardware, and other critical supplies.



FEATURES & SERVICES

Basic

- Bare container
- Blue color with Fastenal logo
- Double door cargo entry on end

What will fit?


- 20' option | 7 rivet racks (4' W x 2' D each)
- 40' option | 14 rivet racks (4' W x 2' D each)

Deluxe

- Insulated walls
- Lighting
- Key pad personal door entry
- Climate control
- Power outlets
- Ethernet ports

What will fit?

- 20' option | Combination of 7 rivet racks (4' W x 2' D each) OR 5 vending machines
- 40' option | Combination of 14 rivet racks (4' W x 2' D each) OR 16 vending machines



REQUIREMENTS



Serviceable Location

The POD must sit on stable, level ground with sufficient accessibility for installation and removal.



Purchasing Agreement

Each POD is subject to a minimum monthly spend requirement based on the model selected.



Power Source

FAST POD units require access to a permanent 100amp 240v single phase power source. (Deluxe Only)



Cellular Coverage

An AirCard (Verizon or AT&T) is provided for internet connectivity to the machines. (Deluxe Only)

ADDITIONAL RESOURCES

CROSS REFERENCE TOOLS

Hubbell Cross Reference Tools are brand specific eTools that allow users to enter competitor catalog numbers and get the Hubbell recommended equivalent part number.



INTERACTIVE ETOURS

Hubbell's in-depth virtual tours are designed to graphically and innovatively demonstrate where and how Hubbell's full line of wiring devices for power, data, voice, and multimedia are deployed.

- 360° Safety eTour
- 360° Installation Efficiency eTour
- 360° Healthcare Facility eTour
- 360° Industrial Facility eTour
- Food Processing Facility eTour


Explore our library of virtual tours at hubbell.com/wiringdevice-kellems/en/etours



Scan to take the tour

LITERATURE SUPPORT


Hubbell offers an extensive literature library of product support for all our brands. Please contact your Fastenal representative today for more information.



inSIGHT™ Data Monitoring
WLBWS001FAS



Watertight Wiring Devices
WLBWT002FAS



Insulgrip® Wiring Devices
WLBL001FAS

WEBSITE SUPPORT

To learn more about additional Hubbell brands and product offering, please visit the Fastenal website.



LIGHTING & CONTROLS



WIRING & ELECTRICAL



POWER & UTILITIES



DATACOM



HOW DO YOU PREFER TO BUY?

LOCAL STORE / PERSONAL SERVICE / INVENTORY SOLUTIONS / FASTENAL.COM

Hubbell Wiring Device-Kellems • Hubbell Incorporated (Delaware) • 40 Waterview Drive • Shelton, CT 06484 • Phone (800) 288-6000 • FAX (800) 255-1031

Printed in U.S.A. Specifications subject to change without notice. ® is a registered trademarks of Hubbell Incorporated. WLBDIST003 4/22