



Your guide to selecting the perfect fixtures for your space.

The lighting and ceiling fans you select for your home should not only be functional, it is your opportunity to express your personality and elevate each room's design aesthetic. While there are many choices to make during the selection process, it doesn't have to be overwhelming. This catalog is intentionally designed so you can quickly understand different options and characteristics of each fixture category. It is your guide to easily and efficiently plan functional, beautiful lighting for every room in your home.



Using this tool.



Go to the **Product Finder** starting on page 04 to search for your perfect fixture.



Use colored tabs to quickly turn to product sections.



Get more detailed information by searching the product number at: **ProgressLighting.com**

04 PRODUCT FINDER




18 DESIGN+SERIES



- 62 COLLECTIONS
- 74 PENDANTS
- 82 CEILING FANS
- 96 BATH AND MIRRORS
- 114 OUTDOOR
- 116 DOWNLIGHTING
 - 118 Icon Guide
 - 119 Index

COLLECTIONS












PENDANTS








CLOSE-TO-CEILING



SCONCES & WALL BRACKETS









Collections





HILLCREST Matte Black	HILLCREST Vintage Brass
73	71



Pendants







Indoor/Outdoor Ceiling Fans





BURNETT Brushed Nickel	BURNETT Matte Black	CONTE Brushed Nickel
93	93	83



Indoor/Outdoor Ceiling Fans









PROGRESS LIGHTING

Close to Ceiling

CORNETT	CORNETT	CORNETT
Brushed Nickel	Matte Black	Brushed Gold
68	67	69







HILLCREST	HILLCREST	HILLCREST
Brushed Nickel	Vintage Brass	Matte Black
72	71	73







LATHAM Brushed Nickel	LATHAM Vintage Gold	LATHAM Matte Black
77	77	75

Sconces and Wall Brackets

CASSELL
Brushed Nickel

111

111

CORNETT
Brushed Gold

Brushed Nickel

69

68


68

CORNETT Matte Black	ESTRADA Brushed Gold	ESTRADA Matte Black	ESTRADA Polished Chrome
67	107	107	107

LEXIE Brushed Gold	LEXIE Matte Black	LEXIE Polished Chrome	MARTENNE Aged Bronze
109	109	109	113

MARTENNE Matte Black	QUILLAN Gold Ombre	QUILLAN White Plaster	
113	105	105	

Bath and Mirrors LED



Bath





Bath

MARTENNE Aged Bronze	MARTENNE Matte Black	QUILLAN Gold Ombre	QUILLAN White Plaster
113	113	105	105

Outdoor

BAYSIDE NON-METALLIC Textured Black	BELDEN Textured Black	BRISTOL Matte Black	ELLERY Textured Black
115	115	114	115
Z-2030 LED			

Textured Black

114



Downlighting

FAIRWAY LED Satin White	STANDBY LED Satin White
117	117

VIEW THE COMPLETE CATALOG









ESIGN+SERIES

VIEW THE COMPLETE CATALOG





The Laurel Collection seamlessly blends natural beauty with elegant design. Handcrafted, gently curving leaves are finished in a richly blended patina that adds a touch of timeless sophistication.





P400360-204 Gold Ombre 38" dia., 30" ht. 8 candelabra base, 60w max.



P400359-204 Gold Ombre 28" dia., 25.5" ht. 6 candelabra base, 60w max.





P710123-204 Gold Ombre 9" W, 24.5" ht., 4.37" D. 4 candelabra base, 40w max.





P350263-204 Gold Ombre 28" dia., 14.5" ht. 6 candelabra base, 60w max.





P710123-176 Gilded Silver 9" W, 24.5" ht., 4.37" D. 4 candelabra base, 40w max.





P350263-176 Gilded Silver 28" dia., 14.5" ht. 6 candelabra base, 60w max.





P400360-176 Gilded Silver 38" dia., 30" ht. 8 candelabra base, 60w max.



P400359-176 Gilded Silver 28" dia., 25.5" ht. 6 candelabra base, 60w max.



WINTER 2024

LORETTA

The Loretta Collection captures the serene feel of lily pads floating in a gently rippling pond. Glimmering artisanal clear glass is paired with handcrafted metal leaves finished in a soft patina.





LORETTA





DESIGN+SERIES[®] WINTER 2024



A RUSTIC TAKE ON ELEGANCE

Create a stunning space that is both cozy and polished by combining rustic elements and clean lines. Simple furniture and earthy linens contrast with the natural drama of the Loretta Collection pendant and wall sconces, highlighting this bedroom. Glimmering pressed glass and organically shaped leaves finished in a softly blended patina capture the serene feel of lily pads floating in a gently rippling pond.

LORETTA



P710124-204 Gold Ombre 24" L, 12.75" ht., 4.87" D. 4 candelabra base, 40w max.







WINTER 2024

CHEVALL


The Chevall collection combines layers of distinctive artisanal glass encircling a richly burnished frame. Glimmering illumination creates a sparkling ambiance that fills the room.





CHEVALL







WINTER 2024

CHEVALL

P500443-204 Gold Ombre 17" dia., 15.12" ht. 3 candelabra base, 60w max.





P350268-204 Gold Ombre 12.62" dia., 7.87" ht. 2 candelabra base, 60w max.



P710125-204 Gold Ombre 7" W, 15" ht., 4.5" D. 2 candelabra base, 60w max.



CHEVALL

P500443-176 Gilded Silver 17" dia., 15.12" ht. 3 candelabra base, 60w max.





350268-176 Gilded Silver 12.62" dia., 7.87" ht. 2 candelabra base, 60w max.



P710125-176 Gilded Silver 7" W, 15" ht., 4.5" D. 2 candelabra base, 60w max.





CHEVALL

P400368-176 Gilded Silver 32" dia., 23.5" ht. 9 candelabra base, 60w max.

Note: Weight of fixture exceeds NEC limits for outlet box hanging. Consult professional electrician for proper ilnstallation.



P400367-176 Gilded Silver 24.87" dia., 15.87" ht. 6 candelabra base, 60w max.



WINTER 2024

PINELLAS

The Pinellas collection gets to the point with a modern expression of a timeless form. The signature dual conical motif has the elements artfully nested together to provide a pleasing diffusion of light.




















INSPIRING ILLUMINATION

Wall sconces, strategically placed, are perfect for highlighting artwork and creating a more comfortable and visually appealing environment. Pinellas wall lights get to the point with a signature dual conical motif with the elements artfully nested together, offering a modern expression of a timeless form and a pleasing diffusion of light.







LUSAIL

The Lusail Collection showcases a sensuous texture that brings forward a luxurious appearance. Rustic sensibility contrasts beautifully with the sleek Soft Gold finish with a Foundry Gold accent that form the modernist frame.





LUSAIL

P400358-205 Soft Gold 32" dia., 26" ht. 6 candelabra base, 60w max.






P710122-205 Soft Gold 5.87" W, 23.5" ht., 5" D. 2 candelabra base, 60w max.



WINTER 2024



REFINED + RUSTIC

Embrace natural, earthy tones like blues and warm neutrals to create a calming and serene dining atmosphere. This modern organic vibe is balanced by the luxe industrial touches of the room's lighting. The lines of the Lusail pendant and wall sconce showcase geometric forms with a hand-forged appearance that contrasts beautifully with sleek golden elements, bringing a refined look to the scene.

LUSAIL





RIVERA

The Rivera collection creates an otherworldly effect by softly filtering illumination through rippled panes. Linear segments in rich, deep black tones frame billets of handcrafted, clear textured glass in a modern craftsman-inspired design.





RIVERA







RIVERA



P710121-31M Matte Black 4.5" W, 18" ht., 4.75" D. 1 candelabra base, 60w max.



P350271-31M Matte Black 13" sq., 7.25" ht. 4 candelabra base, 60w max.



P500434-31M Matte Black 4.75" sq., 10.5" ht. 1 medium base, 60w max.



Simple rectangles form the building blocks of the Boundary Collection. The fixture's modern organic design is crafted from natural wood and offers warmth and timeless style to contemporary settings. Matte Black finish with a Roasted Chicory wood frame or a Brushed Nickel finish with a Gray Washed Oak frame.





P400370-31M Matte Black 30" D, 14.25" ht. 4 medium base, 60w max.



P500444-31M Matte Black 6" W, 24.37" ht. 1 medium base, 60w max.



Create your own custom light combine Boundary pendants with a Progress Lighting accessory canopy. Visit progresslighting.com for more details.





P350269-31M Matte Black 24" dia., 9.25" ht. 4 medium base, 60w max.



P710126-31M Matte Black 24" L, 5.5" ht., 5.25" D. 2 medium base, 60w max.









P500444-009 Brushed Nickel 6" W, 24.37" ht. 1 medium base, 60w max.



Create your own custom light combine Boundary pendants with a Progress Lighting accessory canopy. Visit progresslighting.com for more details.



P350269-009 Brushed Nickel 24" dia., 9.25" ht. 4 medium base, 60w max.



P710126-009 Brushed Nickel 24" L, 5.5" ht., 5.25" D. 2 medium base, 60w max.









DESIGN+SERIES"

HAAS

Modern and organic inspirations elegantly meld together in Haas. A bold linear frame branches out to embrace smoothly etched opal glass globes that imbue a room with soft illumination.









P400378-31M Matte Black 50" dia., 5.87" ht. 6 candelabra base, 60w max.

Haas chandeliers can be installed with shades installed level or rotated to create an artful asymmetric statement.

HAAS







HAAS



009 Brushed Nickel



Matte Black



Brushed Bronze

P710130-009 Brushed Nickel 5.87" W., 24" ht., 7.12" D. 2 candelabra base, 60w max.





P710130-31M Matte Black 5.87" W., 24" ht., 7.12" D. 2 candelabra base, 60w max.





P710130-109 Brushed Bronze 5.87" W., 24" ht., 7.12" D. 2 candelabra base, 60w max.





CUMBERLAND



Matte Black



196 Aged Bronze

P710076-196 Aged Bronze 5.12" W, 14.62" ht., 4" D. 1 candelabra base, 60w max.





P710076-031 Matte Black 5.12" W, 14.62" ht., 4" D. 1 candelabra base, 60w max.





PAIRS WITH BRECKENRIDGE



PAIRS WITH BURGESS







Collections

DISCOVER THE LATEST









1 In this section

You'll find a close up view for featured collections, as well as available products and finishes offered within a collection.



Quick selection

Use the **Product Finder**, page 10, to quickly see all collections offered in this catalog.



3 Want more?

Scan the code to view the full **Progress Lighting catalog**.





Collections (

Cornett

P350272-31M Matte Black 24" dia., 7.5" ht. 3 medium base LED, 15w max.



P710131-31M Matte Black 4.5" W, 19" ht., 20" D. 1 medium base LED, 15w max.





Featuring:

- Integrated touch on/off switch
- Swing arm left/right
- Tilting shade

Cornett



P710131-009 Brushed Nickel 4.5" W, 19" ht., 20" D. 1 medium base LED, 15w max.



P350272-009 Brushed Nickel 24" dia., 7.5" ht. 3 medium base LED, 15w max.







- Integrated touch on/off switch
- Swing arm left/right
- Tilting shade

Cornett



P710131-191 Brushed Gold 4.5" W, 19" ht., 20" D. 1 medium base LED, 15w max.



Featuring:
• Integrated touch on/off switch

- Swing arm left/right
- Tilting shade







Hillcrest






P350264-163 Vintage Brass 13" sq., 11" ht. 4 candelabra base, 60w max.



Hillcrest



P350264-009 Brushed Nickel 13" sq., 11" ht. 4 candelabra base, 60w max.



Hillcrest





P350264-31M Matte Black 13" sq., 11" ht. 4 candelabra base, 60w max.



Latham

Latham is composed of a geometric framework that features an artful array of handmade white glass. Inspired as a modern expression of an origami lantern to deliver striking illumination to any room.

FINISHES


009 Brushed Nickel


31M Matte Black


078 Vintage Gold



Latham







Statement lighting can add character to a kitchen island, and pendants installed in multiples become an arresting visual focal point. Inspired as a modern expression of an origami lantern, a trio of Latham pendants glows from within a geometric framework containing an artful array of handmade white glass to deliver striking illumination to any room.

STYLE YOUR ROOM

Find inspiration for your next project on **progresslighting.com**

Latham



14" dia., 19.75" ht. 1 medium base, 100w max.



P500436-078 Vintage Gold 14" dia., 19.75" ht. 1 medium base, 100w max.



P500435-009 Brushed Nickel 9" dia., 13" ht.

1 medium base, 100w max.



P500435-078 Vintage Gold 9" dia., 13" ht.

1 medium base, 100w max.



P350261-009 Brushed Nickel 18" dia., 14.87" D, 11" ht. 3 candelabra base, 60w max.



P350261-078 Vintage Gold 18" dia., 14.87" D, 11" ht. 3 candelabra base,

60w max.



Carillon

Carillon commands attention with its impressive scale and gleaming surface. An impressive clear bellshaped glass shade surrounds a white opal diffuser to create a warm and inviting ambiance.

FINISHES

009 Brushed Nickel



Matte Black



Brushed Gold



Carillon

P500439-009 Brushed Nickel 15" dia., 20.75" ht. 1 medium base, 100w max.



P500438-009 Brushed Nickel 9.87" dia., 14.25" ht. 1 medium base, 100w max.



P500439-31M Matte Black 15" dia., 20.75" ht. 1 medium base, 100w max.



P500438-31M Matte Black 9.87" dia., 14.25" ht. 1 medium base, 100w max.



P500439-191 Brushed Gold 15" dia., 20.75" ht. 1 medium base, 100w max.



P500438-191 Brushed Gold 9.87" dia., 14.25" ht. 1 medium base, 100w max.



Mystic

Mystic is a revelation derived from the pleasing intersection of geometric forms. A glass cylinder is supported by a crisp rectangular frame and capped by an expansive metal brim that adds both substance and distinction.

FINISHES

009 Brushed Nickel







Mystic

P500446-009 Brushed Nickel 18" dia., 10.87" ht. 1 medium base, 100w max.




P500446-31M Matte Black 18" dia., 10.87" ht. 1 medium base, 100w max.



P500446-109 Brushed Bronze 18" dia., 10.87" ht. 1 medium base, 100w max.





Like a breath of fresh air, the organic design trend focuses on a connection with nature and a minimalist aesthetic. Incorporate plants and earthy tones like greens, blues, and warm neutrals to create a calming and serene atmosphere. The Conte LED ceiling fan's clean lines are inspired by the delicate elegance of a blooming flower with blades that gracefully curve upwards at the ends, evoking a sense of gentle movement even when the fan is still.

STYLE YOUR ROOM

Find inspiration for your next project on **progresslighting.com**

Conte



009 Brushed Nickel



Matte White



P250105-009-30 Brushed Nickel 52" dia., 14.06" ht. Shown with Gray Weathered wood blades and light kit replaced by blank plate



Gray Weathered Wood



P250105-028-30 Satin White 52" dia., 14.06" ht. Shown with Salt Aged Cypress blades



Salt Aged Cypress



P250105-31M-30 Matte Black 52" dia., 14.06" ht. Shown with Matte Black blades



Matte Black



ENERGY INFORMATION

Airflow 5037 cubic feet per minute **Electricity Use** 56.74 watts (excludes lights)

DOE Weighted CFM/W 99 CFM/W



Full Function Remote Control Included Three-speed fan operation Full-range dimming for light

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20)
- AC Motor
- Remote control with batteries included
- Add the P2667-31 WiFi remote control
- Reversible Motor
- Light Blank Plate included



LAMPING

20w LED module, 3000K, 90CRI, 1865 source lumens, dimmable.









CEILING FANS

60" Insigna



009 Brushed Nickel



163 Vintage Brass

P250107-009-30 Brushed Nickel 60" dia., 14.75" ht. Shown with Matte Black blades and light kit replaced by blank plate



Matte Black



P250107-163-30 Vintage Brass 60" dia., 14.75" ht. Shown with Matte Black blades



Matte Black



P250112-163-30 Vintage Brass 60" dia., 14.75" ht. Shown with Matte White blades



Matte White



ENERGY INFORMATION

Airflow 6766 cubic feet per minute **Electricity Use** 35.12 watts (excludes lights)

DOE Weighted CFM/W 211 CFM/W



Full Function Remote Control Included Six-speed fan operation Full-range dimming for light Reverse direction control

FEATURES

- · Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20degree)
- DC Motor
- · Damp Rated
- Remote control with batteries included
- ABS Blades
- Light Blank Plate Included



LAMPING

20w LED module, 3000K, 90CRI, 1865 source lumens, dimmable.











72" Insigna



009 Brushed Nickel



163 Vintage Brass







ENERGY INFORMATION

Airflow 8807 cubic feet per minute
Electricity Use 28.95 watts (excludes lights)

DOE Weighted CFM/W 334 CFM/W



Full Function Remote Control Included Six-speed fan operation Full-range dimming for light Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20degree)
- DC Motor
- Damp Rated
- Remote control with batteries included
- ABS Blades
- Light Blank Plate Included



LAMPING

20w LED module, 3000K, 90CRI, 1865 source lumens, dimmable.









Bisbee

009 Brushed Nickel



Satin White



P250110-009-30 Brushed Nickel 55.31" dia., 14.75" ht. Shown with Silver Blades blades and a Matte Black accent cage



Silver



P250110-028-30 Satin White 55.31" dia., 14.75" ht. Shown with Matte White blades and a Vintage Brass accent cage



Matte White



P250110-31M-30 Matte Black 55.31" dia., 14.75" ht. Shown with Matte Black blades and a Vintage Brass accent cage



Matte Black



ENERGY INFORMATION

Airflow 5465 cubic feet per minute **Electricity Use** 35.06 watts (excludes lights)

DOE Weighted CFM/W 170 CFM/W



Full Function Remote Control Included Six-speed fan operation Full-range dimming for light Reverse direction control

FEATURES

- · Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20degree)
- DC Motor
- Damp Rated
- · Remote control with batteries included
- · Plywood Blades

LAMPING

20w LED module, 3000K, 90CRI, 1865 source lumens, dimmable.











Paso





Matte Black



163 Vintage Brass

P250109-31M Matte Black 60" dia., 16.5" ht. Shown with Matte Black blades



Matte Black



P250109-031 Black 60" dia., 16.5" ht. Shown with Matte White blades





P250109-163 Vintage Brass 60" dia., 16.5" ht. Shown with Matte White blades





ENERGY INFORMATION

Airflow 5289 cubic feet per minute **Electricity Use** 33 watts (excludes lights)

DOE Weighted CFM/W 174 CFM/W



Full Function Remote Control Included Six-speed fan operation Full-range dimming for light Reverse direction control

FEATURES

- · Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20degree)
- DC Motor
- Damp Rated
- · Remote control with batteries included
- · ABS Blades





CEILING FANS


Belen



009 Brushed Nickel



Matte Black



60" dia., 13.56" ht.

Shown with Matte Black blades



Matte Black



P250117-009-30 Brushed Nickel

60" dia., 13.56" ht. Shown with Silver blades



Silver



P250117-31M-30 Matte Black

60" dia., 13.56" ht.

Shown with Matte Black blades



Matte Black



ENERGY INFORMATION

Airflow 6469 cubic feet per minute **Electricity Use** 35 watts (excludes lights)

DOE Weighted CFM/W 206 CFM/W



Full Function Remote Control Included Six-speed fan operation Full-range dimming for light Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20degree)
- DC Motor
- Damp Rated
- Remote control with batteries included
- PC Blades

LAMPING

20w LED module, 3000K, 90CRI, 1865 source lumens, dimmable.













360° Rotation



The OSCILLAR™ Series of ceiling fans features a 360-degree oscillating DC motor, delivering maximum air distribution in every direction throughout a room.





DIMMABLE LIGHT



6-SPEED FAN CONTROL



TIMER SETTING



REVERSE FUNCTION



FAN ON/OFF



OSCILLATING BLADES ON/OFF



LIGHT ON/OFF



For more product details and product videos, visit **progresslighting.com**

Burnett





P250116-009-30 Brushed Nickel

21" dia., 9.75" ht. Shown with Chrome accent



Chrome



P250116-31M-30 Matte Black

21" dia., 9.75" ht.

Shown with Vintage Brass accent



Vintage Brass



ENERGY INFORMATION*

Airflow N/A **Electricity Use** N/A DOE Weighted CFM/W N/A

*Data not available at time of printing



Full Function Remote Control Included Six-speed fan operation Full-range dimming for light Reverse direction control

FEATURES

- 360° Oscillation
- · Limited Lifetime Warranty
- · Close to Ceiling Mount
- DC Motor
- · Damp Rated
- Remote Control with Batteries Included
- Edge lit LEDs
- Rust Proof Blades

LAMPING

32W LED Strip, 3000K, 90 CRI, 1900 Source Lumens, Dimmable











Fanin





P250114-015-30 Polished Chrome 20.75" dia., 10" ht.



P250114-31M-30 Matte Black 20.75" dia., 10" ht.



ENERGY INFORMATION*

Airflow N/A **Electricity Use** N/A DOE Weighted CFM/W N/A *Data not available at time of printing



Full Function Remote Control Included Six-speed fan operation Full-range dimming for light Reverse direction control

FEATURES

- 360° Oscillation
- Limited Lifetime Warranty
- · Close to Ceiling Mount
- DC Motor
- Damp Rated
- Remote Control with Batteries Included
- Edge lit LEDs
- Rust Proof Blades

LAMPING

31W LED Strip, 3000K, 90 CRI, 1700 Source lumnes, dimmable











Shear





P250115-31M-30 Matte Black 19.63" dia., 17.75" ht.



P250115-109-30 Brushed Bronze 19.63" dia., 17.75" ht.



ENERGY INFORMATION*

Airflow N/A **Electricity Use** N/A DOE Weighted CFM/W N/A

*Data not available at time of printing



Full Function Remote Control Included Six-speed fan operation Full-range dimming for light Reverse direction control

FEATURES

- 360° Oscillation
- · Limited Lifetime Warranty
- DC Motor
- Damp Rated
- Remote Control with Batteries Included
- Edge lit LEDs
- Rust Proof Blades

LAMPING


31W LED Strip, 3000K, 90 CRI, 1700 Source Lumens, dimmable













TOUCH BUTTON CONTROLS



Touch the circle button for on/ off controls. Press and hold to dim the LED light source.



Touch the starburst button to select the color temparature.

SELECTABLE COLOR TEMPERATURE

Choose from the warm, cozy embrace of 3000K, the cool neutrality of 4000K, or the refreshing radiance of 5000K.

3-CCT SELECTABLE

3000K	4000K	5000K
SOFT	COOL	DAYLIGHT



WALL SWITCH CONTROL

Turn the mirror on/off with the buttons directly on the mirror or using a wall switch.



MEMORY FUNCTION

Once you've customized your dimming level and selected your color temperature, the Captarent LED mirror will remember your settings for the next use.



QUICK AND EASY INSTALLATION

Installation is easy, using the universal mount that allows for horizontal or vertical placement on walls. An open back design allows for easy junction box access.



SUSTAINABLE PACKAGING

Packaged in sustainable honeycomb cardboard, minimizing waste and supporting eco-conscious living.



WATCH NOW


Use the touch button to turn the mirror on and off, select the color temperature, and quickly dim the LED light source. Watch the product video for more product features.



Captarent LED

Captarent LED mirrors feature a frosted LED light that highlights the geometric profile of the mirror while providing a balanced wash of LED illumination. The dimmable light source is 3CCT selectable with a push-button touch control to ensure uniform and flattering illumination for your space.





Captarent LED

P300492-030-CS

60" W., 36" ht.. 2.19" D. 92w integrated LED, 3000K/4000K/5000K, 90CRI, 2150 nominal lumens at 3000K setting, dimmable.






Shown vertically mounted

P300493-030-CS

72" W., 36" ht., 2.19" D.
110w integrated LED,
3000K/4000K/5000K, 90CRI,
2780 nominal lumens at 3000K setting,
dimmable.







Shown vertically mounted












Captarent LED

P300470-030-CS

36" W., 42" ht., 2.19" D. 66w integrated LED, 3000K/4000K/5000K, 90CRI, 1600 nominal lumens at 3000K setting, dimmable.






Shown horizontally mounted

P300469-030-CS

30" W., 36" ht., 1.61" D. 49w integrated LED, 3000K/4000K/5000K, 90CRI, 1430 nominal lumens at 3000K setting, dimmable.















Phase 5 LED

Crafted from high-quality aluminum with precision and designed to impress. The integrated acrylic lens adds a refined touch, diffusing light softly and evenly for a truly inviting ambiance. Customize your lighting experience with the selectable CCT feature.



FINISHES



P300448-31M-CS

P300448-009-CS Brushed Nickel **P300448-31M-CS** Matte Black 16" W., 4.84" ht., 3.78" D. 11w integrated LED, 3000K/4000K/5000K, 90CRI, 707 delivered lumens, dimmable.

P300449-009-CS Brushed Nickel **P300449-31M-CS** Matte Black 24" W., 4.84" ht., 3.78" D. 18w integrated LED, 3000K/4000K/5000K, 90CRI, 1223 delivered lumens, dimmable.



P300450-009-CS Brushed Nickel **P300450-31M-CS** Matte Black 32" W., 4.84" ht., 3.78" D. 22w integrated LED, 3000K/4000K/5000K, 90CRI, 1512 delivered lumens, dimmable.



Shown in order listed All fixtures:









Curvity LED

Curvity LED adds a touch of elegance to any space while providing exceptional lighting performance. The fixture offers a perfect balance of uplight and downlight, ensuring uniform and flattering illumination. Its aluminum chassis guarantees sturdiness and longevity. Customize your lighting experience with the selectable CCT feature.



FINISHES



009 Brushed Nickel



Matte Black



P300451-31M-CS

P300451-009-CS Brushed Nickel 24" W., 4.53" ht., 3.94" D. 29w integrated LED, 3000K/4000K/5000K, 90CRI, 2037 delivered lumens, dimmable.



P300451-31M-CS Matte Black 24" W., 4.53" ht., 3.94" D. 29w integrated LED, 3000K/4000K/5000K, 90CRI, 2037 delivered lumens, dimmable.













Quillan

Quillan offers a graceful flourish to add a distinctive designer touch. Scalloped elements create a richness of detail to complement the clarity of clear, elliptical glass shades. Each fixture includes socket rings in the fixture finish or a Soft Gold accent.

FINISHES

197 White Plaster





Each fixture includes socket rings in the fixture finish or a Soft Gold accent.







P300489-197 Shown with Soft Gold accent ring

P300491-197 White Plaster **P300491-204** Gold Ombre 33.62" W, 8.5" ht. 4 medium base, 60w max.





Quillan

P300490-197 White Plaster **P300490-204** Gold Ombre 23.87" W, 8.5" ht. 3 medium base, 60w max.

P300489-197 White Plaster **P300489-204** Gold Ombre 14.5" W, 8.5" ht. 2 medium base, 60w max.





Shown with Soft Gold accent ring



Shown with Soft Gold accent ring



P300488-197 White Plaster **P300488-204** Gold Ombre 5" W, 8.5" ht., 6.62" D. 1 medium base, 60w max.







Estrada

Estrada features a hexagonal motif, one of the most beautiful patterns that occurs frequently in nature. This classic shape is experiencing a revival in popularity as it is both timeless and modern at the same time. Faceted opal glass shades are fitted atop mating metal bases.

FINISHES



Polished Chrome



Matte Black



Brushed Gold



P300477-015

P300479-015 Polished Chrome **P300479-31M** Matte Black **P300479-191** Brushed Gold 31.25" W, 8.37" ht. 4 medium base, 100w max.



Estrada

P300478-015 Polished Chrome **P300478-31M** Matte Black **P300478-191** Brushed Gold 22.37" W, 8.37" ht. 3 medium base, 100w max. **P300477-015** Polished Chrome **P300477-31M** Matte Black **P300477-191** Brushed Gold 13.37" W, 8.37" ht. 2 medium base, 100w max.













P300476-015 Polished Chrome **P300476-31M** Matte Black **P300476-191** Brushed Gold 4.5" W, 7.75" ht., 5.37" D. 1 medium base, 100w max.









Lexie

Lexie is full of spunk with a fresh new style for today's home. A slender minimalist frame supports opal glass shades with a distinctive cinched metallic collar.

FINISHES

015 Polished Chrome

31M Matte Black

191 Brushed Gold



P300485-31M

P300487-015 Polished Chrome **P300487-31M** Matte Black **P300487-191** Brushed Gold 30" W, 11" ht.

4 medium base, 100w max.



All fixtures:



Lexie

P300486-015 Polished Chrome **P300486-31M** Matte Black **P300486-191** Brushed Gold 22" W, 11" ht. 3 medium base, 100w max.



P300485-015 Polished Chrome **P300485-31M** Matte Black **P300485-191** Brushed Gold 14" W, 11" ht. 2 medium base, 100w max.



P300484-015 Polished Chrome **P300484-31M** Matte Black **P300484-191** Brushed Gold 5.12" W, 11" ht, 6.62" D.. 1 medium base, 100w max.









Cassell

The Cassell Collection boasts a dual-tone finish that accentuates its distinguished and handsome design. Tailored details smoothly blend linear precision with elegant circular rings and clear glass. Available in Brushed Nickel or Vintage Brass, both with Matte Black accents.

FINISHES



009 Brushed Nickel



Vintage Brass



P300481-163

P300483-009 Brushed Nickel **P300483-163** Vintage Brass 33.87" W, 9.12" ht. 4 medium base, 60w max.





Cassell

P300482-009 Brushed Nickel **P300482-163** Vintage Brass 24.12" W, 9.12" ht. 3 medium base, 60w max.

P300481-009 Brushed Nickel **P300481-163** Vintage Brass 14.5" W, 9.12" ht. 2 medium base, 60w max.









P300480-009 Brushed Nickel **P300480-163** Vintage Brass 4.75" W, 9.12" ht., 6.62" D. 1 medium base, 60w max.







Martenne

Martenne vanity lights have a simple, substantial style. Seeded glass shades with an elegant flare complement the rustic modern design.

FINISHES



31M Matte Black



Aged Bronze



P300473-31M

P300475-31M Matte Black **P300475-196** Aged Bronze 31.87" W, 8.5" ht. 4 medium base, 60w max.



Martenne

P300474-31M Matte Black **P300474-196** Aged Bronze 24" W, 8.5" ht. 3 medium base, 60w max.

P300473-31M Matte Black **P300473-196** Aged Bronze 14" W, 8.5" ht. 2 medium base, 60w max.









P300472-31M Matte Black **P300472-196** Aged Bronze 4.62" W, 8.5" ht., 7" D. 1 medium base, 60w max.







Z-2030 LED

031 Textured Black

P560364-031-30 Textured Black 7" W, 18" ht., 3.69" D. 11w integrated LED, 3000K, 90 CRI, 143 delivered lumens.



P560365-031-30 Textured Black 7" W, 28.74" ht., 3.69" D. 22w integrated LED, 3000K, 90 CRI, 276 delivered lumens.



All fixtures:





Matte Black



Bristol

P560359-31M Matte Black 7.5" W, 13.75" ht., 4.62" D. 1 medium base, 60w max.



P560360-31M Matte Black 7.5" W, 24" ht., 4.62" D. 2 medium base, 60w max.



All fixtures:



Ellery

031 Textured Black

P560169-031 Textured Black 7" W, 12.12" ht, 6.75" D. 1 medium base, 100w max.



P560170-031 Textured Black 8.5" W, 15.25" ht., 7.62" D. 1 medium base, 100w max.



All fixtures:



Belden

031 Textured Black

P560271-031 Textured Black 5" dia., 10.37" ht., 6.5" D. 1 medium base, 100w max.



P560272-031 Textured Black 7" dia., 14.37" ht., 9" D. 1 medium base, 100w max.



All fixtures:



Bayside Non-Metallic



P560363-031 Textured Black 8" dia., 10" ht., 9.37" D. 1 medium base lamp, 40w max. Made in the USA






All fixtures:







STANDBY LED MOTION SENSOR

When darkness falls and motion is detected, Standby LED seamlessly illuminates the area.







Enter a dim room and Standby LED will turn on.





Light stays on while motion is detected in the room.



AUTO-OFF



Light turns off after 30 seconds of inactivity.

Standby LED Motion Activated Surface Mount

Illuminate your space with confidence and efficiency with the dual technology 7.72 inch Surface Mount LED Light, an intelligent lighting solution that combines motion-sensor technology with energy-saving design. This sleek disk light is activated when motion is detected from its built-in PIR (Passive Infrared) sensor. When darkness falls and motion is detected, it seamlessly illuminates the area. The integrated photocell ensures that the light only activates when ambient light levels are insufficient, preventing unnecessary energy consumption. Powered by innovative LED technology, this fixture emits a warm 3000K light with a high 90 CRI through a polycarbonate lens without harsh glare or dark spots. Choose a crisp Satin White to seamlessly match your interior decor.

P810041-028-30 Satin White 7.72" dia., 1.38" ht. 14w Integrated LED, 3000K, 90 CRI, 975 delivered lumens.







Fairway LED Surface Mount

The Fairway 7 in. Surface Mount LED Light combines sleek design with value-driven functionality. Its durable metal trim is coated in a clean white finish paired with a glare-free polycarbonate lens. A 1000-lumen light engine delivers a total of 850 lumens of 3000K, 90 CRI illumination that is dimmable using TRIAC dimmers and is CA Title 24 Compliant. Its classic design has a gasketed, UL wet location listed construction and is quickly and easily installed by mounting directly into a j-box in a variety of residential and commercial settings.

P810042-028-30 Satin White 7" dia., 1.10" ht. 11w Integrated LED, 3000K, 90 CRI, 857 delivered lumens.









Icon Guide



Please note dry location products should only be used indoors. Even if an outdoor area or screened-in porch is covered, the fixture can be affected when exposed to humidity. You can, however, "bring the outdoors inside" – as using outdoor products are perfectly acceptable to use in interior spaces.



Damp Location products and fixtures can be used in covered spaces outdoors or indoors.



If the product will have direct contact with water, you'll need to ensure that the product has a "wet" listing. Wet location products may also be used indoors.



This marking indicates fixtures that have an integrated LED or replaceable LED module that has been tested and listed in the California Appliance Database. Check for certified lamps, fixtures or LED light engines by searching the MAEDBS database. Go to cacertappliances.enegy.ca.gov



DC motor ceiling fans feature high torque for increased air movement, whisper quiet operation, and greater energy efficiency than AC motors.



The OSCILLAR™ Series of ceiling fans are powered by an ultra-quiet oscillating DC motor with three blades to offer a full 360-degree rotation, ensuring optimal air circulation throughout the room.



Products with this icon can be installed with the shades facing up or down.



Products with this icon can be installed horizontally or vertically.



Table 150.0A defines products that do not have to meet JA8 and can be used to comply with 2016 Title 24.



Products comply with the California Appliance Efficiency Regulations. Certified products are listed on the appliance efficiency database found at www.appliances.energy.ca.gov.



Products with this icon are Dark-Sky Friendly: in accordance with international dark sky initiatives, these fixtures help to minimize glare while reducing light trespass and skyglow (they don't pollute the night sky.)



Products with this icon have a feature that allows for selectable CCT (correlated color temperature)



Ceiling fans with this icon have passed the cUL requirements and are available for sale in Canada. These products include the additional safety features needed to comply with the regulations in Canada. Items with the icon are listed with NRCan.



Complies with American with Disabilities Act



Products with this icon are WiFi compatible and may be controlled with WiFi when one of the following controls is added;

- AC Motor fans can add the P2667-31 WiFi remote control
- DC Motor fans that are WiFi compatible can add the P2673-01 WiFi module.

With the addition of one of the above controls, you may easily control your ceiling fan or light with your smart phone, tablet, voice controls, or hand held remote. Use the Smart by Bond technology to control on/off function of the fan and the light kit along with full range dimming and fan speed control.

Chain

9-Gauge Chain

P8758-176 Gilded Silver **P8758-204** Gold Ombre **P8758-205** Soft Gold

- 4 feet of 9 gauge square chain permits installation of chainhung fixtures on high ceilings.
- Maximum fixture weight – 50 lbs.



9-Gauge Square Profile Chain

P8755-176 Gilded Silver **P8755-204** Gold Ombre

- 4 feet of 9 gauge square chain permits installation of chainhung fixtures on high ceilings.
- Maximum fixture weight – 50 lbs.



Stem Kits

Contains (2) 6" and (1) 12" stems and couplings

P8602-197 White Plaster **P8602-204** Gold Ombre **P8602-205** Soft Gold



Warranty

For more details regarding product warranty coverage, please consult a qualified Progress Lighting distributor or visit:

progresslighting.com/warranty

Where to buy

To purchase Progress Lighting products from one of our authorized dealers visit:

progresslighting.com/where-to-buy

Product Index

P2000		P4000	P5000	P7000
P250105-009-3083	P300480-009 111	P400354-31M 51	P500434-31M 51	P710076-196 61
P250105-028-30	P300480-163 111	P400355-31M 48	P500435-009 77	P710076-031 61
P250105-31M-30 83	P300481-009 111	P400356-31M 49	P500435-078 77	P710121-31M
P250107-009-30	P300481-163 111	P400357-205 45	P500435-31M	P710122-205 45
P250107-163-30	P300482-009	P400358-205 45	P500436-009	P710123-176 25
P250108-009-30 86	P300482-163 111	P400359-176 27	P500436-078	P710123-204
P250108-163-30	P300483-009 110 P300483-163 110	P400359-204 23 P400360-176 27	P500436-31M	P710124-204
P250109-031 89	P300484-015 109	P400360-204 23	P500437-205	P710125-176
P250109-165 89	P300484-191 109	P400360-204 25	P500438-191 79	P710125-204 57
P250110-009-30 87	P300484-31M 109	P400361-204 24	P500438-31M 79	P710126-31M 55
P250110-028-30	P300485-015 109	P400363-31M 49	P500439-009 79	P710128-204 29
P250110-31M-30 87	P300485-191 109	P400364-204 29	P500439-191 79	P710130-009 61
P250111-009-30 90	P300485-31M 109	P400365-204 29	P500439-31M 79	P710130-109 61
P250112-163-3084	P300486-015 109	P400367-176 37	P500440-009 72	P710130-31M 61
P250113-163-30	P300486-191 109	P400367-204 33	P500440-163 71	P710131-009 68
P250114-015-3094	P300486-31M 109	P400368-176 37	P500440-31M73	P710131-191 69
P250114-31M-30 94	P300487-015 108	P400368-204 33	P500441-009 72	P710131-31M 67
P250115-31M-30 95	P300487-191 108	P400369-205 47	P500441-163 71	
P250115-109-30 95	P300487-31M 108	P400370-009 56	P500441-31M 73	
P250116-009-30 93	P300488-197 105	P400370-31M 53	P500442-204 31	P8000
P250116-31M-30 93	P300488-204 105	P400372-197 41	P500443-176 35	1 0000
P250117-009-3090	P300489-197 105	P400372-205 40	P500443-204 34	P8602-197
P250117-31M-30 90	P300489-204 105	P400373-197 43	P500444-009 56	P8602-204
	P300490-197 105	P400373-205 39	P500444-31M 53	P8602-205
	P300490-204 105	P400374-197 43	P500445-197 41	P8755-176
P3000	P300491-197 104	P400374-205 39	P500445-205 40	P8755-204 118
	P300491-204 104	P400377-205 44	P500446-009 81	P8758-176 118
P300448-009-CS 100	P300492-030-CS 98	P400378-009 59	P500446-109 81	P8758-204 118
P300448-31M-CS 100	P300493-030-CS 98	P400378-109 59	P500446-31M81	P8758-205 118
P300449-009-CS 100	D7F0261 000 77	P400378-31M 58	DEC0100 071 11E	
P300449-31M-CS 100	P350261-009	P400380-009 68 P400380-191 69	P560169-031	P810041-028-30 117
P300450-009-CS 100	P350261-31M	P400380-191 66	P560271-031	P810042-028-30117
P300450-31M-CS 100	P350263-176 25	P400360-31M00	P560272-031	
P300451-009-CS 101	P350263-204 24		P560359-31M	
P300451-31M-CS 101	P350264-009		P560360-31M	
P300469-030-CS 99	P350264-16371		P560363-031 115	
P300470-030-CS 99	P350264-31M 73		P560364-031-30114	
P300472-196 113	P350268-176 35		P560365-031-30114	
P300472-31M	P350268-204 34			
P300473-196	P350269-009 57			
P300473-31M	P350269-31M 55			
P300474-196	P350270-205 40			
P300474-31M 113 P300475-196	P350270-197 41			
P300475-190	P350271-31M 51			
P300476-015 107	P350272-009 68			
P300476-191 107	P350272-191 69			
P300476-31M 107	P350272-31M 67			
P300477-015 107				
P300477-191 107				
P300477-31M 107				
P300478-015 107				
P300478-191 107				
P300478-31M 107				
P300479-015 106				
P300479-191 106				







A proud member of the Hubbell family.

PROGRESS LIGHTING 701 Millennium Boulevard Greenville, South Carolina 29607

