



CUSTOMER APPROVAL  
 APPROVED BY: \_\_\_\_\_  
 DATE: \_\_\_\_\_

**NOTES:**

1. CUSTOMER IS: LOGO TO BE SPECIFIED: \_\_\_\_\_.
2. THIS ASSEMBLY IS RATED FOR A STATIC DESIGN LOAD OF 8,000 LBS. [35,548 N] OVER A 10 [254] X 10 [254] AREA AND MUST PASS A MINIMUM STATIC TEST LOAD OF 12,000 LBS. [53,376 N].
3. TORSION FRAME MUST BE GROUDED AFTER IT IS ADJUSTED TO THE PROPER GRADE.

DIMENSIONS ARE IN INCHES OR MILLIMETERS IN BRACKETS UNLESS OTHERWISE NOTED.		WEIGHT		LOC	
BY	DATE	1402#	636kg	LC	
DRN 339	7/9/13	SCALE	NTS	IC	S
CHK 33	7/10/13	DRAWING DESCRIPTION		REV	
ENG		QUAZITE® 72 X 72 X 48 ASSEMBLY		A	
APR	4/83	W/44" EXTENSION & TORSION COVER			
APR	7/10/13	SIZE	B		7/13
ESR OR PROJECT NUMBER		108480		SHEET 1 OF 1	
		DRAWING NUMBER		A1A7272504	



3621 INDUSTRIAL PARK DR  
 LENOIR CITY, TN 37771  
 800-346-3062  
 www.quazite.com