

NOTES:

1. MATERIAL: CASTINGS: 356-T6 ALUMINUM ALLOY
CLAMPING HARDWARE: ALUMINUM ALLOY
MOUNTING HARDWARE: GALVANIZED STEEL
2. AUR BUS SUPPORT IS A COMBINATION SLIP-FREE OR RIGID CLAMPING TYPE. DESIRED CLAMPING IS OBTAINED BY ROTATING CAP 180 DEGREES.
3. REGULARLY SUPPLIED WITH CAP SCREWS AND LOCK WASHERS FOR MOUNTING TO CAP OF INSULATOR. WHEN MOUNTING TO BASE OF INSULATOR IS REQUIRED ADD "B" TO CATALOG NUMBER TO ASSURE OBTAINING BOLTS, BUTS, AND LOCK WASHERS. EXAMPLE: AUR-14-3-B.
4. DIMENSIONS IN INCHES.

56488	7/7/14	JLB	JLB
EC #	DATE	CHG BY	RESP ENG
DESC OF DWG: UPDATE DRAWING TO AUTOCAD FILE			
REASON(S) FOR CHANGE: --			
DISPOSITION OF MAT'L: --			

ANDERSON®

HUBBELL® POWER SYSTEMS


CONFIDENTIAL: THIS DRAWING AND ITS CONTENTS ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO PUBLICATION, DISTRIBUTION OR COPIES MAY BE MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS UNPUBLISHED. ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAWS.

TITLE ALUMINUM TERMINAL CONNECTOR ACSR OR ALUMINUM CABLE TO FLAT			
SIZE	DWG NO.	CAT / PART / ASSY NO.	REV
C	C-4244	SEE TABLE	06
DO NOT SCALE THIS DRAWING	DRN BY EL	DATE 3/12/56	SHEET 1 of 3

CATALOG NUMBER	BUS SIZE I.P.S.	BOLT CIRCLE DIA.	DIMENSIONS IN INCHES								
			A	B	C	D	E	F	J	K	T
AUR-04-3	0.500	3.000	7.250	3.125	1.750	4.250	0.313	2.625	0.500	0.563 X 0.750	--
AUR-04-7	0.500	7.000	11.375	3.125	1.750	8.500	0.375	2.625	0.500	0.813 X 1.063	--
AUR-06-3	0.750	3.000	7.375	3.313	2.000	4.250	0.375	2.875	0.500	0.563 X 0.750	--
AUR-06-5	0.750	5.000	9.313	3.313	2.250	6.250	0.375	3.125	0.500	0.688 X 0.875	--
AUR-06-7	0.750	7.000	11.563	3.375	2.250	8.500	0.500	3.125	0.500	0.813 X 1.063	--
AUR-10-2	1.000	2.000	6.000	3.500	2.000	3.000	0.375	3.250	0.375	0.438 X 0.875	--
AUR-10-3	1.000	3.000	7.313	3.563	2.000	4.250	0.375	3.000	0.500	0.563 X 0.750	--
AUR-10-5	1.000	5.000	9.313	3.563	2.250	6.250	0.375	3.250	0.500	0.688 X 0.875	--
AUR-10-7	1.000	7.000	11.563	3.750	2.250	8.500	0.500	3.250	0.500	0.813 X 1.063	--
AUR-12-3	1.250	3.000	7.375	3.938	2.250	4.250	0.375	3.500	0.500	0.563 X 0.750	--
AUR-12-5	1.250	5.000	9.375	3.938	2.375	6.250	0.375	3.625	0.500	0.688 X 0.875	--
AUR-12-7	1.250	7.000	11.563	4.250	2.375	8.500	0.500	3.625	0.500	0.813 X 1.063	--
AUR-14-2	1.500	2.000	6.125	4.125	2.500	3.000	0.375	--	0.500	0.438 X 0.875	--
AUR-14-3	1.500	3.000	7.375	4.125	2.500	4.250	0.375	3.875	0.500	0.563 X 0.750	--
AUR-14-5	1.500	5.000	9.375	4.125	2.500	6.250	0.375	4.031	0.500	0.688 X 0.875	--
AUR-14-7	1.500	7.000	11.625	4.250	2.500	8.500	0.500	3.875	0.500	0.813 X 1.063	--
AUR-20-3	2.000	3.000	7.438	4.688	2.750	4.250	0.375	4.375	0.500	0.563 X 0.750	--
AUR-20-5	2.000	5.000	9.438	4.688	2.750	6.250	0.375	4.375	0.500	0.688 X 0.875	--
AUR-20-7	2.000	7.000	11.875	4.688	2.750	8.500	0.500	4.406	0.500	0.813 X 1.063	--
AUR-24-3	2.500	3.000	8.188	5.563	3.125	4.250	0.375	5.000	0.500	0.563 X 0.750	--
AUR-24-5	2.500	5.000	10.250	5.563	3.125	6.250	0.375	5.063	0.625	0.688 X 0.875	--
AUR-24-7	2.500	7.000	12.438	5.563	3.125	8.500	0.500	5.000	0.625	0.813 X 1.063	--
AUR-30-3	3.000	3.000	8.375	6.188	3.625	4.250	0.375	5.875	0.625	0.563 X 0.750	--
AUR-30-3-TES	3.781	3.000	8.625	6.438	3.625	4.250	0.375	6.094	0.625	0.563 X 0.750	--
AUR-30-5	3.000	5.000	10.000	6.188	3.625	6.250	0.375	6.031	0.625	0.688 X 0.875	--
AUR-30-7	3.000	7.000	12.563	6.188	3.625	8.500	0.500	6.000	0.625	0.813 X 1.063	--
AUR-34-3	3.500	3.000	8.375	6.813	4.000	4.250	0.375	6.500	0.625	0.563 X 0.750	--
AUR-34-5	3.500	5.000	10.375	6.813	4.000	6.250	0.500	6.875	0.625	0.688 X 0.875	--
AUR-34-7	3.500	7.000	12.625	6.875	4.000	8.500	0.500	6.875	0.625	0.813 X 1.063	--
AUR-40-3	4.000	3.000	8.188	7.313	4.500	4.250	0.375	7.250	0.625	0.563 X 0.750	--
AUR-40-5	4.000	5.000	10.188	7.313	4.500	6.250	0.500	7.250	0.625	0.688 X 0.875	--

56488	7/7/14	JLB	JLB
EC #	DATE	CHG BY	RESP ENG
DESC OF DWG SEE PAGE 1 -- -- --			
REASON(S) FOR CHANGE: -- DISPOSITION OF MAT'L: --			


ANDERSON[®]
 CONFIDENTIAL: THIS DRAWING AND ITS CONTENTS ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO PUBLICATION, DISTRIBUTION OR COPIES MAY BE MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS.
 HUBBELL POWER SYSTEMS UNPUBLISHED
 ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAWS.

		HUBBELL [®] POWER SYSTEMS	
TITLE ALUMINUM TERMINAL CONNECTOR			
ACSR OR ALUMINUM CABLE TO FLAT			
SIZE	DWG NO.	CAT / PART / ASSY NO.	REV
C	C-4244	SEE TABLE	06
DO NOT SCALE THIS DRAWING	DRN BY EL	DATE 3/12/56	SHEET 2 OF 3

CATALOG NUMBER	BUS SIZE I.P.S.	BOLT CIRCLE DIA.	DIMENSIONS IN INCHES								
			A	B	C	D	E	F	J	K	T
AUR-40-5-5	4.0000	5.000	10.188	7.313	5.000	6.250	0.500	7.250	0.625	0.688 X 0.875	--
AUR-40-5-BE	4.0000	5.000	10.188	7.313	4.500	6.250	0.500	7.250	0.625	0.688 X 0.875	1.500
AUR-40-7	4.000	7.000	12.688	8.000	4.500	8.500	0.500	7.250	0.625	0.813 X 1.063	--
AUR-44-5	4.500	5.000	10.000	8.000	4.750	6.250	0.500	7.938	0.625	0.688 X 0.875	--
AUR-50-3	5.000	3.000	10.000	8.250	4.875	4.250	0.500	8.156	0.625	0.563 X 0.750	--
AUR-50-5	5.000	5.000	10.625	8.250	4.875	6.250	0.500	8.250	0.625	0.688 X 0.875	--
AUR-50-5-5	5.000	5.000	11.188	8.250	5.000	6.250	0.500	8.375	0.625	0.688 X 0.875	--
AUR-50-7	5.000	7.000	12.750	8.250	4.875	8.500	0.500	8.250	0.625	0.813 X 1.063	--
AUR-60-3	6.000	3.000	8.250	9.375	5.375	4.250	0.500	9.250	0.625	0.563 X 0.750	--
AUR-60-5	6.000	5.000	11.500	9.375	5.375	6.250	0.500	9.250	0.625	0.688 X 0.875	--
AUR-60-7	6.000	7.000	13.375	9.375	5.375	8.500	0.500	9.250	0.625	0.813 X 1.000	--
AUR-70-5-TPL	7.500 O.D.	5.000	12.125	10.188	6.375	6.250	0.500	10.688	0.625	0.688 X 0.875	--
AUR-80-5	8.000	5.000	12.125	11.313	6.375	6.250	0.500	11.563	0.625	0.688 X 0.875	--
AUR-10-OD-5	10.000 O.D.	5.000	12.500	12.688	7.000	6.250	0.500	12.750	0.625	0.688 X 0.875	--

56488	7/7/14	JLB	JLB
EC #	DATE	CHG BY	RESP ENG
DESC OF DWG SEE PAGE 1 -- -- -- REASON(S) FOR CHANGE: -- DISPOSITION OF MAT'L: --			

ANDERSON®
CONFIDENTIAL: THIS DRAWING AND ITS CONTENTS ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO PUBLICATION, DISTRIBUTION OR COPIES MAY BE MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS UNPUBLISHED ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAWS.

		HUBBELL® POWER SYSTEMS	
TITLE ALUMINUM TERMINAL CONNECTOR			
ACSR OR ALUMINUM CABLE TO FLAT			
SIZE	DWG NO.	CAT / PART / ASSY NO.	REV
C	C-4244	SEE TABLE	06
DO NOT SCALE THIS DRAWING	DRN BY EL	DATE 3/12/56	SHEET 3 of 3