


CLAMPING MAXIMUM CONDUCTOR



CLAMPING MINIMUM CONDUCTOR

#### NOTES:

1. MATERIAL: BODY - ELECTRICAL BRONZE  
CAP - ALUMINUM BRONZE  
HARDWARE - STAINLESS STEEL
2. DIMENSIONS IN INCHES
3. CAP - FOUR GROOVE REVERSIBLE CAP FOR CONTINUOUS CONDUCTOR COVERAGE
4. ONE WRENCH INSTALLATION
5. TO OBTAIN TIN PLATING ADD SUFFIX "TP"  
EXAMPLE: (D2S-20100-12-TP)

59945	3/16/15	JLB	JLB
EC #	DATE	CHG BY	RESP ENG
DESC OF DWG: UPDATE DRAWING TO AUTOCAD FILE ADD PART NUMBER DES-20100-0 TO TABLE --- REASON (S) FOR CHANGE: -- DISPOSITION OF MATERIAL: --			

ANDERSON\*

CONFIDENTIAL: THIS DRAWING AND ITS CONTENTS ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO PUBLICATION, DISTRIBUTION OR COPIES MAY BE MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS UNPUBLISHED ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAWS.



HUBBELL® POWER SYSTEMS

TITLE  
STUD CONNECTOR  
STUD TO CABLE OR TUBE

SIZE	DWG NO.	CAT / PART / ASSY NO.	REV
C	CC-1817	SEE TABLE	16
DO NOT SCALE THIS DRAWING	DRN BY: WDS	DATE: 5/28/58	SHEET 1 of 2

CATALOG NUMBER	STUD		CONDUCTOR		DIMENSIONS IN INCHES				
	DIA.	THD.	CABLE RANGE	IPS RANGE	A	B	C	D	J
D2S-04025-13	0.500	13	#6 - 250 MCM	--	2.250	4.500	1.875	1.063	0.375
D2S-06025-16	0.750	16	#6 - 250 MCM	--	2.250	4.500	1.875	1.063	0.375
D2S-06050-12	0.750	12	#6 - 500 MCM	0.375 - 0.500	2.250	4.875	2.125	1.375	0.375
D2S-06050-16	0.750	16	#6 - 500 MCM	0.375 - 0.500	2.250	4.875	2.188	1.375	0.375
D2S-06100-16	0.750	16	#2 - 1000 MCM	0.375 - 0.750	2.250	5.688	2.938	1.875	0.500
D2S-10025-14	1.000	14	#6 - 250 MCM	--	2.250	4.500	1.875	1.063	0.375
D2S-10050-14	1.000	14	#6 - 500 MCM	0.375 - 0.500	2.250	4.750	2.188	1.375	0.375
D2S-10100-14	1.000	14	#2 - 1000 MCM	0.375 - 0.750	2.250	5.688	2.938	1.875	0.500
D2S-11025-12	1.125	12	#6 - 250 MCM	--	2.250	4.500	1.875	1.063	0.375
D2S-11050-12	1.125	12	#6 - 500 MCM	0.375 - 0.500	2.250	4.875	2.188	1.375	0.375
D2S-11100-12	1.125	12	#2 - 1000 MCM	0.375 - 0.750	2.250	5.625	2.938	1.875	0.500
D2S-12100-12	1.250	12	#2 - 1000 MCM	0.375 - 0.750	2.250	5.625	2.938	1.875	0.500
D2S-14025-12	1.500	12	#6 - 250 MCM	--	2.250	4.750	1.875	1.063	0.375
D2S-14050-12	1.500	12	#6 - 500 MCM	0.375 - 0.500	2.250	4.875	2.188	1.375	0.375
D2S-14100-12	1.500	12	#2 - 1000 MCM	0.375 - 0.750	2.250	5.750	2.938	1.875	0.500
D2S-14200-12	1.500	12	4/0 - 2000 MCM	0.375 - 1.250	2.250	6.125	3.375	2.313	0.500
D2S-15100-0	1.625	0	#2 - 1000 MCM	0.375 - 0.750	2.250	5.875	2.938	1.875	0.500
D2S-16100-12	1.750	12	#2 - 1000 MCM	0.375 - 0.750	2.250	5.750	2.938	1.875	0.500
D2S-16200-12	1.750	12	4/0 - 2000 MCM	0.375 - 1.250	2.250	6.125	3.375	2.313	0.500
D2S-20100-0	2.000	0	#2 - 1000 MCM	0.375 - 0.750	2.250	5.938	2.938	1.875	0.500
D2S-20100-12	2.000	12	#2 - 1000 MCM	0.375 - 0.750	2.250	5.938	2.938	1.875	0.500
D2S-20200-12	2.000	12	4/0 - 2000 MCM	0.375 - 1.250	2.250	6.250	3.375	2.313	0.500
D2S-22100-12	2.250	12	#2 - 1000 MCM	0.375 - 0.750	2.250	5.938	2.938	1.875	0.500
D2S-22200-12	2.250	12	4/0 - 2000 MCM	0.375 - 1.250	2.250	6.250	3.375	2.313	0.500
D2S-24100-12	2.500	12	#2 - 1000 MCM	0.375 - 0.750	2.750	6.406	2.938	1.875	0.500
D2S-24200-12	2.500	12	4/0 - 2000 MCM	0.375 - 1.250	2.750	6.875	3.500	2.313	0.500
D2S-30200-12	3.000	12	4/0 - 2000 MCM	0.375 - 1.250	3.250	7.375	3.375	2.313	0.500
D2S-32200-12	3.250	12	4/0 - 2000 MCM	0.375 - 1.250	3.250	7.250	3.375	2.313	0.500
D2S-33200-0	3.375	0	4/0 - 2000 MCM	0.375 - 1.250	3.500	7.500	3.375	2.313	0.500
D2S-36200-12	3.750	12	4/0 - 2000 MCM	0.375 - 1.250	3.625	8.000	3.375	2.313	0.500
D2S-3.81-200-0	3.813	0	4/0 - 2000 MCM	0.375 - 1.250	3.625	8.000	3.375	2.313	0.500
D2S-40200-12	4.000	12	4/0 - 2000 MCM	0.375 - 1.250	3.625	8.000	3.375	2.313	0.500

59945	3/16/15	JLB	JLB
EC #	DATE	CHG BY	RESP ENG
DESC OF DWG SEE PAGE 1 -- -- --			
REASON (S) FOR CHANGE: -- DISPOSITION OF MAT'L: --			

ANDERSON<sup>®</sup>



<sup>®</sup>HUBBELL<sup>®</sup> POWER SYSTEMS

CONFIDENTIAL: THIS DRAWING AND ITS CONTENTS ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO PUBLICATION, DISTRIBUTION OR COPIES MAY BE MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS UNPUBLISHED. ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAWS.

TITLE STUD CONNECTOR STUD TO CABLE OT TUBE			
SIZE C	DWG NO. CC-1817	CAT / PART / ASSY NO. SEE TABLE	REV 16
DO NOT SCALE THIS DRAWING	DRN BY: WDS	DATE 5/28/58	SHEET 2 of 2