





ITEM NO.	DESCRIPTION	QTY.
1	14" CABLE WHEEL	1
2	TEAR AWAY RUBBER GROMMET	1
3	DIRECT ATTACH ADSS BRACKET	1
4	ACETAL TIE WRAP	2



NOTES:


1. MATERIAL:  
 CABLE WHEEL AND ADSS MOUNT: UV RESISTANT POLYPROPYLENE.  
 MOUNTING BRACKET: ALUMINUM  
 GROMMET: RUBBER  
 HARDWARE: STAINLESS STEEL

2. PLASTIC FIBER OPTIC STORAGE UNIT TO BE USED ON ADSS CABLE.
3. MOUNTED DIRECTLY ON ADSS CABLE USING TEAR-AWAY RUBBER GROMMET AND PLASTIC TIES (SUPPLIED).
4. DIMENSIONS IN INCHES

63987	2/12/16	JES	JES
EC #	DATE	CHG BY	RESP ENG
DESC OF DWG: CORRECTED ARROW CALLOUTS			
REASON (S) FOR CHANGE: DISPOSITION OF MAT'L:			

**OPTI-LOOP**

CONFIDENTIAL: THIS DRAWING AND ITS CONTENTS ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO PUBLICATION, DISTRIBUTION OR COPIES MAY BE MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS UNPUBLISHED ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAWS

 <b>HUBBELL® POWER SYSTEMS</b>			
TITLE <b>14" CABLE WHEEL          W/ ADSS DIRECT ATTACH BRACKET</b>			
SIZE <b>C</b>	DWG NO. <b>CC-23220</b>	CAT / PART / ASSY NO. <b>FOSPCW14ADSS</b>	REV <b>01</b>
DO NOT SCALE THIS DRAWING	DRN BY <b>JES</b>	DATE <b>10/26/15</b>	SHEET <b>1 OF 1</b>