

NOTES:

1. MATERIAL:


CABLE WHEEL: UV RESISTANT POLYPROPYLENE.
HARDWARE: GALVANIZED STEEL

2. PLASTIC FIBER OPTIC STORAGE UNIT TO BE USED ON FIGURE 8, LASHED, OR ADSS CABLE.

3. MOUNTED TO CEILING USING WASHER AND 1/2" HEX HEAD LAGG BOLT (SUPPLIED).

4. DIMENSIONS IN INCHES

ITEM NO.	DESCRIPTION	QTY.
1	14" PLASTIC CABLE WHEEL	1
2	WASHER	2
3	1/2" X 2" HH LAG BOLT GALV ST	2



71155	09/08/17	RG	RG
EC #	DATE	CHG BY	RESP ENG

DESC OF DWG:
RE-ORIENTED HARDWARE

REASON (S) FOR CHANGE:
DISPOSITION OF MAT'L:

OPTI-LOOP™

CONFIDENTIAL: THIS DRAWING AND ITS CONTENTS ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO PUBLICATION, DISTRIBUTION OR COPIES MAY BE MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS UNPUBLISHED ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAWS



HUBBELL® POWER SYSTEMS

TITLE
**14" CABLE WHEEL
W/ CM KIT**

SIZE B	DWG NO. CC-24243	CAT / PART / ASSY NO. FOSPCW14CM	REV 01
DO NOT SCALE THIS DRAWING	DRN BY RG	DATE 03/01/17	SHEET 1 OF 1