




To obtain copper liner between copper shunt and aluminum caps on type DSATL, add suffix C to catalog number. Example DSATLC-1424-12.

DSTL-G



ALTERNATE CONSTRUCTION FOR LARGER SIZES (SIMILAR ON STUD END ALSO)



DSTL-G90

- NOTES:
- CONNECTOR CAN BE SUPPLIED WITHOUT GUIDE IF DESIRED. WHEN ORDERING OMIT "G" FROM CATALOG NUMBER. EXAMPLE: DSTL-0404-13.
 - ALUMINUM TAP CAN BE OBTAINED BY ADDING LETTER "A" TO CATALOG NUMBER. EXAMPLE: FOR 1,500 DIAMETER COPPER STUD TO 1,500 DIAMETER ALUMINUM TUBE WITH GUIDE, DSATL-1414-G-12.

SA028	1/21/74	JLB	JLB
EC #	DATE	CHG BY	RESP ENG
ADD PART NUMBER DSTL4090E TO TABLE			
CONFIDENTIAL: THIS DRAWING AND ITS CONTENTS ARE THE PROPERTY OF HUBBELL POWER SYSTEMS. NO REPRODUCTION OR DISSEMINATION OF THIS DRAWING IS PERMITTED WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS RESERVES THE RIGHT TO MAKE CHANGES WITHOUT NOTICE.			
TITLE HUBBELL POWER SYSTEMS FLEXIBLE STUD CONNECTOR		DO NOT SCALE THIS DRAWING SIZE DWG NO. CC-4413 CA / PART / ASSY NO. CC-4413 DN BY VCH DATE 7-21-60 SHEET 1 OF 6	
REASON (S) FOR CHANGE -- DISPOSITION OF MAT'L --			

CATALOG NUMBER		CONDUCTOR			DIMENSIONS IN INCHES								
DSTL-G	DSTL-G-90	STUD		TUBE IPS	A	A1	B	C	D	E	F	J	JJ
		DIA	THD.										
DSTL-0404-G-13	DSTL-0404-G90-13	.500	13	.500	3.000	3.000	12.000	3.000	2.438	2.750	10.750	.500	.500
DSTL-0406-G-13	DSTL-0406-G90-13	.500	13	.750	3.000	3.000	12.000	3.000			10.750	.500	.500
DSTL-0410-G-13	DSTL-0410-G90-13	.500	13	1.000	3.000	3.000	12.000	3.000			10.750	.500	.500
DSTL-0604-G-16	DSTL-0604-G90-16	.750	16	.500	3.000	3.000	12.000	3.000			10.750	.500	.500
DSTL-0606-G-16	DSTL-0606-G90-16	.750	16	.750	3.000	3.000	12.000	3.000	2.750	2.938	10.750	.500	.500
DSTL-0610-G-16	DSTL-0610-G90-16	.750	16	1.000	3.000	3.000	12.000	3.000	2.750	2.938	10.750	.500	.500
DSTL-0612-G-16	DSTL-0612-G90-16	.750	16	1.250	3.000	3.000	12.000	3.000	2.750	3.375	10.750	.500	.500
DSTL-1004-G-14	DSTL-1004-G90-14	1.000	14	.500	3.000	3.000	12.000	3.000	3.125	2.750	10.750	.500	.500
DSTL-1006-G-14	DSTL-1006-G90-14	1.000	14	.750	3.000	3.000	12.000	3.000	3.125	2.938	10.750	.500	.500
DSTL-1010-G-14	DSTL-1010-G90-14	1.000	14	1.000	3.000	3.000	12.000	3.000	3.125	3.188	10.750	.500	.500
DSTL-1012-G-14	DSTL-1012-G90-14	1.000	14	1.250	3.000	3.000	12.000	3.000	3.125	3.375	10.750	.500	.500
DSTL-1106-G-12	DSTL-1106-G90-12	1.125	12	.750	3.000	3.000	12.000	3.000	3.125	2.938	10.750	.500	.500
DSTL-1110-G-12	DSTL-1110-G90-12	1.125	12	1.000	3.000	3.000	12.000	3.000	3.125	3.188	10.750	.500	.500
DSTL-1112-G-12	DSTL-1112-G90-12	1.125	12	1.250	3.000	3.000	12.000	3.000	3.125	3.375	10.750	.500	.500
DSTL-1114-G-12	DSTL-1114-G90-12	1.125	12	1.500	3.000	3.000	12.000	3.000	3.125	3.688	10.750	.500	.500
DSTL-1120-G-12	DSTL-1120-G90-12	1.125	12	2.000	3.000	3.000	12.000	3.000	3.125	4.500	10.750	.500	.500
DSTL-1206-G-12	DSTL-1206-G90-12	1.250	12	.750	3.000	3.000	12.500	3.000	3.313	2.938	11.125	.500	.500
DSTL-1210-G-12	DSTL-1210-G90-12	1.250	12	1.000	3.000	3.000	13.000	3.000	3.313	3.188	11.125	.500	.500
DSTL-1212-G-12	DSTL-1212-G90-12	1.250	12	1.250	3.000	3.000	13.000	3.000	3.313	3.375	11.125	.500	.500
DSTL-1214-G-12	DSTL-1214-G90-12	1.250	12	1.500	3.000	3.000	13.000	3.000	3.313	3.688	11.125	.500	.500
DSTL-1406-G-12	DSTL-1406-G90-12	1.500	12	.750	3.000	3.000	13.000	3.000	3.563	2.938	11.500	.500	.500
DSTL-1410-G-12	DSTL-1410-G90-12	1.500	12	1.000	3.000	3.000	13.000	3.000	3.563	3.188	11.500	.500	.500
DSTL-1410-G-14	DSTL-1410-G90-14	1.500	14	1.000	3.000	3.000	13.000	3.000	3.563	3.188	11.500	.500	.500
DSTL-1412-G-12	DSTL-1412-G90-12	1.500	12	1.250	3.000	3.000	13.000	3.000	3.563	3.375	11.500	.500	.500
DSTL-1414-G-12	DSTL-1414-G90-12	1.500	12	1.500	3.000	3.000	13.000	3.000	3.563	3.688	11.500	.500	.500
DSTL-1420-G-12	DSTL-1420-G90-12	1.500	12	2.000	3.000	3.000	13.000	3.000	3.563	4.500	11.500	.500	.500
DSTL-1424-G-12	DSTL-1424-G90-12	1.500	12	2.500	3.000	3.000	13.000	3.000	3.563	4.750	11.500	.500	.500
DSTL-1430-G-12	DSTL-1430-G90-12	1.500	12	3.000	3.000	3.000	13.000	3.000	3.563	5.250	11.500	.500	.500
DSTL-1610-G-12	DSTL-1610-G90-12	1.750	12	1.000	3.000	3.000	13.000	3.000	3.750	3.188	11.500	.500	.500
DSTL-1612-G-12	DSTL-1612-G90-12	1.750	12	1.250	3.000	3.000	13.000	3.000	3.750	3.375	11.500	.500	.500
DSTL-1614-G-12	DSTL-1614-G90-12	1.750	12	1.500	3.000	3.000	13.000	3.250	4.000	3.813	11.500	.500	.500
DSTL-2006-G-12	DSTL-2006-G90-12	2.000	12	.750	3.000	3.000	13.000	3.000	4.000	2.938	10.000	.500	.500
DSTL-2010-G-12	DSTL-2010-G90-12	2.000	12	1.000	3.000	3.000	13.000	3.000	4.000	3.188	11.500	.500	.500
DSTL-2012-G-12	DSTL-2012-G90-12	2.000	12	1.250	3.000	3.000	13.000	3.000	4.000	3.375	11.500	.500	.500
DSTL-2014-G-12	DSTL-2014-G90-12	2.000	12	1.500	3.000	3.000	13.000	3.000	4.000	3.688	11.500	.500	.500

54028 L/21/14 JLB JLB
 EC # DATE CHG BY RESP ENG
 HUBBELL POWER SYSTEMS
 ANDERSON TOLERANCE CHART

HUBBELL POWER SYSTEMS
 FLEXIBLE STUD CONNECTOR

CONFERENTIAL: THIS DRAWING AND ITS CONTENTS ARE THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO REPLICATION MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS RESERVES THE RIGHT TO DISPOSITION OF MAT'L --

SIZE DWG NO. CA / PART / ASSY NO. REV
 C CC-4413 DSTL 58
 DO NOT SCALE DWN BY ICH DATE 7-21-60 SHEET 2 OF 6

THE HUBBELL GROUP'S ORIGINAL DRAWINGS

CATALOG NUMBER		CONDUCTOR			DIMENSIONS IN INCHES								
DSTL-G	DSTL-G-90	STUD		TUBE IPS	A	A1	B	C	D	E	F	J	JJ
		DIA	THD.										
DSTL-2020-G-12	DSTL-2020-G90-12	2.000	12	2.000	3.000	3.000	13.000	3.000	4.000	4.500	11.500	.500	.500
DSTL-2024-G-12	DSTL-2024-G90-12	2.000	12	2.500	3.000	3.000	13.000	3.000	4.000	4.750	12.250	.500	.500
DSTL-2030-G-12	DSTL-2030-G90-12	2.000	12	3.000	3.000	3.000	12.875	3.000	4.000	5.250	11.500	.500	.500
DSTL-2410-G-12	DSTL-2410-G90-12	2.500	12	1.000	3.000	3.000	13.000	3.000	4.688	3.188	11.500	.500	.500
DSTL-2412-G-12	DSTL-2412-G90-12	2.500	12	1.250	3.000	3.000	13.000	3.000	4.688	3.375	11.500	.500	.500
DSTL-2414-G-12	DSTL-2414-G90-12	2.500	12	1.500	3.000	3.000	13.000	3.000	4.688	3.688	11.500	.500	.500
DSTL-2420-G-12	DSTL-2420-G90-12	2.500	12	2.000	3.000	3.000	13.000	3.000	4.688	4.500	11.500	.500	.500
DSTL-2424-G-12	DSTL-2424-G90-12	2.500	12	2.500	3.000	3.000	13.000	3.000	4.688	4.750	11.500	.500	.500
DSTL-2430-G-12	DSTL-2430-G90-12	2.500	12	3.000	3.000	3.000	13.000	3.000	4.688	5.250	11.500	.500	.500
DSTL-3012-G-12	DSTL-3012-G90-12	3.000	12	1.250	3.000	3.000	13.000	3.000	5.188	3.375	11.500	.500	.500
DSTL-3014-G-12	DSTL-3014-G90-12	3.000	12	1.500	3.000	3.000	13.000	3.000	5.188	3.688	11.500	.500	.500
DSTL-3020-G-12	DSTL-3020-G90-12	3.000	12	2.000	3.000	3.000	13.000	3.000	5.188	4.500	11.500	.500	.500
DSTL-3024-G-12	DSTL-3024-G90-12	3.000	12	2.500	3.000	3.000	13.000	3.000	5.188	4.750	11.500	.500	.500
DSTL-3030-G-12	DSTL-3030-G90-12	3.000	12	3.000	3.000	3.000	13.000	3.000	5.188	5.250	11.500	.500	.500
DSTL-3040-G-12	DSTL-3040-G90-12	3.000	12	4.000	3.000	3.000	13.000	3.500	3.000	6.938	11.500	.500	.500
DSTL-3220-G-12	DSTL-3220-G90-12	3.250	12	2.000	3.000	3.000	13.000	3.000	3.000	4.500	11.500	.500	.500
DSTL-3224-G-12	DSTL-3224-G90-12	3.250	12	2.500	3.000	3.000	13.000	3.000	3.000	4.750	11.500	.500	.500
DSTL-3230-G-12	DSTL-3230-G90-12	3.250	12	3.000	3.000	3.000	13.000	3.000	3.000	5.250	11.500	.500	.500
DSTL-3424-G-12	DSTL-3424-G90-12	3.500	12	2.500	3.000	3.000	13.000	3.000	5.813	4.750	11.500	.500	.500
DSTL-3430-G-12	DSTL-3430-G90-12	3.500	12	3.000	3.000	3.000	13.000	3.000	5.813	5.250	11.500	.500	.500
DSTL-3440-G-12	DSTL-3440-G90-12	3.500	12	4.000	3.000	3.000	13.000	3.000	5.813	6.938	11.500	.625	.625
DSTL-4024-G-12	DSTL-4024-G90-12	4.000	12	2.500	3.000	3.000	13.000	3.000	6.688	4.750	11.500	.500	.500
DSTL-4030-G-12	DSTL-4030-G90-12	4.000	12	3.000	3.000	3.000	13.000	3.000	6.688	5.250	11.500	.500	.500
DSTL-4040-G-12	DSTL-4040-G90-12	4.000	12	4.000	3.000	3.000	13.375	4.000	6.688	6.688	14.688	.625	.625
DSTL-1204-G-14	DSTL-1204-G90-14	1.250	14	.500	3.000	3.000	12.000	3.000				.500	.500
DSTL-1104-G-12	DSTL-1104-G90-12	1.125	12	.500	3.000	3.000	12.000	3.000	3.313	2.750	10.750	.500	.500
DSTL-0604-G-16	DSTL-0604-G90-16	.750	16	.500	3.000	3.000	12.000	3.000	2.750	2.750	10.750	.500	.500
DSTL-3034-G-12	DSTL-3034-G90-12	3.000	12	3.500	3.000	3.000	13.000	3.000	5.188	6.313	11.500	.500	.500
DSTL-2214-G-12	DSTL-2214-G90-12	2.250	12	1.500	3.000	3.000	13.000	3.000	4.500	3.688	10.875	.500	.500
DSTL-2220-G-12	DSTL-2220-G90-12	2.250	12	2.000	3.000	3.000	13.000	3.000	4.500	4.313	11.500	.500	.500
DSTL-1434-G-12	DSTL-1434-G90-12	1.500	12	3.500	3.000	3.000	13.000	3.000	3.625	3.000	11.500	.500	.500
DSTL-2034-G-12	DSTL-2034-G90-12	2.000	12	3.500	3.000	3.000	13.000	3.000	4.000	3.000	11.500	.500	.500
DSTL-2050-G-12	DSTL-2050-G90-12	2.000	12	5.000	3.000	3.000	13.000	4.000	4.000	4.000	11.500	.500	.500
DSTL-1620-G-12	DSTL-1620-G90-12	1.750	12	2.000	3.000	3.000	13.000	3.000	3.750	4.500	11.500	.500	.500
DSTL-4050-G-10	DSTL-4050-G90-10	4.000	10	5.000	3.000	3.000	16.125	4.000	4.000	4.000	14.875	.500	.500
DSTL-1124-G-12	DSTL-1124-G90-12	1.125	12	2.500	3.000	3.000	12.000	3.000	3.125	4.750	11.500	.500	.500
DSTL-2224-G-12		2.250	12	2.500	3.000	3.000	13.000	3.000	4.250	4.750		.500	.500


HUBBELL POWER SYSTEMS
 ANDERSON TOLERANCE CHART
 HUBBELL POWER SYSTEMS
 FLEXIBLE STUD CONNECTOR

S4028 1/21/14 JLB JLB
 EC # DATE CHG BY RESP ENG
 REASON (S) FOR CHANGE --
 DISPOSITION OF MAT'L --
 TITLE: CC-4413 DSTL
 DATE 7-21-60 SHEET 3 OF 6

CATALOG NUMBER		CONDUCTOR			DIMENSIONS IN INCHES									
DSTL-G	DSTL-G-90	STUD		TUBE IPS	A	A1	B	C	D	E	F	J	JU	
		DIA	THD.											
DSTL-1130-G-12	DSTL-1130-G-90-12	1.125	12	3.000	3.000	13.000	3.000	3.125	5.813	11.500	.500	.500	.500	
DSTL-3050-G-12	DSTL-3050-G-90-12	3.000	12	5.000	3.000	14.000	4.000	3.000	8.000	11.500	.625	.625	.625	
DSTL-2250-G-12	DSTL-2250-G-90-12	2.250	12	5.000	3.000	14.125		4.250	4.000	12.125	.500	.625	.625	
DSTL-2234-12		2.250	12	5.000	3.000	13.000	4.000	3.000	4.250		.500	.625	.625	
DSTL-2440-12	DSTL-2440-G-90-12	2.500	12	4.000	3.000	13.000	3.500	2.500	4.750	11.500	.500	.625	.625	
DSTL-1440-G-12	DSTL-1440-G-90-12	1.500	12	4.000	3.000	13.000	3.500	3.563	5.688	11.500	.500	.500	.500	
DSTL-2030-G-12	DSATL-2030-G-90-12	2.000	12	3.000	3.000	13.000	4.000	4.000	5.813	11.500	.500	.500	.500	
DSATL-3034-12	DSATL-3034-90-12	3.000	12	3.500	3.000	13.000	3.000	5.188	6.313	11.500	.500	.500	.500	
DSATL-2040-G-12	DSATL-2040-G-90-12	2.000	12	4.000	3.000	13.500	3.500	4.000	6.688	11.500	.500	.500	.500	
DSATL-2434-G-12	DSATL-3060-G-90-12	3.000	12	6.000	3.000	15.500	3.000	3.000	9.063	14.000	.500	.500	.500	
DSATL-4014-G-12	DSATL-2434-G-90-12	2.500	12	3.500	3.000	13.000	4.250	4.688	6.313	11.875	.500	.500	.500	
DSTL-1206-12	DSATL-4014-G-90-12	4.000	12	1.500	3.000	13.000	3.250	6.688	3.813	11.500	.625	.500	.500	
DSATL-5060-G-12		1.250	12	.750	3.000	12.500	3.000	3.313	2.938		.500	.625	.625	
		5.000	12	6.000	4.000	18.000	4.000	7.750	9.063		.625	.625	.625	
		3.000	12	6.000	3.000		3.000							
DSATL-2240-G-12	DSATL-2240-G-90-12	2.250	12	4.000	3.000	13.500	4.000	4.250	6.688	10.813	.500	.500	.500	
DSATL-2420-G-12	DSATL-2420-G-90-12	2.500	12	2.000	3.000	13.000	3.000	4.688	4.313	11.500	.500	.500	.500	
DSATL-1230-G-12		1.250	12	3.000	3.000	13.000	3.000	3.313	5.813		.500	.500	.500	
DSATL-2050-G-12	DSATL-2050-G-90-12	2.000	12	5.000	3.000	13.000	4.000	4.000	7.938	11.500	.500	.500	.500	
DSATL-4050-G-12	DSATL-4050-G-90-12	4.000	12	5.000	3.000	16.125	4.000	4.000	7.938	14.125	.500	.500	.500	
DSATL-1106-G-12	DSATL-1106-G-90-12	1.125	12	.750	3.000	13.000	2.500	3.125	3.000	10.938	.500	.500	.500	
DSATL-2440-G-12	DSATL-2440-G-90-12	2.500	12	4.000	3.000	13.000	4.000	4.688	6.688	11.500	.500	.500	.500	
DSATL-2020-G-12	DSATL-2020-G-90-12	2.000	12	2.000	3.000	13.000	3.500	4.000	4.313	11.500	.500	.500	.500	
DSATLH-3024-G-12	DSATLH-3024-G-90-12	3.000	12	2.500	3.000	13.750	3.750				.500	.500	.500	
		.500	12	1.000	3.000	12.000	3.000	2.750	3.188	10.375	.500	.500	.500	
DSATL-3040-G-12	DSATL-3040-G-90-12	3.000	12	4.000	3.000	13.000	4.000	5.188	6.688	11.500	.500	.500	.500	
DSATL-1210-G-12	DSATL-1210-G-90-12	1.250	12	1.000	3.000	12.000	2.750	3.313	3.250	10.750	.500	.500	.500	
DSATL-1630-G-12	DSATL-1630-G-90-12	1.750	12	3.000	3.000	12.000	4.000	3.750	5.938	10.750	.500	.500	.500	
DSATL-1450-G-12		1.500	12	5.000	3.000	13.000	4.000	3.563	7.938		.500	.500	.500	
DSATL-1450-12		1.500	12	5.000	3.000	13.000	4.000	3.563	7.938		.500	.500	.500	
DSATL-1212-G-12	DSATL-1212-G-90-12	1.250	12	1.250	3.000	12.000	3.000	3.313	3.625	10.750	.500	.500	.500	
DSATL-3140-G-0	DSATL-3140-G-90-0	3.125	0	4.000	3.000	13.000	4.000	5.250	6.688	11.500	.500	.500	.500	
DSATL-1214-G-12	DSATL-1214-G-90-12	1.250	12	1.500	3.000	12.000	3.250	3.313	3.813	10.750	.500	.500	.500	
DSATL-1224-G-12		1.250	12	2.500	3.000	12.750	3.000	3.313	4.813		.500	.500	.500	
DSATL-3020-G-12	DSATL-3020-G-90-12	3.000	12	2.000	3.000	13.000	3.750	5.188	4.313	11.438	.500	.500	.500	
	DSATL-1460-G-90-12	1.500	12	6.000	3.000	14.875	6.000	3.563	9.063	11.063	.500	.500	.500	
	DSATLH-2020-G-90-12	2.000	12	2.000 EH	3.000		3.500	4.000	4.313	11.500	.500	.500	.500	
DSATL-1440-G-12		1.500	12	4.000	3.000	13.000	4.000	3.563	6.688		.500	.500	.500	
	DSATL-1420-G-90-12	1.500	12	2.00	3.000	13.250	3.500	3.563	4.313	11.469	.500	.500	.500	


HUBBELL POWER SYSTEMS
 ANDERSON TOLERANCE CHART
 CONSIDER THIS DRAWING AND ITS EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO REPLICATION MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAW.
 TITLE: **FLEXIBLE STUD CONNECTOR**
 SIZE: DWG NO. CC-4413
 DATE: 7-21-60 SHEET 4 OF 6
 REV: 58

REASON(S) FOR CHANGE: --
 DISPOSITION OF MAT'L: --
 S4028 1/21/74 JLB RESP ENG
 EC # DATE CHG BY
 THE HUBBELL GROUP
 HUBBELL POWER SYSTEMS

CATALOG NUMBER		CONDUCTOR			DIMENSIONS IN INCHES								
DSTL	DSTL-90	STUD DIA	THD.	IPS SIZE	A	A1	B	C	D	E	F	J	JU
DSATL-2034-G-12	DSATL-2034-G-90-12	2.000	12	3.500	3.000	3.000	13.000	4.250	4.000	6.313	11.500	.500	.500
DSATL-2414-G-12	DSATL-2414-G-90-12	2.500	12	1.500	3.000	3.000	13.000	3.250	4.688	3.813	11.500	.500	.500
DSATL-2424-G-12	DSATL-2424-G-90-12	2.500	12	2.500	3.000	3.000	13.000	3.750	4.688	4.813	11.500	.500	.500
DSATL-2430-G-12	DSATL-2430-G-90-12	2.500	12	3.000	3.000	3.000	13.000	4.000	4.688	5.813	11.500	.500	.500
DSATL-3030-G-12	DSATL-3030-G-90-12	3.000	12	3.000	3.000	3.000	13.000	4.000	5.188	5.813	11.500	.500	.500
DSATL-3224-G-12	DSATL-3224-G-90-12	3.250	12	2.500	3.000	3.000	13.000	3.750	5.250	4.813	11.500	.500	.500
DSATL-3230-G-12	DSATL-3230-G-90-12	3.250	12	3.000	3.000	3.000	13.000	4.000	5.250	5.813	11.500	.500	.500
DSATL-3240-G-12	DSATL-3240-G-90-12	3.250	12	4.000	3.000	3.000	13.000	4.000	5.250	6.688	11.500	.500	.500
DSATL-3430-G-12	DSATL-3430-G-90-12	3.500	12	3.000	3.000	3.000	13.000	4.000	5.813	5.813	11.500	.500	.500
DSATL-3440-G-12	DSATL-3440-G-90-12	3.500	12	4.000	3.000	3.000	13.000	4.000	5.813	6.688	11.500	.500	.500
DSATL-4030-G-12	DSATL-4030-G-90-12	4.000	12	3.000	3.000	3.000	13.000	4.000	6.813	5.813	11.500	.500	.500
DSATL-4034-G-12	DSATL-4034-G-90-12	4.000	12	3.500	3.000	3.000	13.000	4.250	6.813	6.313	11.500	.500	.500
DSATL-4040-G-12	DSATL-4040-G-90-12	4.000	12	4.000	3.000	3.000	13.000	4.000	6.813	6.813	11.500	.500	.500
DSATL-1120-G-12	DSATL-1120-G-90-12	1.125	12	2.000	3.000	3.000	13.250	3.500	3.125	4.313	10.750	.500	.500
DSATLH-1124-G-12	DSATLH-2224-G-90-12	2.250	12	2.500 EHIPS	3.000	3.000	13.000	3.500	4.250	4.750	10.875	.500	.500
DSATLH-1124-G-12	DSATLH-1420-G-90-12	1.125	12	2.500 EHIPS	3.000	3.000	13.000	3.750	3.125	4.813	.500	.500	.500
DSATL-5060-G-12	DSATLH-1420-G-90-12	1.500	12	2.000 EHIPS	3.000	3.000	13.250	3.500	3.563	4.313	11.563	.500	.500
DSATL-1434-G-12	DSATL-1434-G-90-12	5.000	12	6.000	3.500	3.500	21.000	3.500	8.063	8.063	.625	.625	.625
DSATL-2210-G-12	DSATL-1434-G-90-12	1.500	12	3.500	3.000	3.000	13.000	4.250	3.563	6.313	11.500	.500	.500
DSATL-2220-G-12	DSATL-2210-G-90-12	2.250	12	1.000	3.000	3.000	13.000	2.750	4.250	3.250	11.500	.500	.500
DSLTL-1624-G-12	DSLTL-1624-G-90-12	1.750	12	2.000	3.000	3.000	13.000	3.000	4.250	4.500	.500	.500	.500
DSATL-1030-G-12	DSLTL-1624-G-90-12	1.000	12	2.500	3.000	3.000	13.000	3.750	4.750	4.750	11.125	.500	.500
DSATL-1030-G-14	DSATL-1030-G-90-12	1.000	14	3.000	3.000	3.000	12.000	3.000	3.313	3.000	10.375	.500	.500
DSATL-1014-G-0	DSATL-1030-G-90-14	1.000	14	3.000	3.000	3.000	12.000	3.000	3.313	3.000	10.375	.500	.500
DSLTL-4034-10	DSATL-1014-G-90-0	4.000	10	3.500	3.000	3.000	13.000	3.500	6.313	3.688	10.750	.500	.500
DSATL-3024-G-12	DSLTL-4034-10	3.000	12	2.500	3.000	3.000	13.000	3.750	4.813	4.813	.625	.625	.625
DSATLH-1220-G-12	DSATL-3024-G-12	1.250	12	2.000 EHIPS	3.000	3.000	12.500	3.500	4.313	4.313	.563	.563	.563
DSLTL-1634-G-12	DSATLH-1220-G-12	1.750	12	3.500	3.000	3.000	13.000	3.000	6.313	6.313	.500	.500	.625
DSLTL-1434-G-12	DSLTL-1634-G-12	1.500	12	3.500	3.000	3.000	13.000	3.000	6.313	6.313	.500	.500	.625
DSLTL-1220-G-12	DSLTL-1434-G-12	3.000	12	3.000 EHIPS	3.000	3.000	13.000	4.000	6.063	3.000	11.500	.500	.625
DSATL-3050-G-12	DSLTL-1220-G-12	3.000	12	2.000	3.000	3.000	13.000	3.000	3.313	4.500	.500	.500	.500
DSATL-4060-G-0	DSATL-3050-G-12	4.000	12	5.000	3.000	3.000	14.000	4.000	6.063	7.983	.500	.625	.625
DSLTL-2030MM-0	DSATL-4060-G-90-0	2.000 IPS	0	3.0MM	3.000	3.000	16.000	6.000	6.688	9.063	14.000	.500	.625
DSLTL-4040-G-10	DSLTL-2030MM-0	2.000	12	4.000	3.000	3.000	13.500	3.500	6.688	6.688	.500	.500	.500
DSATL50MM24G0	DSLTL-4040-G-10	5.0MM	0	4.000	3.000	3.000	12.875	4.000	6.688	6.688	.625	.625	.625
DSATL70MM24G0	DSATL50MM24G0	7.0MM	0	3.000	3.000	3.000	13.250	3.750	4.000	4.813	11.500	.500	.500
DSATL1206G12	DSATL70MM24G0	1.250	12	.750	3.000	3.000	13.000	2.500	4.813	4.813	.500	.500	.500


HUBBELL POWER SYSTEMS
 ANDERSON TOLERANCE CHART
 HUBBELL POWER SYSTEMS
 FLEXIBLE STUD CONNECTOR

54028	1/21/14	JLB	JLB
EC #	DATE	CHG BY	RESP ENG
REASON (S) FOR CHANGE -- DISPOSITION OF MAT'L --			
SEE PAGE 1 CONSENTING TO THIS DRAWING AND ITS EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO REPLICATION MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. UNPUBLISHED RIGHTS RESERVED UNDER THE COPYRIGHT LAWS.	TITLE HUBBELL POWER SYSTEMS FLEXIBLE STUD CONNECTOR	SIZE DWG NO. C CC-4413	QTY / PART / ASSY NO. DSTL
DO NOT SCALE THIS DRAWING	DATE 7-21-60	SHEET 6 OF 6	REV 58