




ITEM NO.	DESCRIPTION	QTY.
1	DCSU INVERTED HORSESHOE	1
2	1/4" X 2 1/2" LAG SCREW	1
3	SS WASHER	1



NOTES:

- MATERIAL:
DCSU HORSE SHOE: UV RESISTANT POLYPROPYLENE.
LAG SCREW: GALVANIZED STEEL
WASHER: STAINLESS STEEL
- PLASTIC FIBER STORAGE UNIT FOR STORING EXCESS SLACK FROM A FIBER DROP.
- MOUNTED TO THE POLE USING THE SUPPLIED LAG SCREW. MOUNT WITH INVERTED CABLE CHANNEL FACING AWAY FROM THE POLE.
- DIMENSIONS IN INCHES.

63862	2/2/16	JES	JES	OPTI-LOOP	HUBBELL® POWER SYSTEMS			
EC #	DATE	CHG BY	RESP ENG		TITLE: DCSU 8" INVERTED HORSE SHOE POLE MOUNT			
DESC OF DWG: INITIAL RELEASE				CONFIDENTIAL: THIS DRAWING AND ITS CONTACTS ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO PUBLICATION, DISTRIBUTION OR COPIES MAY BE MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS UNPUBLISHED ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAWS	SIZE	DWG NO.	CAT / PART / ASSY NO.	REV
REASON (S) FOR CHANGE: DISPOSITION OF MAT'L:					C	CC-23321	DCSU8PM	00
					DO NOT SCALE THIS DRAWING	DRN BY	JES	DATE 1/7/16