



RECOMMENDED TORQUE:
480 IN.-LBS.

NOTES:

1. MATERIAL: CLAMP BODY & KEEPER: ALUMINUM ALLOY
COTTER PIN: STAINLESS STEEL
CLEVIS PIN, U-BOLTS, NUTS, WASHERS: GALV. STEEL
2. DIMENSIONS IN INCHES.
3. WEIGHT: 4.2 LBS.
4. 25,000 LBS. ULTIMATE STRENGTH

--	--	--	--	ANDERSON TOLERANCE CHART	HUBBELL® POWER SYSTEMS
EC #	DATE	CHG BY	RESP ENG		
DESC OF DWG: -- -- -- --				CONFIDENTIAL: THIS DRAWING AND ITS CONTENTS ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO PUBLICATION, DISTRIBUTION OR COPIES MAY BE MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS UNPUBLISHED ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAWS.	SIZE: B DWG NO.: CUTSHEET CAT / PART / ASSY NO.: HAS-182-N REV: A
REASON (S) FOR CHANGE: -- DISPOSITION OF MAT'L: --					DO NOT SCALE THIS DRAWING DRN BY GD DATE 7/30/12 SHEET 1 OF 1