



RECOMMENDED TORQUE:  
480 IN.-LBS.

NOTES:

1. MATERIAL: CLAMP BODY & KEEPER: ALUMINUM ALLOY  
COTTER PIN: STAINLESS STEEL  
CLEVIS PIN, U-BOLTS, NUTS, WASHERS: GALV. STEEL
2. DIMENSIONS IN INCHES.
3. WEIGHT: 2.1 LBS.
4. 18,000 LBS. ULTIMATE STRENGTH

--	--	--	--	ANDERSON TOLERANCE CHART	<b>HUBBELL® POWER SYSTEMS</b>	
EC #	DATE	CHG BY	RESP ENG			TITLE HIGH STR. ALUM. SUSPENSION CLAMP
DESC OF DWG: -- -- -- --				CONFIDENTIAL: THIS DRAWING AND ITS CONTENTS ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO PUBLICATION, DISTRIBUTION OR COPIES MAY BE MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS UNPUBLISHED ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAWS.	SIZE: B    DWG NO.: CUTSHEET    CAT / PART / ASSY NO.: HAS-85-N    REV: A	
REASON (S) FOR CHANGE: --					DO NOT SCALE THIS DRAWING	DRN BY MWA
DISPOSITION OF MAT'L: --					DATE 3/4/11	SHEET 1 OF 1