



8	7	6	5	4	3	2	1				
CATALOG NO.	CONDUCTOR CODE	BOLT SIZE	B	C	E	K	L	N	DD	T (REF)	Y MIN.
HGBL600DB	600Kcmil (AWG)	3/8 [M10]	2,69 [68]	1,74 [44]	1,00[25]	,40 [10]	5,55 [141]	,50 [13]	1,19 [30]	,26 [7]	1,53 [39]



- NOTES:
1. MATERIAL: COPPER TUBING.
 2. FINISH: TIN PLATED
 3. INSTALLATION TOOLING:
MECHANICAL DIE: HW36VT
HYDRAULIC DIE: HU36RT
WIRE STRIP LENGTH: 2-3/4
 4. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.



REV.	ECN	DATE	DESCRIPTION	CHG BY	APPD BY
1	18075	01/25/13	INITIAL RELEASE	MMA	

Created on AUTOCAD		DIMENSIONING AND TOLERANCE PER ANSI Y14.5M-1982 UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES (MM). TOLERANCES XX = ±.01 (±.25) XXX = ±.005 (±.125) .XXX = ±.002 (±.051) ANGLE: TO .1°	
PROJECT REFERENCE: 2011-041		DRAWN BY: M. ABBY 01/23/13	
MATERIAL: SEE NOTES		CHECKED BY:	
		APPROVED BY:	
Hubbell Premise Wiring HUBBELL INCORPORATED (Delaware) 14 Lord's Hill Road, Stonington, Connecticut 06378		TITLE: 600Kcmil COPPER COMPRESSION LUG DOUBLE HOLE, 0.375" HOLE SIZE	
SIZE: D	DRAWING NO. HWS777151C	SCALE: 1/1	REV. 1