


NOTES:

- 1 MATERIAL: ELECTROLYTIC COPPER ALLOY, TYPE 110 ETP, ASTM B187
- 2 MINIMUM SURFACE FINISH 125 MICROINCHES REQUIRED ON ALL SURFACES UNLESS OTHERWISE NOTED

REVISIONS					
ZONE	REV.	DESCRIPTION	DRAWN BY	DATE	APPR.
F5 A6	A	ADD THE NOTES #1 ET #2 ADD THE TABLE AND THE CONFIGURATIONS "-1" & "-2"	J. CLICHE	2014-09-29	Y.V.



S-6665-6457-X	A	
	INCHES	MILLIMETRES
-0	24.6	625.00
-1	9.0	228.60
-2	12.0	304.80

1	1	S-6665-6457	-X	CONNECTOR 3/4-10 UNC	COPPER
ITEM NO.	QTY	DRAWING NO.	PART NO.	DESCRIPTION	NOTE / MAT'L
PARTS LIST					
GENERAL TOLERANCES (UNLESS OTHERWISE SPECIFIED) X. ±0.040 .X ±0.020 .XX ±0.010 .XXX ±0.004 ANGLES ±0.25° RADIUS ±0.010				ElectroComposites™ solid HV bushings solution TITLE: CONNECTOR 3/4-10 UNC	
DRAWN BY: J.N.PILOTTE		DATE: 2011/03/17			
CHECK BY:		PROJECTING:		SCALE: 1 : 2	
PROJECT MANAGER:		PROJECT NO.:		SHEET: 1 of 1	
REMOVE BURRS AND BREAK SHARP EDGES DIMENSIONS ARE IN INCHES (UNLESS OTHERWISE SPECIFIED)		GENERATED BY: SolidWorks 2013			

This drawing is the proprietary property of Electro Composites (2008) ULC, not part of the public domain, and is issued with the express understanding and agreement that it is not to be reproduced or copied in whole or in part or issued for furnishing information to others, or used directly or indirectly, in any way detrimental to the interest of Electro Composites (2008) ULC and is to be returned upon request by Electro Composites (2008) ULC. All Rights Reserved.