




M-3688

3



NOTES: (UNLESS OTHERWISE SPECIFIED)

- 1) DIMENSION FORMAT IS: INCHES [mm]
- 2) DIMENSIONS SHOWN ON THIS DRAWING ARE NOMINAL VALUES FOR GENERAL USE ONLY. ACTUAL PART TOLERANCES MUST BE OBTAINED FROM HUBBELL ENGINEERING.

LIST OF PARTS

DESCRIPTION	MATERIAL	FINISH
BODY & BASE	BAKELITE	
(2) BINDING PLATES	.031 BRASS	(1) WHITE
(4) CONTACT SPRINGS	.031 BRONZE	
(2) GRD. CONT. SPRNGS	.031 BRONZE	
GRD. BIND. PLATE	.040 BRASS	
(4) WIRE CLAMPS	.062 STEEL	ZINC PLATE
BRIDGE	.050 STEEL	ZINC PLATE
(4) #8-32 BIND. SCRS	BRASS	(2) WHITE
#8-32 HEX HD. GRD. SCR.	BRASS	GREEN

SUPERSEDES DRAWING DATED 7/26/60

SYM	REVISIONS	APP	DATE
3	REDRAWN ON UPDATED FORMAT WITH CHANGES. DUAL DIMENSIONS WERE FRACTIONAL ONLY. REMOVED 1.531, .312, .180, & 1 7/64 - 1/64 DIM.'S. ADDED NOTES 1 & 2 AND DRAWING TITLE. COMBO SCREWS WERE SLOTTED; "HBL5302" WAS "5302"; PER DCN #8682. JMN	TCM <i>JMN</i>	12/28/01

THE DESIGN AND DIMENSIONS OF THE PRODUCT SHOWN ON THIS DRAWING ARE SUBJECT TO CHANGE WITHOUT NOTICE

TITLE
 DUPLEX RECEPTACLE
 15A. 277V. GROUNDING
 NEMA 7-15R

TOLERANCES UNLESS OTHERWISE SPECIFIED		WIRING DEVICE-KELLEMS HUBBELL INCORPORATED BRIDGEPORT, CT	
FRACTIONS	±1/64	DR. BY	S.C.L. APP. BY JNC
DECIMALS	±.005	TR. BY	JMN SCALE FULL
ANGLES	±2°	CHK'D BY	J.C.H. DATE 12/28/01

DIMENSION SHEET FOR CAT. NO. HBL5302

REPAIRABLE

NON-REPAIRABLE

B

M-3688

3