



ORDERING INFORMATIO

AWT BLK

Arctic White Black

UKMATIUN	EXAMPLE: PROS-Y2-3050-MAL-TRA59U						
Model	Distribution	Lumen Pac	kage Color	Optio	ons	Mounting	
PROS	Y2	3050	BLK	FS ⁻	1	TRA59D	
1. MODEL PROS PROB	Providence Small LED Providence Bollard LED	MTB DGN DBZ	Matte Black Dark Green Dark Bronze	6. MOUNTING PROS			
2. DISTRIBUTION		WRZ BRM	Weathered Bronze Bronze Metallic	Standard mount shall slip over a 3"/75mm pole or may choose one.			
Y2 Y3 Y4 Y5	Type 2 Type 3 Type 4 Type 5	VBL CRT MAL MDG ATG LGY RAL CUSTOM * * 5. OPTIONS FS1 DSC HTD	Verde Blue Corten Matte Aluminum Medium Grey	WALL MOUNT WMA59D WMA59U POLE MOUNT	Mount down Mount up		
3. LUMEN P 3050	5000K CCT, 43 watts		Antique Green Light Grey Premium Color Contact Factory Fusing Dark Sky Cap (PROB only) High Transmission Diffuser Brass Painted Finial (PROB only)		ounts slips over to a 4" O.D. pole. O Mount down		
3040 3030 2050 2040	4000K CCT, 43 watts 3000K CCT, 43 watts 5000K CCT, 25 watts 4000K CCT, 25 watts			PROB FL RD	. Fluted Shaft 5" DIA.		
2030 4. COLOR	3000K CCT, 25 watts			PM	Pier Mount		

PFC PFN SPK BPS



PROS LED - Tustin High School, Tustin, California (PROS-WMA)

3000K, 4000K, 5000K CCT 0-10V dimmable Integral surge suppression Thermal Protection 13 standard powder coat finishes Die-Cast housing Full Cutoff optical system

Reliable uniform illumination

PROS-TRA56

Providence is a full site solution with scalable post tops, wall mounts, and bollards.

