

VAPOR BARRIER NON-METALLIC CABLE BOXES

Vapor Barrier Cable Boxes 2-3/4 in. Deep, 51.0 Cu. in., 1/2 in. Setback

A83





Catalog #: 2003-FBAR

APPLICATIONS

Vapor barrier boxes prevent unwanted penetration of exterior air and help maintain the existing interior environment from elements outside the structure RACO® nonmetallic vapor barrier cable boxes provide the installer with a cost alternative that is lightweight and east to install and provide excellent protection for wiring system or

RACO® Nonmetallic cable boxes are used in branch circuit wiring to splice wires and accommodates wiring devices such as switches and receptacle

PRODUCT FEATURES

Self-clamping wire entry clamps

Vapor/air barrier flange and integral wire entry seal provides superior energy savings and quick installation

Hands free installation for 1/2", 5/8", or 3/4" drywall

N/A

CSA

CSA C22.2 #18

GENERAL PRODUCT INFORMATION

Nonmetallic Sheathed Cable Wiring System:

Yellow

RECOMMENDED MAX LOAD

Ceiling Fan (Dynamic) Lbs.: No Fixture (Static) Lbs.: 50

CONFIGURATION

Cable Clamps: 12 Bracket Type: Flush Bracket Setback: 1/2 in.

DRAWING DIMENSIONS

2-3/4 in. Dimension A:

PRODUCT MEASUREMENTS

2-3/4 in. Depth: Cubic Inches (cm3): 51.0 (835.6) 0.400 Wt. Ea. (Lbs.): Product Length (in.): 2.88 Product Width (in.): Product Height (in.): 7.13 6.00

PACKAGING Minimum Pack Qty.: 25 Std. Pkg.: Product UPC-A Labeled: 25 Yes Weight (Lbs. Per/C): 40.00 Ship Carton Length (in.): Ship Carton Width (in.): 23.90 14.80 Ship Carton Height (in.): 16.90 Ctn Weight (Lbs.): Pallet Qty: 20.00 300

805035000106 30805035049939 UPC Number: 12of5:

Page 1 / 1