

Compression Deadend

by FARGO
Catalog ID: A011242

Compression Deadend, Uni-Grip, Single Tongue, Vertical Eye, for ACSR
795 kcmil 45/7, With Terminal



* Representative image

Product Details

General

| | |
|--|---------------------------------------|
| Bolt Installation Torque (Recommended) | 0 ft-lbs |
| Compression Method | Uni-Grip (single die system) |
| Die Size | 12CD |
| Material | Aluminum; Steel |
| Material - Body | Seamless Extruded Aluminum Alloy |
| Material - Eye | Galvanized Forged Steel |
| Material - Hardware | Aluminum Alloy |
| Material - Terminal | Seamless Extruded Aluminum Alloy |
| Number of Bolt Holes | 4 |
| Number of Pad Holes | 0 |
| Press Minimum | 60 to |
| Product Category | Eye |
| Style | Uni-Grip, Single Tongue, Vertical Eye |
| Tension Range | 0 lb |
| Type | Compression |
| UPC | 096359276173 |

Dimensions

| | |
|------------------------------------|------|
| Actual Clamp Strand Diameter Range | 0 in |
| Adjustment Step | 0 in |
| Angle - Pad | 0 ° |
| Clamping - Maximum | 0 in |
| Clamping - Minimum | 0 in |
| Diameter - Clamping Hardware | 0 in |

| | |
|---------------------------|----------|
| Diameter - Clevis Pin | 0 in |
| Diameter - Eye Hole | 0 in |
| Diameter - Inside | 0 in |
| Diameter - Outside | 1.063 in |
| Diameter - Pad Bolt | 0 in |
| Length - Pin | 0 in |
| Length Before Compression | 17.2 in |
| Take Up | 0 in |
| Thickness - Pad | 0 in |
| Total Adjustment | 0 in |
| Weight | 6.370 lb |
| Width - Pad | 3 in |

Electrical Ratings

| | |
|---------------------|---------------|
| Voltage Application | EHV; Standard |
|---------------------|---------------|

Conductor Related

| | |
|-------------------------------------|--------------------|
| Conductor Compatibility | ACSR-Tern-795-45/7 |
| Conductor Diameter (Main) - Maximum | 0 in |
| Conductor Diameter (Main) - Minimum | 0 in |
| Messenger Diameter - Maximum | 0 in |
| Messenger Diameter - Minimum | 0 in |

For further technical assistance, please contact us

Domestic Customer Service

Hubbell Power Systems
210 N. Allen Centralia, MO 65240 USA
Phone: (573) 682-5521
Fax: (573) 682-8475
Email: hpscsc@hubbell.com

International Customer Service

Phone: +1-573-682-5521
Fax: +1-573-682-8516
Email: hpsintlcs@hubbell.com