

Medium Voltage Transformer - Three Phase, 4160? - 480?V, 112.5kVA

By Acme Electric Catalog # WI112K18

Medium Voltage Transformer - Three Phase, 4160? - 480?V, 112.5kVA



 $\begin{array}{lll} \text{Catalog Number} & \text{WI112K18} \\ \text{Construction} & \text{Ventilated} \\ \text{Mounting Type} & \text{Floor} \\ \text{Primary Voltage} & 4160\Delta \\ \end{array}$

Product Category Medium Voltage Transformer

Secondary Voltage 480D V

UPC 047503098301

Winding Material AL kVA 112.5

Dimensions

Depth 21.8 in
Height 40.5 in
Weight 940 lb
Width 36.5 in

Electrical Ratings



*Representative Image

Efficiency 98.52%
Frequency Rating 60 Hz
Primary Voltage 4160D V

Certifications And Compliance

Buy America(n) Qualified Contact Manufacturer

CSA Standard C22.2 No. 47

Dept of Energy Regulation Meets or exceed U.S. DOE 10

CFR Part 431

Nema Rating NEMA 1 UL Standard UL 1562

Product Assets

Brochures - Medium voltage dry-type transformers

Customer Notices - Prop65_Cancer

SDS - HCC SDS

Specifications - WI112K18

Terms and Conditions - HCC Terms & Conditions