HUBBELL **Power Systems**

Bus Support, Aluminum Bolted

By ANDERSON Catalog # ADCS2005

Bolted aluminum alloy bus support for two parallel aluminum cables or tubes to insulator.

Features

- Cable Diameter Range: 1.314 1.632 inches
- Conductor Ranges: 1300 2000 MCM AAC and 1272 1780 MCM ACSR
- Bolt Circle Diameter 5 inch
- Material: Castings 356-T6 aluminum alloy, Clamping Hardware - aluminum alloy
- Clamping bolts have hex-stops for one-wrench installation
- Provided with four galvanized steel HH bolts, lock washers and flat washers to mount to insulator cap.
- Cap screws are supplied for upright mounting.
- Normally the ADCS is installed to the cap of the insulator. To install to the base of the insulator, add suffix "B" to the catalog number.

General

| Catalog Number | ADCS2005 |
|------------------------------|-------------------------------|
| Material | Aluminum |
| Material - Clamping Hardware | Aluminum Alloy |
| Material - Mounting Hardware | Galvanized Steel |
| Number of Ground Braid Lug | 0 |
| Holes | |
| Туре | Bus Support, Cable or Tube to |
| | Insulator |
| UPC | 096359280798 |

Dimensions

| | | | till December 2024) |
|---------------------------|----------|---|------------------------|
| Base Hole Spacing | 0 in | | |
| Diameter - Base Holes | 0 in | Logistics | |
| Diameter - Bolt | 0 in | | |
| Diameter - Bolt Circle | 5 in | Pallet Quantity | 162 |
| Diameter - Inside | 0 in | | |
| Length - Coupling | 0 in | Product Assets | |
| Length Before Compression | 0 in | Catalogs Substation Connecto | xc (CA) |
| Weight | 6.076 lb | Catalogs - Substation Connectors | IS (SA) |
| | | Specifications - ADCS2005 | |
| Electrical Ratings | | Video - Hubbell Power Systems 3D Portal to help with | 3D Portal to help with |
| Liectrical Ratings | | developing 3D models of substation connector products | |

Maximum Current Rating Amps 0 Continuous



Conductor Related

| Conductor Related | |
|---|--|
| Conductor Compatibility Conductor Diameter - Maximum Conductor Diameter - Minimum Conductor Diameter Range | |
| num | Cowslip-2000-91 1.632 in |
| Conductor Type | AACACSR |
| Certifications And Complian | ce |
| Buy America(n) Qualified | TAA Compliant (All status valid till December 2024) |
| Logistics | |
| Pallet Quantity | 162 |
| Product Assets | |
| Catalogs - Substation Connector Specifications - ADCS2005 Video - Hubbell Power Systems developing 3D models of substa | |
| Video - Hubbell Power Systems | |

