


HUBBELL Power Systems

Expansion Terminal, Aluminum Bolted

By ANDERSON
Catalog # [AFTFV20C](#)

Aluminum laminated bolted expansion terminal for aluminum tubing to aluminum or copper flat pad. Designed for 3/2 inch expansion on tubing larger than 2" I.P.S. Guides and laminations are proper size for use with standard schedule 40 IPS tubing.



Features

- Aluminum bolted expansion terminal
- 2" IPS (Schedule 40) to 90 degree rotated NEMA C 4-Hole flat pad
- Material: Castings - 356-T6 aluminum alloy, Factory Formed Laminated Shunts - aluminum, Clamping Hardware - aluminum alloy
- Clamping bolts have hex-stops for one-wrench installation.
- Contact sealant is recommended.
- To specify extra heavy (schedule 80, EHIPS (Schedule 40)) tubing, add "H" to catalog number. Example: AFTFH40D
- To obtain pad rotated 90 degrees, add "V" to catalog number. Example: AFTFV40D.

General

EU RoHS Indicator	No
Material	Aluminum
Material - Clamping Hardware	Aluminum Alloy
Number of Bolt Holes	4
Number of Pad Holes	4
Type	Terminal, Aluminum Bolted, Expansion
UPC	096359347620

Dimensions

Angle - Pad	90 °
Diameter - Rod / Tube	2 in
Weight	1.147 lb
Width - Pad	3 in

Conductor Related

Conductor Type	Aluminum Bus
----------------	--------------

Logistics

Pallet Quantity	12
-----------------	----

Product Assets

- [Catalogs - Substation Connectors \(SA\)](#)
- [Sales Drawings - CC-13060 \(AFTF Product Family\)](#)
- [Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products](#)
- [Video - Hubbell Power Systems Quick Ship](#)



A Hubbell brand

©2024 Hubbell Incorporated. All rights reserved
AN-AFTFV20C-SPEC-EN | REV 6/2024