HUBBELL Power Systems

Coupler, Aluminum Bolted

By ANDERSON Catalog # AL453030

Aluminum alloy angle coupler for connecting aluminumaluminum or aluminum-copper tubing at 45 degrees.



*Representative Image

Features

- For 3" IPS/EHIPS Tubing Main to 3" IPS/EHIPS Tubing Tap
- 45 degree angle
- Material: Castings 356-T6 aluminum alloy, Hardware aluminum alloy
- Clamping bolts have hex stops for one-wrench installation.
- Contact sealant is recommended.

General

Bolt Installation Torque	480 in-Ibs
(Recommended)	
EU RoHS Indicator	No
Material	Aluminum
Material - Clamping Hardware	Aluminum Alloy
Туре	Tube to Tube Couplers
UPC	096359283126

Dimensions

Diameter - Clamping Hardware	0.625 in
Diameter - Rod / Tube	3 in
Weight	10.486 lb

Electrical Ratings

Maximum Current Rating Amps See Technical Advisor Continuous

Conductor Related

Conductor Type Aluminum Bus

Product Assets

Catalogs - Substation Connectors (SA) Sales Drawings - C-2527 (AL45 Product Family) Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products Video - Hubbell Power Systems Quick Ship

