

Cable Spacer, Aluminum w/ Pad

By ANDERSON
Catalog # [APCSF15D12](#)

Aluminum alloy, parallel cable spacer with terminal pad. Limited current carrying capacity.



*Representative Image

Features

- 12 in Spacing
- NEMA D 4-hole 4 in terminal
- Conductor Diameter Ranges: 1.289 - 1.459 inches
- Conductor Ranges: 1200 - 1600 MCM AAC and 1113 - 1272 MCM ACSR
- Material: Casting - 356-T6 aluminum alloy, Pad - aluminum bar
- Contact surfaces are furnished on both sides of tongue.
- To obtain pad rotated 90 degrees and parallel cables, add suffix "90" to catalog number. Example: APCSF16D1290
- Contact sealant is recommended.
- Recommended for slack spans only.
- Limited current carrying capacity. For limited current use like lightning arrester tap.

General

Catalog Number	APCSF15D12
EU RoHS Indicator	No
Material	Aluminum
Material - Clamping Hardware	Aluminum Alloy
Number of Ground Braid Lug	0
Holes	
Type	Cable Spacer
UPC	096359283959

Dimensions

Angle - Pad	180 °
Base Hole Spacing	0 in
Diameter - Base Holes	0 in
Diameter - Bolt	0 in
Diameter - Inside	0 in
Length - Coupling	0 in
Length Before Compression	0 in
Weight	3.92 lb
Width - Pad	4 in

Electrical Ratings

Maximum Current Rating Amps 0
Continuous

Conductor Related

Conductor Compatibility	ACSR-Finch-1113-54/19;ACSR-Bunting-1192.5-45/7;ACSR-Grackle-1192.5-54/19;ACSR-Bittern-1272-45/7;ACSR-Pheasant-1272-54/19;ACSR-Dipper-1351.5-45/7;ACSR-Martin-1351.5-54/19;ACSR-Bobolink-1431-45/7;AAC-Narcissus-1272-61;AAC-Columbine-1351.5-61;AAC-Carnation-1431-61;AAC-Gladiolus-1510.5-61;AAC-Coreopsis-1590-61
Conductor Diameter - Maximum	1.459 in
Conductor Diameter - Minimum	1.289 in
Conductor Diameter Range	1.289 - 1.459
Conductor Spacing	12 in
Conductor Type	<ul style="list-style-type: none">• AAC• ACSR

Certifications And Compliance

Buy America(n) Qualified Contact Manufacturer

Product Assets

[Catalogs - Substation Connectors \(SA\)](#)
[Sales Drawings - C-11255 \(APCSF Product Family\)](#)
[Specifications - APCSF15D12](#)
[Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products](#)
[Video - Hubbell Power Systems Quick Ship](#)