

HUBBELL Power Systems

Bus Support, Aluminum Bolted

By ANDERSON
Catalog # [ATSF303](#)

Aluminum alloy, slip fit bus support for aluminum tubing. The adjustable base slots permit rotation up to 90 degrees for alignment.



*Representative Image

Features

- Bus Support, Aluminum Bolted, Slip-Fit, 3 IPS/EHIPS Tube to Insulator, 3 in BC
- Four Galv-Steel HH Bolts, lock washers and flat washers provided to mount to insulator cap.

General

EU RoHS Indicator	No
Material	Aluminum
Material - Mounting Hardware	Galvanized Steel
Number of Ground Braid Lug	0
Holes	
Type	Tube to Insulator
UPC	096359287537

Dimensions

Base Hole Spacing	0 in
Diameter - Base Holes	0 in
Diameter - Bolt	0 in
Diameter - Bolt Circle	3 in
Diameter - Inside	0 in
Length - Coupling	0 in
Length Before Compression	0 in
Weight	3.136 lb

Electrical Ratings

Maximum Current Rating Amps 0
Continuous

Conductor Related

Conductor Type Aluminum Bus

Product Assets

[Catalogs - Substation Connectors \(SA\)](#)
[Sales Drawings - C-2400 \(ATSF Product Family\)](#)
[Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products](#)
[Video - Hubbell Power Systems Quick Ship](#)



A Hubbell brand