


## Tee, Aluminum Bolted

By ANDERSON  
Catalog # [ATTC2015](#)

"Tees Bolted, Connecting Tubing Main to Cable Tap, Tubing Main-IPS/EHIPS-3-1/2", Cable Tap- AAC- 900-1250 MCM, ACSR- 715.5-1113 MCM, Dia.- 1.081"-1.293", Material: Castings- Aluminum Alloy, Hardware- Aluminum Alloy"



\*Representative Image

### Features

- "Tee for Connecting Aluminum-Aluminum or Aluminum-Copper Conductor Combinations "

### General

EU RoHS Indicator	No
Material	Aluminum
Material - Clamping Hardware	Aluminum Alloy
Type	Bolted Tees
UPC	096359288381

### Dimensions

Weight	3.038 lb
--------	----------

### Conductor Related

Conductor Compatibility	ACSR-Finch-1113-54/19;ACSR-Bunting-1192.5-45/7;ACSR-Grackle-1192.5-54/19;ACSR-Bittern-1272-45/7;ACSR-Pheasant-1272-54/19;ACSR-Dipper-1351.5-45/7;ACSR-Martin-1351.5-54/19;ACSR-Bobolink-1431-45/7;AAC-Narcissus-1272-61;AAC-Columbine-1351.5-61;AAC-Carnation-1431-61;AAC-Gladiolus-1510.5-61;AAC-Coreopsis-1590-61
Conductor Diameter (Tap) - Maximum	1.459 in
Conductor Diameter (Tap) - Minimum	1.289 in
Conductor Type	Aluminum Bus

### Product Assets

[Catalogs - Substation Connectors \(SA\)](#)

[Sales Drawings - C-1587 \(ATTC Product Family\)](#)

[Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products \(VI05050E0619\)](#)

[Video - Hubbell Power Systems Quick Ship \(VI05124E1018\)](#)