


Tee, Aluminum Bolted

By ANDERSON
Catalog # [ATTC309](#)

"Tees Bolted, Connecting Tubing Main to Flat Bar Tap, Tubing Main-IPS/EHIPS-1-1/4", Flat Bar Tap width-4", Material: Castings- Aluminum Alloy Clamping Hardware- Aluminum Alloy"



*Representative Image

Features

- "Tee for Connecting Aluminum-Aluminum or Aluminum-Copper Conductor Combinations "

General

EU RoHS Indicator	No
Material	Aluminum
Material - Clamping Hardware	Aluminum Alloy
Type	Bolted Tees
UPC	096359288633

Dimensions

Weight	2.842 lb
--------	----------

Conductor Related

Conductor Compatibility	ACSR-Merlin-336.4-18/1;ACSR-Linnet-336.4-26/7;ACSR-Oriole-336.4-30/7;ACSR-Chickadee-397.5-18/1;ACSR-Brant-397.5-24/7;ACSR-Ibis-397.5-26/7;ACSR-Lark-397.5-30/7;ACSR-Pelican-477-18/1;ACSR-Flicker-477-24/7;ACSR-Hawk-477-26/7;ACSR-Hen-477-30/7;ACSR-Osprey-556.5-18/1;ACSR-Brahma-203.2-16/19;AAC-Canna-397.5-19;AAC-Cosmos-477-19;AAC-Syringa-477-37;AAC-Zinnia-500-19;AAC-Hyacinth-500-37;AAC-Dahlia-556.5-19;AAC-Mistletoe-556.5-37;AAC-Meadowsweet-600-37
Conductor Diameter (Tap) - Maximum	0.893 in
Conductor Diameter (Tap) - Minimum	0.681 in
Conductor Type	Aluminum Bus

Product Assets

- [Catalogs - Substation Connectors \(SA\)](#)
- [Sales Drawings - C-1587 \(ATTC Product Family\)](#)
- [Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products \(VI05050E0619\)](#)
- [Video - Hubbell Power Systems Quick Ship \(VI05124E1018\)](#)