
HUBBELL Power Systems

Tee, Aluminum Bolted

By ANDERSON Catalog # ATTF24401

Aluminum alloy, tube to flat, tee for connecting aluminum tubing to aluminum or copper flat pad combinations. Flat pads have contact surface on one side. Contact sealant is recommended.



Features

- Tube to Flat, 2-1/2 IPS/EHIPS Main to 4 in, 4 hole Flat Tap
- Material: Castings- Aluminum Alloy Clamping Hardware-Aluminum Alloy"

General

EU RoHS Indicator No
Material Aluminum
Material - Clamping Hardware Aluminum Alloy
Number of Ground Braid Lug 0

Holes

Number of Pad Holes 4

Type Tee, Bolted UPC 096359288893

Dimensions

Base Hole Spacing 0 in Diameter - Base Holes O in Diameter - Bolt 0 in Diameter - Inside 0 in Length - Coupling 0 in Length Before Compression 0 in Weight 2.842 lb Width - Flat Bar Tap 4 in

Electrical Ratings

Maximum Current Rating Amps 0 Continuous

Conductor Related

Conductor Type Aluminum Bus

Product Assets

Catalogs - Substation Connectors (SA)
Sales Drawings - C-12983 (ATTF Product Family)
Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products
Video - Hubbell Power Systems Quick Ship

